













PRODU<mark>CT CATALOG 2019-2020</mark>









LEWISBins+® combines proven products, manufacturing expertise and application insight to help companies add efficiency to their operation. LEWISBins+ is a part of ORBIS Corporation, a wholly owned subsidiary of Menasha Corporation. Founded in 1849, we have been pioneers in the material handling industry; introducing the first reusable plastic container in North America (under the LEWISystems brand). Our aggressive support and strong values combine to provide our customers with a great experience.

REPRESENTED BY INDUSTRY LEADERS

LEWISBins+ collaborates with leading material handling dealers and distributors across North America. With tremendous industry knowledge and application expertise, these representatives are dedicated to finding the best material handling solution for their customers. LEWISBins+ distributors are supported by our experienced and committed customer service team.

PROVEN PRODUCT SOLUTIONS

With more than 170 years of manufacturing experience, we offer a variety of containers, totes, bins and metal systems for work-in-process, storage and distribution applications.

- Part Bins
- Divider Boxes
- Stack-N-Nest Containers (Polylewton® brand)
- Distribution Containers (FliPak® brand)
- Shelf Bins
- Fiberglass Containers (Plexton® brand)
- Metal Storage Systems

LEWISBINS+ ADVANTAGES

- Broad product line
- Manufacturing excellence
- Strong loyalties
- Rapid "ship-from-stock" program
- Industry and application knowledge
- Packaging heritage and integrity
- Technology, material and design expertise

MARKETING SUPPORT

Need images or website copy? Call our LEWISBins+ marketing team. We work hard to make your life simple.

LEVERAGING TECHNOLOGY TO ADD EFFICIENCY

We now offer valued dealers and distributors our online resource for important order information at https://access.lewisbins.com/. A click of the button will show order status and shipment detail, right down to the PRO number. If going online is an issue, no problem! We can automatically email the information—minutes after it leaves our plant. The redesigned LEWISBins+ website, www.lewisbins.com, offers the ability to search for products, review dimensions, register to become a distributor and more—all with the click of a button!



©2019 ORBIS Corporation. All rights reserved. All content and images are copyright protected and are property of ORBIS Corporation. FliPak®, LEWISBINS®, LEWISBINS+®, Plastibox®, Plexton®, Polylewton® and Stack-N-Nest® are registered trademarks owned by ORBIS Corporation. ORBIS Corporation is not responsible for typographical errors. Printed in the U.S.A.

PART BINS Shelf Bins • • • • • • • • • **CONTAINERS & TOTES ENVIRONMENTAL PRODUCTS** Attached Lid Containers • • • • • • • • • • • • 7 - 8 Polylewton® Containers • • • • • • • • • • 9-10 Polylewton® Dollies and Covers • • • • • • • 9-10 Ventilated Containers • • • • • • • • • • 10 **ESD-SAFE PRODUCTS** Divider Boxes and Dividers • • • • • • • • 11-12 ESD-Safe Material Information • • • • • • • • • 31-32 Divider Box — Covers • • • • • • • • • • 13-14 Travs • • • • • • • • • • • • • • • • • • 33 Divider Box — Dollies • • • • • • • • 13-14 Shelf Bins · · · · · · · · · · · · · · · · · 33 Divider Box — Accessories • • • • • • • • 13-14 Plexton® Containers • • • • • • • • • • • • • • • • 15-16 Plastibox® Part Bins • • • • • • • • • • • • • • • • 34 Divider Boxes • • • • • • • • • • • • • • • • • • 35 Polylewton® Stackable and Nestable Containers ® 15-16 Metal Storage Systems • • • • • • • • • • • • • • 37-38 Covers and Dollies • • • • • • • • • • • • • • • • • 17 Plexton® Trays and Hoppers® • • • • • • • • • 17 -18 Plexton® Nest Only/Stack Only Containers • • • 17 -18 **ACCESSORIES AND OPTIONS** · · · · · 39 **METAL STORAGE SYSTEMS** PRODUCT INDEX · · · · · · 40 Shelf Systems • • • • • • • • • • • • • • • • 19-20 Wall Mounted Systems • • • • • • • • • • • 21 Bench Assemblies • • • • • • • • • • • • • 22 Rail Floor Stands • • • • • • • • • • • • • • • • • • 23 Louvered Panel Floor Stands • • • • • • • • • • • 24 Metal Cabinets • • • • • • • • • • • • • • • 25-26 Bin Carts and Cabinets • • • • • • • • • • • • • 27

TABLE OF CONTENTS

STANDARD MATERIALS AND SHIP-FROM-STOCK PROGRAM

Polyethylene Plastic (PE) is well suited for typical manufacturing environments. Depending on the individual HDPE selected, products manufactured in this material can remain stable at temperatures in the typical working range of -50°F to 230°F. For short term exposures, like washing, temperatures should not exceed 248°F. While PE is resistant to many chemicals, an optional Environmental Stress Crack Resistant (ESCR) polyethylene is available for needed applications. Polystyrene Plastic (PS) is known for its rigidity and stiffness. Comparatively, PS is much stiffer than polyethylene and polypropylene, with lower mold shrinkage.

Plexton® Racks • • • • • • • • • • • • • • • 28

Polypropylene Plastic (PP) material is similar to polyethylene and offers excellent chemical resistance and remains stable in the typical working range of 10°F to 240°F. This material's advantages over PE include greater stiffness and elevated use temperature. Short term exposures should not exceed 275°F. Translucent or opaque options are also available in some product families.

Fiberglass-Reinforced Polyester products produced with this compression-molded, high strength polyester provide dimensional stability, high weight capacity and the ability to withstand extreme temperatures of -60°F to 250°F.

ESD-Safe Materials protect your products from the damaging effects of static electricity. Products that are stocked in ESD-Safe material can be found on pages 31-38. Additional LEWISBins+ products are available on a made-to-order basis. Contact your Sales Representative for more information.

Ship-From-Stock (SFS) Program Most products in this catalog are part of the LEWISBins+ Ship-from-Stock Program and will ship promptly. Selected products, indicated with an asterisk (*), are manufactured on a made-to-order basis and are subject to minimum order quantities and set-up charges.

SHELF BINS

Add efficiency to assembly, work-in-process and picking applications in a wide range of industries. LEWISBins+ Shelf Bin series consists of 4" and 6" tall plastic shelf bins, designed for 12", 18" and 24" depth shelving units. These injection molded bins are designed to replace limited-use corrugated boxes for long term cost savings. LEWISBins+ Shelf Bins are stocked in red, blue, yellow and green. Fully nestable when empty for space savings and fully recyclable at the end of their service life.

LEWISBINS+ Shelf Bins

- Rolled rim design and molded-in rib structure ensures bin integrity
 Nestable when empty for storage space savings
- Large undercut label slot for either cardholders or adhesive labels
- Increased material storage and capacity, raised hopper front and tall dividers allow up to 35% more material storage
- Optional length divider locks into bin creating two or three additional storage compartments
- Manufactured in polypropylene

SHELF BIN DIVIDERS

Drive hidden costs out of a variety of industries operations at an affordable cost. LEWISBins+ Shelf Bin Dividers are engineered to provide versatility for your shelf bins. Full length divider turns shelf bin into two or three smaller bins at a fraction of the cost. Shelf bin width dividers, available in black and orange (kanban), increase inventory management efficiency.

LEWISBins+ Kanban Divider System

Utilize LEWISBins+ Kanban Divider System within your operation in an effort to drive efficiency through Lean and Just-In-Time inventory control principles. The Kanban Divider System was developed to be a low-cost alternative to high-class inventory control systems — every business deserves an opportunity to drive inefficiency and hidden costs out of their operation at an affordable price.

- 1. Stock Shelf Bin to desired level, using optional kanban width divider to designate the "reserve inventory"
- 2. Pick from Shelf Bin until you reach the kanban divider
- 3. Reposition kanban divider to the front of the Shelf Bin to signal inventory levels are low and need replenishment
- 4. Replenish Shelf Bin and repeat process to enhance picking and inventory control
- 5. Visit http://youtu.be/Q5aLvPsFCzk for more information







LEWISBINS+ Shelf Bin Dividers

- Engineered to provide versatility for your Shelf Bins and width dividers are available in black and orange (kanban)
- "Double winged" design makes width dividers taller, creating more valuable storage space than comparable bins
- Seven width divider positions and up to three length divider positions offer versatility to bin configuration
- Full length divider turns shelf bin into two or three smaller bins at a fraction of the cost
- Manufactured in polystyrene

	Outsi	de Dimensio	ns (in)	Inside Dime	ensions (in)	Width Divider	Length Divider	Length Divider	Bin Weight	Bin Cartor
Model	L	W	Н	L	W	Model	Model*	Positions	(lb.)	Quantit
12" Shelf Bins	S									
SB122-4	11 5/8	2 3/4	4	10 1/4	1 5/8	N/A	N/A	0	0.24	36
SB124-4	11 5/8	4 1/8	4	10 1/4	3 1/8	DVSB4-4	DLSB12-4	1	0.32	24
SB126-4	11 5/8	6 5/8	4	10 1/4	5 5/8	DVSB6-4	DLSB12-4	3	0.40	12
SB128-4	11 5/8	8 3/8	4	10 1/4	7 1/4	DVSB8-4	DLSB12-4	3	0.50	12
SB1211-4	11 5/8	11 1/8	4	10 1/4	10	DVSB11-4	DLSB12-4	3	0.64	12
SB124-6	11 5/8	4 1/8	6	10 1/8	2 3/4	DVSB4-6	DLSB12-6	1	0.48	16
SB126-6	11 5/8	6 5/8	6	10 1/8	5 3/8	DVSB6-6	DLSB12-6	3	0.60	8
SB128-6	11 5/8	8 3/8	6	10 1/8	7 1/8	DVSB8-6	DLSB12-6	3	0.76	8
SB1211-6	11 5/8	11 1/8	6	10 1/8	9 3/4	DVSB11-6	DLSB12-6	3	0.90	8
18" Shelf Bins	S									
SB184-4	17 7/8	4 1/8	4	16 1/2	3 1/8	DVSB4-4	DLSB18-4	1	0.44	24
SB186-4	17 7/8	6 5/8	4	16 1/2	5 5/8	DVSB6-4	DLSB18-4	3	0.58	12
SB188-4	17 7/8	8 3/8	4	16 1/2	7 1/4	DVSB8-4	DLSB18-4	3	0.72	12
SB1811-4	17 7/8	11 1/8	4	16 1/2	10	DVSB11-4	DLSB18-4	3	0.84	12
SB184-6	17 7/8	4 1/8	6	16 3/8	2 3/4	DVSB4-6	DLSB18-6	1	0.68	16
SB186-6	17 7/8	6 5/8	6	16 3/8	5 3/8	DVSB6-6	DLSB18-6	3	0.88	8
SB188-6	17 7/8	8 3/8	6	16 3/8	7 1/8	DVSB8-6	DLSB18-6	3	1.14	8
SB1811-6	17 7/8	11 1/8	6	16 3/8	9 3/4	DVSB11-6	DLSB18-6	3	1.22	8
24" Shelf Bins	S	l			I		1			1
SB244-4	23 5/8	4 1/8	4	22 1/4	3 1/8	DVSB4-4	DLSB24-4	1	0.64	12
SB246-4	23 5/8	6 5/8	4	22 1/4	5 5/8	DVSB6-4	DLSB24-4	3	0.82	6
SB248-4	23 5/8	8 3/8	4	22 1/4	7	DVSB8-4	DLSB24-4	3	0.92	6
SB2411-4	23 5/8	11 1/8	4	22 1/4	10	DVSB11-4	DLSB24-4	3	1.22	6

PART BINS

Add efficiency to assembly, work-in-process and picking applications in a wide range of industries. LEWISBins+ Part Bins are designed to bring value and efficiency. These highperformance polypropylene bins are used for secure storage of parts and products in PB1816-11 industrial assembly operations, healthcare, stockroom, warehouse, foodservice and hardware merchandising applications. PB1808-9 PB104-4 with optional divider PB1416-7 with optional dividers PB1011-5 PB105-5 PB54-3 PB148-7 PB108-7 PB1405-5 PB74-3 PB1808-9 PB1811-10 **ALL SIZES AVAILABLE IN** CLEAR POLYPROPYLENE, **FOR EASY CONTENT** PB1816-11 **IDENTIFICATION!** These easy-view, stackable bins allow for instant visual inventory.

(PB54-3 Stacked shown)



PART BINS

- Hopper front with curved design enables convenient part retrieval
- Wide stacking ridge enables stacking to save space
- Optional length dividers are available to keep contents organized

Available Stocked Colors: Red Blue Yellow Green Stone Clear

- Dividers also increase versatility by providing an optimized compartment size
- Bins hang securely on rails, louvered panels, storage cabinets, bin carts and wall cabinets (See pg. 19-28 for Metal Storage Systems)
- Large front label slot allows bar code or ID card
- All colors are FDA approved except red and stone
- Manufactured in polypropylene

LEWISBi	ns Part B	ins										
	Outsic	de Dimension	ıs (in)	Insid	de Dimensions	s (in)	Weight	Load Capacity on Rack	Carton	Num- ber of Divider	Divider	Label Area
Model	L	W	Н	L	W	Н	(lb)	(lb)*	Quantity	Slots	Model**	Size
PB54-3	5 3/8	4 1/8	3	4 3/4	3 7/16	2 13/16	0.17	15	24	1	DPB5-3	1" x 3"
PB74-3	7 3/8	4 1/8	3	6 3/4	3 7/16	2 13/16	0.24	25	24	1	DPB7-3	1" x 3"
PB104-4	10 7/8	4 1/8	4	10 1/4	3 3/16	3 3/4	0.48	30	12	1	DPB10-4	1¼" x 3"
PB105-5	10 7/8	5 1/2	5	10 1/4	4 3/8	4 3/4	0.62	30	12	1	DPB10-5	1¾" x 4"
PB108-7	10 3/4	8 1/4	7	10	6 9/16	6 3/4	0.99	40	6	1	DPB10-7	1¾" x 4"
PB1011-5	10 7/8	11	5	10 1/4	10	4 3/4	0.99	40	6	3	DPB10-5	1¾" x 4"
PB1405-5	14 3/4	5 1/2	5	14 1/8	4 1/8	4 13/16	1.00	40	12	1	DPB14-5	1¾" x 4"
PB148-7	14 3/4	8 1/4	7	14	6 9/16	6 3/4	1.45	40	12	1	DPB14-7	1¾" x 4"
PB1416-7	14 3/4	16 1/2	7	14	14 3/4	6 3/4	2.40	40	6	3	DPB14-7	1¾" x 4"
PB1808-9	18	8 1/4	9	17 1/8	6 1/2	8 3/4	2.10	40	6	1	DPB18-9	1¾" x 4"
PB1811-10	18	11	10	17 1/8	9 1/4	9 3/4	2.40	40	4	1	DPB18-10	1¾" x 4"
PB1816-11	18	16 1/2	11	17 1/8	14 5/8	10 3/4	3.20	40	3		DPB18-10	

^{*} For lifting safety, Occupational Safety and Health Administration (OSHA) recommends manual loads not exceed 40 lbs.

^{**} All Dividers are stocked in Black and packaged in quantities of six (6).

PLASTIC BOX® PART BINS

Add efficiency to assembly, work-in-process and picking applications in a wide range of industries. Choose from 14 LEWISBins+ stackable polypropylene Plastibox® Part Bins designed to function individually or as a system. These high-performance bins are used for secure storage and organization of small parts in industrial assembly operations, healthcare, stockroom, warehouse and hardware merchandising applications.

• Smooth inside gravity flow interior optimizes parts accessibility

PB31X

PB31

PB22X

PR22

PB50

PR40

РВ30Х

PB30

- "X" designates molded-in dividers, to eliminate part migration
- These products are also stocked in ESD-safe material (See pg. 33)
- Manufactured in polypropylene
- 8 sizes available (6 with optional molded-in dividers)
- Label insert area for easy identification
- Bins hang on most louvered panels or rails** (See pg. 19-28 for Metal Storage Systems)

rt Bi	ins								
Outsi	de Dimen	sions (in)			Hopper Height	Weight	Carton		
L	W	Н	L	W	(in)	(lb)	Quantity	W	Н
3.5	4.0	2.0	3.0	3.4	1.1	0.1	24	3.0	0.8
3.5	4.0	2.0	3.0	3.4	1.1	0.1	24	3.0	0.8
7.0	4.0	2.9	6.0	3.4	1.6	0.3	24	3.0	1.0
7.0	4.0	2.9	6.0	3.4	1.6	0.3	24	3.0	1.0
6.6	8.8	2.9	6.0	8.1	1.6	0.4	12	2.5	7.5
6.6	8.8	2.9	6.0	8.1	1.6	0.5	12	2.5	7.5
9.5	5.8	5.0	8.4	5.0	2.6	0.6	12	3.0	1.0
9.5	5.8	5.0	8.4	5.0	2.6	0.7	12	3.0	1.0
9.3	8.8	5.0	8.4	8.0	2.5	0.8	8	3.0	1.0
9.3	8.8	5.0	8.4	8.0	2.5	0.9	8	3.0	1.0
12.8	8.1	6.0	11.8	7.1	3.1	1.3	12	3.0	1.0
12.8	11.4	6.0	11.8	10.5	3.1	1.5	12	3.0	1.0
12.8	11.4	6.0	11.8	10.5	3.1	1.7	12	3.0	1.0
18.5	11.8	7.1	17.1	10.8	3.8	2.2	6	3.0	1.0
	Outsi L 3.5 7.0 7.0 6.6 6.6 9.5 9.3 9.3 12.8 12.8 12.8	L W 3.5 4.0 3.5 4.0 7.0 4.0 7.0 4.0 6.6 8.8 6.6 8.8 9.5 5.8 9.5 5.8 9.3 8.8 9.3 8.8 12.8 8.1 12.8 11.4 12.8 11.4	Outside Dimensions (in) L W H 3.5 4.0 2.0 3.5 4.0 2.0 7.0 4.0 2.9 7.0 4.0 2.9 6.6 8.8 2.9 6.6 8.8 2.9 9.5 5.8 5.0 9.3 8.8 5.0 9.3 8.8 5.0 12.8 8.1 6.0 12.8 11.4 6.0	Value Instruction L W H L 3.5 4.0 2.0 3.0 3.5 4.0 2.0 3.0 7.0 4.0 2.9 6.0 7.0 4.0 2.9 6.0 6.6 8.8 2.9 6.0 6.6 8.8 2.9 6.0 9.5 5.8 5.0 8.4 9.5 5.8 5.0 8.4 9.3 8.8 5.0 8.4 9.3 8.8 5.0 8.4 12.8 8.1 6.0 11.8 12.8 11.4 6.0 11.8 12.8 11.4 6.0 11.8	Outside Dimensions (in) Inside Dimensions (in) L W H L W 3.5 4.0 2.0 3.0 3.4 7.0 4.0 2.9 6.0 3.4 7.0 4.0 2.9 6.0 3.4 6.6 8.8 2.9 6.0 8.1 6.6 8.8 2.9 6.0 8.1 9.5 5.8 5.0 8.4 5.0 9.3 8.8 5.0 8.4 8.0 9.3 8.8 5.0 8.4 8.0 12.8 8.1 6.0 11.8 7.1 12.8 11.4 6.0 11.8 10.5	Outside Dimensions (in) Inside Dimensions (in) Hopper Height (in) L W H L W 3.5 4.0 2.0 3.0 3.4 1.1 3.5 4.0 2.0 3.0 3.4 1.1 7.0 4.0 2.9 6.0 3.4 1.6 6.6 8.8 2.9 6.0 8.1 1.6 6.6 8.8 2.9 6.0 8.1 1.6 9.5 5.8 5.0 8.4 5.0 2.6 9.3 8.8 5.0 8.4 5.0 2.6 9.3 8.8 5.0 8.4 8.0 2.5 9.3 8.8 5.0 8.4 8.0 2.5 9.3 8.8 5.0 8.4 8.0 2.5 9.3 8.8 5.0 8.4 8.0 2.5 12.8 8.1 6.0 11.8 7.1 3.1 12.8 11.4	Outside Dimensions (in) Inside Dimensions (in) Hopper Height (in) Weight (lb) L W H L W Hopper Height (in) Weight (lb) 3.5 4.0 2.0 3.0 3.4 1.1 0.1 7.0 4.0 2.9 6.0 3.4 1.6 0.3 7.0 4.0 2.9 6.0 3.4 1.6 0.3 6.6 8.8 2.9 6.0 8.1 1.6 0.4 6.6 8.8 2.9 6.0 8.1 1.6 0.5 9.5 5.8 5.0 8.4 5.0 2.6 0.6 9.5 5.8 5.0 8.4 5.0 2.6 0.7 9.3 8.8 5.0 8.4 8.0 2.5 0.8 9.3 8.8 5.0 8.4 8.0 2.5 0.9 12.8 8.1 6.0 11.8 7.1 3.1 1.3 12.8	Outside Dimensions (in) Inside Dimensions (in) Hopper Height (in) Weight (lb) Carton Quantity 3.5 4.0 2.0 3.0 3.4 1.1 0.1 24 3.5 4.0 2.0 3.0 3.4 1.1 0.1 24 7.0 4.0 2.9 6.0 3.4 1.6 0.3 24 7.0 4.0 2.9 6.0 3.4 1.6 0.3 24 6.6 8.8 2.9 6.0 8.1 1.6 0.4 12 6.6 8.8 2.9 6.0 8.1 1.6 0.5 12 9.5 5.8 5.0 8.4 5.0 2.6 0.6 12 9.5 5.8 5.0 8.4 5.0 2.6 0.7 12 9.3 8.8 5.0 8.4 8.0 2.5 0.8 8 9.3 8.8 5.0 8.4 8.0 2.5 0.9 8 <td>Outside Dimensions (in) Inside Dimensions (in) Hopper Height (in) Weight (in) Carton Quantity Flat La Area L W H L W (in) Uweight (in) Carton Quantity W 3.5 4.0 2.0 3.0 3.4 1.1 0.1 24 3.0 7.0 4.0 2.9 6.0 3.4 1.6 0.3 24 3.0 7.0 4.0 2.9 6.0 3.4 1.6 0.3 24 3.0 6.6 8.8 2.9 6.0 8.1 1.6 0.4 12 2.5 6.6 8.8 2.9 6.0 8.1 1.6 0.4 12 2.5 9.5 5.8 5.0 8.4 5.0 2.6 0.6 12 3.0 9.5 5.8 5.0 8.4 5.0 2.6 0.7 12 3.0 9.3 8.8 5.0 8.4 8.0 2.5 0.</td>	Outside Dimensions (in) Inside Dimensions (in) Hopper Height (in) Weight (in) Carton Quantity Flat La Area L W H L W (in) Uweight (in) Carton Quantity W 3.5 4.0 2.0 3.0 3.4 1.1 0.1 24 3.0 7.0 4.0 2.9 6.0 3.4 1.6 0.3 24 3.0 7.0 4.0 2.9 6.0 3.4 1.6 0.3 24 3.0 6.6 8.8 2.9 6.0 8.1 1.6 0.4 12 2.5 6.6 8.8 2.9 6.0 8.1 1.6 0.4 12 2.5 9.5 5.8 5.0 8.4 5.0 2.6 0.6 12 3.0 9.5 5.8 5.0 8.4 5.0 2.6 0.7 12 3.0 9.3 8.8 5.0 8.4 8.0 2.5 0.

Available Stocked Color: Lt. Blue

Note: Other colors are available on a make-to-order basis.

Available on a make-to-order basis.

Please call for more information

***PB50 is not designed for use on hanging systems.

PB41X **PB41** PB20X **PB20**

Add efficiency to picking applications in a wide range of industries with Unit Dose Bins. Unit Dose Bins are ideal for efficient dispensing and inventory control of strips, orals and injectables. Bins fit on 36" wide shelves, 12" shelf depths.

- Molded-in cardholders for convenient identification of products
- Manufactured in high-impact polystyrene.



Unit Dose	Bins							
Container Model**	Outside Dimensions (L x W)	Inside Dimensions (L x W)	Overall Length (in)	Hopper Height (in)	Container Height (in)	Weight (lb)	Carton Quantity	Flat Label ID Area (W x H)
UDB1203-2	11.9 x 2.0	10.7 x 1.8	10.7	2.7	2.8	0.3	50	1.6 x 1.5
UDB1203-3	11.9 x 3.0	10.7 x 2.6	10.7	2.7	2.8	0.3	30	2.8 x 1.5
UDB1203-6	11.8 x 6.0	10.7 x 5.6	10.7	2.7	2.8	0.5	12	2.8 x 1.5

^{**}Available Stocked Color: Light Beige



HEAVY DUTY HOPPER BINS

Add efficiency to heavy-duty picking, assembly and sorting applications with Heavy Duty Hoppers. Get high density storage and quick access to your product with Stack and Nest Hoppers. Plexton® Stack-N-Nest hopper-front containers provide the ability to pick and visually inspect the content, yet nest when empty to save valuable space.

HEAVY DUTY PLEXTON® HOPPER BINS

- Large front label area accommodates adhesive labels
- Nest within their own dimensions and provide positive-lock stacking
- Works well with Plexton Container Racks (See pg. 28)
- Designed to work with 18" and 24" shelving (See pg. 19)



STACK AND NEST HOPPER BINS

- Stacks securely when full and nests when empty
- NPL215 has swing arm handle for easy handling
- Manufactured in high-density polyethylene



Plexton [®]	Hoppers	S					
		Dimensions V (in)		mensions V (in)	Height	Weight	Carton
Model	Тор	Bottom	Тор	Bottom	(in)	(lb)	Quantity
SH1811-7	18.1 x 11.4	13.1 x 9.9	16.0 x 8.0	12.8 x 7.5	7.6	3.8	5
SH2411-8	24.0 x 11.4	19.2 x 9.2	21.5 x 8.8	19.0 x 7.6	7.9	5.1	5
SH2416-8	24.1 x 16.3	19.1 x 14.4	21.8 x 12.9	18.8 x 11.6	8.0	7.0	5
Available Stock	ed Colors: 🛑 F	Red Green	Grey				

HB2012-9* 20.5 x 12.3 16.5 x 10.6 16.5 x 10.7 16.1 x 10.4 9.3 4.8 N/A

^{*} Available on a make-to-order basis. Please call for more information.

Stack an	d Nest Ho	pper Bins	5				
NPL 215	14.9 x 11.6	12.9 x 9.3	13.8 x 8.5	10.5 x 7.3	12.5	1.9	6
NPL 252	15.2 x 20.2	13.4 x 18.5	13.6 x 18.0	12.0 x 15.5	12.4	3.4	6

Available Stocked Color: Blue

Model	Outside Dimensions LxW (in)	Inside Dimensions LxW(in)	Hopper Height (in)	Container Height (in)	Weight (lb)	Carton Quantity	Flat Label ID Area W x H (in)
SH2409-9	23.6 x 8.8	20.8 x 6.5	4.0	9.0	3.0	6	7.8 x 1.5

NBS2415-12 (total) 23.5 x 15.6 20.1 x 12.6 5.9 12.0 5.7 10 12.5 x 5.5 NO2415-12 (robal) 23.5 x 15.6 20.1 x 12.6 5.9 12.0 5.0 10 12.5 x 5.5

HEAVY DUTY SHELF BINS

- Large hopper front for easy picking
- Large label area for content identification
- Adjustable wire bail on NBS2415-12 allows bin to stack when full and nest when empty
- NO2415-12 (without bail) is a nest-only container and is ideal for picking applications
- Save on storage space by nesting empty NBS2415-12 and NO2415-12 containers
- Manufactured in high-density polyethylene



DISTRIBUTION CONTAINERS

Add distribution efficiency, reduce product damage and maximize storage space. The FliPak® family offers multiple container sizes with attached hinged covers that prevent expensive loss of product. These containers stack when closed or nest when open to provide the most efficient use of available space on the manufacturing floor, in the warehouse, inside a truck trailer or in the back room of a retail outlet.

FLIPAK® CONTAINERS

- 1/4" or 3/8" diameter reinforced security holes are compatible with a variety of security tote closures
- Quick-release label area on attached hinged cover and ends for easy reading and quick label exchange
- Seven FliPak sizes available in Clear: FP03, FP06, FP075, FP143, FP182, FP243 and FP261
- Visible area above nest stops for easy reading of optional sequential number when nested or stacked
- Pebble-grain bottom surface provides excellent conveyor traction
- Heavily reinforced hinge elements reduce breakage and cracking
- Cover recessed within the perimeter of container to protect against cover breakage while conveyed or shipped
- Select containers are available with optional detached covers
- Colors manufactured in high density polyethylene. Clear manufactured in polypropylene



Distribution Containers meet the diverse needs of many types of picking and storage applications in modern distribution systems.

FP143



Distribution Co	ntain	ers														
	1	nge yle		ıtside Di op		ons ttom	-	Inside [Top		sions	Total	Product	Container Weight	Volume	Carton	Truckload Quantity 53'Trailer
	Metal	Plastic	L	W	L	W	L	W	L	W	Height	Clearance		(cu. ft.)	Quantity	Skid Loaded
FliPak Containers																
FP03*	х		11.8	9.8	9.3	7.0	10.1	7.8	8.7	6.4	7.7	6.5	2.0	0.3	Bulk	9,000
FP06	х		15.2	10.9	12.8	7.8	13.8	8.9	12.2	7.3	9.7	8.8	2.9	0.6	Bulk	6,720
FP075	х		19.7	11.8	16.9	9.3	17.7	10.11	6.2	8.6	7.3	6.0	3.4	0.7	Bulk	7,740
FP143	х		21.9	15.2	19.1	13.3	21.1	14.41	8.5	12.8	9.3	8.4	5.0	1.4	Bulk	5,520
FP151**	х		22.3	13.0	19.1	10.9	20.1	11.41	8.9	10.1	12.8	11.75	6.0	1.6	Bulk	4,524
FP182	х	х	21.8	15.2	18.6	12.9	19.8	14.0	18.1	12.3	12.9	11.8	6.5	1.8	Bulk	3,360 (M) / 3,480 (P)
FP243	х	х	26.9	16.9	24.4	14.7	25.2	15.5	23.6	13.9	12.1	11.0	7.8	2.4	Bulk	4,000 (M) / 3,520 (P)
FP261	х		23.9	19.6	21.1	17.1	22.2	18.2	20.6	16.5	12.6	11.5	7.8	2.7	Bulk	3,840
FP403**	х		27.9	20.6	25.8	18.7	26.0	19.0	25.0	18.0	15.6	14.0	12.7	4.0	Bulk	1,469

Available Stocked FliPak Colors: Grey (FDA) Blue (FDA) Red (FDA) Clear (FDA)

*Unavailable in Red **Unavailable in Clear

RNO2115-12	х	21.4	15.3	18.6	12.6	20.2	14.2	18.4	12.4	12.3	12.0	4.6	2.0	Bulk
NO2420-12	х	23.9	19.6	21.1	17.7	22.2	18.2	20.5	16.5	12.0	11.9	5.2	2.7	Bulk
CNO2115-1 (cover)	х	21.4	15.3	N/A	N/A	N/A	N/A	N/A	N/A	1.3	N/A	1.6	N/A	Bulk
RCNO2420-1 (cover)	х	23.7	19.7	N/A	N/A	N/A	N/A	N/A	N/A	1.1	N/A	2.3	N/A	Bulk

Available Stocked Nest-Only Container Colors: Grey (FDA)

POLYLEWTON® STACKABLE AND NESTABLE**CONTAINERS**

Containers nest when empty and stack when full for space savings and efficiency. Polylewton® containers are ideally designed for use in general manufacturing, food processing and distribution applications.

POLYLEWTON® STACKABLE AND NESTABLE CONTAINERS

- Stack when full (with or without covers) and nest when empty at an alternating 180° position
- Resistant to rust, corrosion and temperatures ranging from 0°F to 120°F
- · Easily cleanable and ideal for handling unpackaged product. No sharp edges, burrs or splinters
- Maximum load capacity of 70 lbs. per tote, bottom container supports 300 lbs. stacked
- Textured bottom on selected containers ensures compatibility with conveying equipment
- Compatible with many racking and shelving styles
- · A variety of Hole Patterns are available on solid containers for increased ventilation and drainage
- Durable matching covers are available for selected containers to protect product from moisture, impact and contaminants.
- Resistant to damaging effects of oil, most chemicals, solvents, water and steam
- Manufactured in high-density polyethylene

IDENTIFICATION OPTIONS

- Many Polylewton containers and covers are manufactured with Security Holes to accommodate security ties and hang tags
- Available options include Cardholders, Hot Stamps and Molded-In Identification (See pg. 39)

VENTILATED STACK-N-NEST CONTAINERS

- 3 footprints available, including 20" x 13", 20" x 14" and 24" x 16"
- Stacks when full and nests when empty
- Ventilated design for easier cleaning, accurate temperature control and minimized cooling times
- Manufactured in high density polyethylene



DSN2117 Dolly



Ventilated Stack-N-Nest Containers are ideal for part washing applications.

Add distribution and efficiency with Stack-N-Nest containers, covers and dollies.

		Outside [Dimensi	ons	Inside	Dimen	sions	Contair	ner I	Product						
			W (in)			(W (in)		Heigh		learance	Weight		Nest	Security	Container	Carton
odel		Тор	Bott	om	Тор	В	ottom	(in)		(in)	(lb)	(cu ft)	Ratio	Tie Holes	Bottom	Quantity
DLID WALL			10.5	11.5	101.12	0 17	2 11 2	<i>(</i> 2		6 1	2.1	0.0	211	V	Touter	
N2012-6 N2013-12		.1 x 13.0 .4 x 12.9	_	_	18.1 x 12		8 x 10.6	6.2 12.1	+	12.0	2.1 3.8	0.6 1.3	2.1:1 4.0:1	Yes Yes	Textured Textured	5
5N2117-12		.4 x 12.9			17.4 x 15	_	3 x 14.8	12.1	+	11.9	5.0	1.8	4.0:1	Yes	Smooth	5
N2414-8		.0 x 17.0	+	_	19.5 x 12	_	5 x 11.3	7.9	+	7.8	3.4	1.1	4.0:1	No	Smooth	5
N2420-13		.0 x 20.0	+	_	21.5 x 18	_	4 x 17.4	13.0		12.9	6.1	2.7	4.0:1	Yes	Textured	
SN2618-10		.1 x 18.7	+	-	23.4 x 17			10.5	+	10.4	5.4	2.1	4.0:1	No	Smooth	5
N2818-10		.4 x 18.7	+	_	25.6 x 17			10.5		10.4	5.8	2.3	4.0:1	No	Smooth	5
SN3022-6	29.	.6 x 22.4	28.3 x	21.0	27.6 x 21	4 26.	1 x 20.5	6.1		6.0	4.8	2.1	4.0:1	No	Textured	Bulk
N3024-15	30.	.1 x 24.0	27.0 x	21.0	27.6 x 22	.5 25.	8 x 20.8	15.1		14.9	11.0	4.7	4.5:1	No	Textured	Bulk
vailable Stock	ed Colors:	Red	d (FDA)	Blue	e (FDA)	Grey (I	FDA)									
/ENTILATED																
AF2013-6		.7 x 13.1			17.0 x 11	_		5.6	+	5.0	2.1	0.6	2:1	N/A	Smooth	10
NPL 654B		.9 x 16.0		15.9	19.2 x 13	.7 19.	2 x 12.6	8.8		8.2	4.8	1.2	3:1	N/A	Textured	5
Nvailable Stock			en (FDA)													
IBS2415-12	bail) 23.	.5 x 15.6	N/	A	20.1 x 12	.6	N/A	12.0		N/A	5.7	N/A	N/A	N/A	Smooth	10
IO2415-12 (n	o bail) 23.	.5 x 15.6	N/	A	20.1 x 12	.6	N/A	12.0		N/A	5.0	N/A	N/A	N/A	Smooth	10
/ailable Stock	ed Color:	Gre	y (FDA)													
Covers										Do	ollies					
	Outside	Dimensi	ons (in)	Cov	rer C	ontainer	r Wei	aht C	artor			Outside	e Dimen	sions (in)	Container	Weig
Nodel	L	W	Η	Sty		npatibili		_	uantii		del	L	W		Compatibility	-
SN2012-1	20.4	13.3	1.1	Hoo		2012-6	_		5		N2117*	19.5	15.1		SN2117-12	_
SN2013-1	20.6	13.2	1.3	Hoo		2013-12			5		N2414*	21.9	12.0	5.25	SN2414-8	10.7
SN2117-1 SN2414-1	21.3	17.3 14.3	1.8	Hoo Dro		2117-12 2414-8			5 5		N2420* N2618*	22.5	18.3	5.25	SN2420-13 SN2618-10	
SN2414-1	24.3	20.3	1.5	Hoo		2414-0 2420-13	_		5		N3022*	28.3	21.3	5.25	SN3022-6	
SN2618-1	27.0	19.1	1.3	Dro		2618-10			10	*Ava	ilable in g	rey on a m	nake-to-c	rder basis.		,
vailable Stock	ed Colors:	Red	d (FDA)	Blue	e (FDA)	Grey (I	FDA)			Plea	ise call for	more info	rmation.			
tainless	Steel	Dollie	es												W-20001130	
	Outside	Dimensi		Con	tainer	Neight	 :									
Model	L	W	Н		atibility	(lb.)	_							-		THE
DAF2013*	11.9	18.6	6.25		013-6	7.5	_				SMO	618-10				
DAF2014* DNPL654*	11.8 19.9	19.1 21.9	6.25	NPL6	014-11 654B	9.5	_	1	onu-		JIVZ	-010°10			12420-13 w	
2004	12.2	۷1.7	U.EJ	NI LO				SN281	8-10		FE			CS	N2420-1 (cover)
	CND11	7-12 wi				1									e ou Bar	l saire (
			ver) 🚚					l design	Z12 (B)	图 业	和 翻		t BBB to		A PARE	
	CSN21	17-1 (CC	1					THE RESERVE AND ADDRESS OF THE PERSON NAMED IN	72 m 1 m	-						-
		17-1 (CC	1					d suspi					CNIDAG			7
		17-1 (66						d assis	7				5N2414	-8	NO:	 2415-12
		17-1 (66			SN3	022-6							SN2414	-8	NO:	 2415-12
		17-1 (66			SN3)22-6							5N2414	-8	NO:	" 2415-12
		17-1 (66			SN3	022-6							5N2414	-8	NO:	"/ 2415-12
		17-1 (66			SN3	022-6							5N2414	-8	NO.	" 2415-12
		17-1 (cc			SN3)22-6							SN2414	-8	NO:	" 2415-12
		17-1 (cc)22-6							5N2414	-8	NO.	" 2415-12
		17-1 (cc				022-6							5N2414	-8	NO.	" 2415-12
		17-1 (cc				022-6					4		5N2414	-8	NO:	" 2415-12
		17-1 (cc				022-6		SN201					5N2414	-8	NO:	2415-12
		17-1 (cc				022-6		SN201		with (cover)			5N2414	-8	NO.	2415-12
		17-1 (cc				022-6		SN201					5N2414	-8	NO.	2415-12
		17-1 (cc				022-6		SN201 CSN20	13-1 012-6	(cover) 5 with			5N2414	-8	NO	2415-12
		17-1 (cc				222-6		SN201 CSN20	13-1 012-6	(cover)			5N2414	-8	NO	2415-12
		17-1 (cc				222-6		SN201 CSN20	13-1 012-6	(cover) 5 with			5N2414	-8	No	2415-12

DIVIDER BOXES

Add flexibility with dividable containers. Slide-in dividers allow instant container configuration. Multi-purpose stack-only LEWISBins+ Divider Box Containers can be divided into compartments on 1.25" centers with easy-to-add dividers. These dividable containers are ideal for use in commercial, industrial, electronics and healthcare markets for storage, assembly, fabrication and distribution applications. Divider Boxes are also stocked in ESD-Safe materials.

(See pg. 35-36).

DIVIDER BOXES

- Strong stacking ridge and innovative ribbed walls ensure high performance
- Choose from industry standard container sizes
- Multiple identification options for added flexibility and efficiency
- Load capacity of 40 lbs. per container
- Choose from multiple cover styles for product protection
- Compatible with many kinds of racking, shelving and material handling equipment
- Two snaps included on all containers for use with cardholders (see pg. 14)
- Manufactured in high-density polyethylene



CNDC2020 (cover) (For available covers see pg. 13)

DC1050 on NDC2060

Increase part protection and prevent part migration with Divider Box Containers.

	Model		Dimensions W (in) Bottom		imensions W (in) Bottom	Height	Product Clearance* (in)	Weight	Volume (cu ft)	Full Height Short Divider	Full Height Long Divider	Cardholder	Carton Quantity
Sa	DC1025	10.8 x 8.3	9.8 x 7.3	9.2 x 6.6	9.1 x 6.5	2.5	2.4	0.5	0.07	DV0825	DV1025	CH30	24
Series	DC1035	10.8 x 8.3	9.8 x 7.3	9.2 x 6.6	9.2 x 6.4	3.5	3.4	0.6	0.11	DV0835	DV1035	CH20	16
1000	DC1050	10.8 x 8.3	9.8 x 7.3	9.3 x 6.6	9.1 x 6.4	5.0	4.9	0.8	0.16	DV0850	DV1050	CH10	16
	DC2025	16.5 x 10.9	15.5 x 9.9	14.8 x 9.2	14.7 x 9.1	2.5	2.4	0.9	0.16	DV1025	DV1625	CH30	12
	NDC2035	16.5 x 10.9	15.5 x 9.9	14.8 x 9.3	14.8 x 9.2	3.5	3.4	1.1	0.24	DV1035	DV1635	CH20	8
Series	NDC2050	16.5 x 10.9	15.5 x 9.9	14.9 x 9.3	14.8 x 9.3	5.0	4.9	1.4	0.36	DV1050	DV1650	CH10	8
20002	NDC2060	16.5 x 10.9	15.5 x 9.9	14.9 x 9.4	14.9 x 9.3	6.0	5.9	1.5	0.43	DV1060	DV1660	CH10	8
7	DC2070	16.5 x 10.9	15.5 x 9.9	15.0 x 9.3	14.8 x 9.3	7.0	6.9	1.7	0.51	DV1070	DV1670	CH10	6
	NDC2080	16.5 x 10.9	15.5 x 9.9	15.1 x 9.3	14.8 x 9.2	8.0	7.9	2.0	0.59	DV1080	DV1680	CH10	6
	DC3050	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	5.0	4.9	2.6	0.79	DV1750	DV2250	CH10	4
Serie	NDC3060	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	6.0	5.9	2.5	0.97	DV1760	DV2260	CH10	4
3000	NDC3080	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	8.0	7.9	3.3	1.32	DV1780	DV2280	CH10	4
m	NDC3120	22.4 x 17.4	20.3 x 15.3	20.5 x 15.5	20.1 x 15.1	12.0	11.9	5.4	2.00	DV17120	DV22120	CH10	3

Grev (FDA)

* With Snap-on-Cover.

DIVIDER BOX DIVIDERS

Subdivide LEWISBins+ Divider Boxes to increase part protection and prevent part migration. Vertical Dividers are available to maximize efficiency and flexibility. For easy insertion of dividers, NDC containers feature molded-in "no guess" textured divider grid and numbered divider slots. Multipleheight polyethylene dividers are available for all models, excluding DC1025. Vertical Dividers (below) are available in a variety of heights and are contoured for easy insertion.

			Maximum				Vertical	Divider H	oigh+			
	ntainer		# of	4.0"	2.0"	2.5"				C 411	7.41	44.21
Mo	del	Type	Dividers**	1.9"	2.9"	3.5"	4.3"	4.4"	5.4"	6.4"	7.4"	11.3"
S	DC1025	Short	7	DV0825								
DC1000 Series		Long	5	DV1025								
Š O	DC1035	Short	7	DV0825	DV0835							
8		Long	5	DV1025	DV1035							
ŭ	DC1050	Short	7	DV0825	DV0835			DV0850				
_		Long	5	DV1025	DV1035			DV1050				
	DC2025	Short	11	DV1025								
		Long	7	DV1625								
	NDC2035	Short	11	DV1025	DV1035							
		Long	7	DV1625	DV1635							
es	NDC2050	Short	11	DV1025	DV1035			DV1050				
DC2000 Series		Long	7	DV1625	DV1635			DV1650				
00	NDC2060	Short	11	DV1025	DV1035			DV1050	DV1060			
20		Long	7	DV1625	DV1635			DV1650	DV1660			
2	DC2070	Short	11	DV1025	DV1035			DV1050	DV1060	DV1070		
		Long	7	DV1625	DV1635			DV1650	DV1660	DV1670		
	NDC2080	Short	11	DV1025	DV1035			DV1050	DV1060	DV1070	DV1080	
		Long	7	DV1625	DV1635			DV1650	DV1660	DV1670	DV1680	
	DC3050	Short	15			DV1735		DV1750				
S		Long	11			DV2235		DV2250				
DC3000 Series	NDC3060	Short	15			DV1735		DV1750	DV1760			
o S		Long	11			DV2235		DV2250	DV2260			
000	NDC3080	Short	15			DV1735		DV1750	DV1760		DV1780	
Ö		Long	11			DV2235		DV2250	DV2260		DV2280	
7	NDC3120	Short	15			DV1735		DV1750	DV1760		DV1780	DV171
		Long	11			DV2235		DV2250	DV2260		DV2280	DV221

Available Stocked Color:

Grey

Black = Partial Height Dividers Purple = Full Height Dividers

DC1000 Divider Layout



of Divider Slots on Short Side: 5 # of Divider Slots on Long Side: 7 Divider cells are 1.25" square.

DC2000 Divider Layout



of Divider Slots on Short Side: 7 # of Divider Slots on Long Side: 11 Divider cells are 1.25" square.

DC3000 Divider Layout



of Divider Slots on Short Side: 11 # of Divider Slots on Long Side: 15 Divider cells are 1.25" square.

Vertical D	Divider				
		Dimensions	Model	Weight (lb)	Dimensions
Model	Weight (lb)	LxWxH (in)	(cont'd)	(cont'd)	LxWxH (in)
DV0825	.049	6.9 x 0.1 x 1.9	DV1670	.401	15.3 x 0.1 x 6.4
DV0835	.075	6.9 x 0.1 x 2.9	DV1680	.450	15.3 x 0.1 x 7.4
DV0850	.115	6.9 x 0.1 x 4.4	DV17120	.703	15.8 x 0.1 x 11.3
DV1025	.064	9.6 x 0.1 x 1.9	DV1735	.207	15.6 x 0.1 x 3.5
DV1035	.106	9.6 x 0.1 x 2.9	DV1750	.258	15.6 x 0.1 x 4.3
DV1050	.170	9.6 x 0.1 x 4.4	DV1760	.326	15.6 x 0.1 x 5.3
DV1060	.203	9.6 x 0.1 x 5.4	DV1780	.463	15.6 x 0.1 x 7.3
DV1070	.245	9.6 x 0.1 x 6.4	DV22120	.935	20.6 x 0.1 x 11.3
DV1080	.282	9.6 x 0.1 x 7.4	DV2235	.284	20.6 x 0.1 x 3.5
DV1625	.104	15.3 x 0.1 x 1.9	DV2250	.344	20.6 x 0.1 x 4.3
DV1635	.179	15.3 x 0.1 x 2.9	DV2260	.445	20.6 x 0.1 x 5.3
DV1650	.251	15.3 x 0.1 x 4.4	DV2280	.597	20.6 x 0.1 x 7.3
DV1660	.324	15.3 x 0.1 x 5.4	** Please	order dividers s	eparately.





Horizon	tal Dividers
Model	Fits Divider Box
DH1000*	DC1025, DC1035, DC1050
DH2000	DC2025, NDC2035, NDC2050,
	NDC2060, DC2070 and NDC2080
DH3000	DC3050, NDC3060, NDC3080, NDC3120
	_

Available Stocked Color: White

- Available on a make-to-order basis.
- Please call for more information.
 ** Please order dividers separately.

Available Stocked Colors: Grey



DIVIDER BOX COVERS

Eliminate dust and dirt during storage with Divider Box Covers. Choose from versatile Divider Box Covers to protect product from impact, dust and chemicals throughout your facility. All offer contoured surfaces for an easy fit.

Covers			
Fits Container	Cover Style	Cover Model	Weight (lb)
1000 Series	Heavy Duty Solid (Clear)	CDC1020	0.3
	Heavy Duty Solid	CDC1040	0.3
2000 Series	Heavy Duty Solid (Clear)	CNDC2020	0.6
	Heavy Duty Solid	CDC2040	0.6
3000 Series	Heavy Duty Snap-On (Clear)	CDC3040-MECLM	1.2
	Heavy Duty Solid	CDC3040	1.4

Available Stocked Color: Grey FDA-Approved Clear

DIVIDER BOX ACCESSORIES

Add efficiency with dollies, cardholders, security tags and identification options. Add mobility and ease of handling with the Divider Box Dolly, compatible with the DC3000 series containers. Add efficiency with a wide range of Divider Box Accessories, including cardholders, security ties, hot stamping and molded-in logo capabilities. (See pg. 39).

ACCESSORIES

- Snap-On and Adhesive Cardholders are available in a variety of sizes and styles, and materials (Including ESD-Safe)
- Standard NDC model containers have holes to accommodate Security Ties and Hang Tags
- Containers may be customized with Hot Stamps or Molded-In Identification

DOLLY

- Heavy-duty dolly has a 840 lb. weight capacity
- Dolly equipped with two swivel and two fixed 3" casters
- This product is also stocked in ESD-Safe material (See pg. 35-36)

NDC2035 with security tie and CNDC2020 Cover

Snap-O	Snap-On Cardholders											
Model	Size L x W (in)	# of Snaps	Container Compatibility									
CH10	7.75 x 4.25	2	DC1050, NDC2050, NDC2060, DC2070, NDC2080, DC3050, NDC3060, NDC3080, NDC3120									
CH20	6.50 x 2.25	2	DC1035, NDC2035									
CH30	6.50 x 1.81	2	DC1025, DC2025									

Dolly											
Model	Inside Dimensions (in)	Container Compatibility	Weight (lb)								
DDC3000	21.19 x 16.25	3000 Series	12.6 lbs								

Grey Enamel









HR1615 rack with SH1811-7

Add heavy duty performance to a variety of extreme applications. Plexton containers, hoppers and trays can be manufactured in materials for fire retardance and food grade. Trays are available in ESD-safe material. These fiberglass-reinforced containers feature Stack-N-Nest® design, consistent tare weight, smooth outside surface and radius angles for easy and safe handling. All Plexton containers, hoppers and trays can be manufactured in materials for flame retardance, food grade, or ESD protection. Plexton containers are your ideal solution for heavy-duty storage, work-in-progress and distribution applications.



Plexton Sta	Plexton Stack-N-Nest Containers												
	Outside Dimensions L x W (in)			Inside Dimensions L x W (in)			Cover	Dolly	Carton				
Model	Тор	Bottom	Top Bottom		(in)	Weight (lb)	Model*	Model*	Quantity				
SN1610-5	17.9 x 10.8	16.6 x 9.6	15.9 x 10.1	14.3 x 9.3	5.0	3.0	CSN1610-1	DOC1610-1	10				
SN1812-6	19.8 x 12.8	18.3 x 11.4	18.1 x 11.9	16.3 x 11.3	6.0	3.8	CSN1812-1	DOC1812-1	10				
SN1812-8	20.6 x 13.0	18.8 x 11.1	18.0 x 12.3	16.0 x 11.0	8.0	5.2	CSN2013-1	DOC2013-1	5				
SN2010-7	24.1 x 11.4	21.9 x 9.9	20.0 x 10.7	19.4 x 9.8	6.9	4.6	CSN2010-1	DOC2010-1	5				
SN2010-9	24.1 x 11.4	21.8 x 9.9	20.0 x 10.6	19.1 x 9.7	9.0	5.2	CSN2010-1	DOC2010-1	5				
SN2214-5	24.3 x 14.8	22.3 x 12.9	21.7 x 14.0	19.4 x 12.8	5.1	4.9	CSN2214-1	DOC2214-1	4				
SN2214-8	24.3 x 14.8	22.3 x 12.9	21.5 x 13.9	19.4 x 12.6	8.0	6.6	CSN2214-1	DOC2214-1	4				
SN2217-6	25.3 x 18.1	23.3 x 16.1	21.4 x 18.1	21.0 x 15.9	6.1	6.5	CSN2217-1	DOC2217-1	5				
SN2217-10	25.3 x 18.1	23.3 x 16.1	22.8 x 17.3	21.0 x 15.9	10.1	8.9	CSN2217-1	DOC2217-1	2				
SN2419-14	27.5 x 19.9	24.6 x 17.1	23.1 x 18.9	20.9 x 17.1	14.1	12.3	CSN2419-1	DOC2419-1	2				
SN2713-7	29.6 x 13.8	28.1 x 12.3	26.7 x 12.9	25.0 x 12.0	7.0	6.3	N/A	N/A	5				
SN2716-11	30.6 x 16.9	27.9 x 14.1	26.3 x 15.9	24.9 x 13.9	11.1	11.1	CSN2716-1	DOC2716-1	11				
SN3023-8	34.1 x 24.0	31.8 x 21.8	30.1 x 21.6	28.6 x 20.6	8.1	13.3	N/A	N/A	3				
SN3919-14	42.5 x 20.1	39.8 x 17.3	38.1 x 19.0	35.3 x 17.1	14.1	20.4	CSN3919-1	DOC3919-1	N/A				




PLEXTON® CHARACTERISTICS:

*CSNs and DOCs only available in grey.

- High impact, compressive, flexural and flexible strength
- Excellent chemical resistance
- High volume and surface resistivity
- High dielectric strength
- High arc and arc-track resistance
- Excellent microwave characteristics

PLEXTON® CONTAINERS WITHSTAND:

- Extreme cold temperatures to -60° F
- Extreme heat up to 250° F (continuous) and 300° F (intermittent)
- Fully autoclavable
- Extreme weight up to 500 lbs. per container, bottom container in stack supports up to 3,000 lbs
- Resistant to most oils, moisture, chemicals and solvents, not affected by radiation
- Available with or without a wire-reinforced rim





PLEXTON® TRAYS & HOPPERS

Boost picking and assembly efficiency with heavy-duty hoppers and trays. Get high density storage and quick access to your product with Plexton Hoppers & Trays. These containers give you all of the strength and tough characteristics of our Plexton Stack-N-Nest containers with the ability to pick and visually inspect the contents. Assembly Trays are ideal for many applications, such as industrial, confection, electronic, distribution and work-in-process.



Plexton A	ssembly	Trays			
	Outsio	de Dimensio	ons (in)	Weight	Carton
Model	L	W	Н	(lb)	Quantit
ASSEMBLY TR	AY*				
TR1812-1	18.0	12.0	1.0	1.8	10
TR1814-1	18.0	14.0	1.0	1.8	10
TR2015-1	20.4	15.1	1.0	1.9	N/A
TR2618-1	25.8	17.8	1.1	3.0	10
Available Stocked (Colors: Gr	rey			
CNO TRAYS					
CNO65-1	6.3	4.9	0.3	0.19	-
CNO96-1	9.8	6.2	0.4	0.23	-
CNO118-1	11.9	8.8	0.4	0.60	-
CNO129-1	12.4	9.8	0.4	0.62	-
Available Stocked (Colors: Gr	ey 🛑 Lt. B	ue		
CSN TRAYS					
CSN1610-1	17.9	10.7	1.0	2.0	-
CSN1812-1	19.8	12.6	1.1	1.8	-
CSN2013-1	20.6	13.0	1.1	2.3	-
CSN2010-1	24.0	11.4	1.2	2.2	-
CSN2214-1	24.1	14.7	1.2	2.9	-
CSN2217-1	25.3	18.1	1.3	3.2	-
CSN2419-1	27.4	19.9	1.3	4.7	-
CSN2716-1	30.6	16.8	1.3	3.8	-
CSN3919-1	42.4	20.0	1.3	8.3	-

Available Stocked Colors: Grey

NEST-ONLY & STACK-ONLY CONTAINERS

Add efficiency to assembly, work-in-process and picking applications in a wide range of industries. Plexton® Stack-Only and Nest-Only Containers are ideal for storing, moving and shipping small parts, as well as for autoclaves, healthcare and x-ray/security applications. Thin-wall design and construction gives maximum strength while remaining lightweight.

	Outside Top Dimensions (in)		1	Inside Top Dimensions (in)		Weight	Compatible	Carton			
Model	L	W	L	W	(in)	(lb)	Cover	Quantity			
Nest-Only Containers											
NO65-2	6.3	4.9	5.9	4.6	2.1	0.3	CNO65-1	48			
NO96-2	9.8	6.2	9.3	5.6	2.1	0.7	CNO96-1	48			
NO96-4	9.8	6.2	9.3	5.6	4.5	1.2	CNO96-1	16			
NO118-4	11.9	8.8	11.3	8.3	4.1	1.6	CNO118-1	10			
NO129-2	12.4	9.8	11.9	9.1	2.1	1.5	CNO129-1	22			
NO1411-4*	14.6	11.6	13.9	10.9	4.1	1.6	N/A	10			
Available Stocked Colors: Red Green Lt. Yellow Grey Lt. Blue * NO1411-4 is stocked only in Red, Green and Grey.											
SO2420-3**	24.0	20.0	-	-	3.0	5.5	N/A	N/A			

^{**} Available on a make-to-order basis.

Please call for more information.



^{*}Plexton Assembly Trays are also stocked in ESD-Safe material. (See pg. 36).



Plexton Hopper Front Containers												
		Pimensions V (in)		mensions V (in)	Height	Weight	Carton					
Model	Тор	Bottom	Тор	Bottom	(in)	(lb)	Quantity					
sH1811-7	18.1 x 11.4	13.1 x 9.9	16.0 x 8.0	12.8 x 7.5	7.6	3.8	5					
SH2411-8	24.0 x 11.4	19.2 x 9.2	21.5 x 8.8	19.0 x 7.6	7.9	5.1	5					
SH2416-8	24.1 x 16.3	19.1 x 14.4	21.8 x 12.9	18.8 x 11.6	8.0	7.0	5					
HB2012-9*	20.5 x 12.3	16.5 x 10.6	16.5 x 10.7	16.1 x 10.4	9.3	4.8	N/A					

Available Stocked Colors: Red Green Grey

* Available on a make-to-order basis. Please call for more information.



HEAVY DUTY PLEXTON® HOPPER BINS

- Front label area accommodates adhesive labels
- Nest within their own dimensions and provide positivelock stacking
- Works well with Plexton Container Racks (See pg. 28)
- Designed to work with 18" and 24" shelving (See pg. 19)
- Manufactured in fiberglass-reinforced polyester

Covers for	r Nest-Oı	nly Conta	ainers		
	D	imensions (in)	Weight	Fits
Model	L	W	Н	(lb)	Container Model
CNO65-1	6.3	4.9	0.3	0.19	NO65-2
CNO96-1	9.8	6.2	0.4	0.23	NO96-2, NO96-4
CNO118-1	11.9	8.8	0.4	0.60	NO118-4
CNO129-1	12.4	9.8	0.4	0.62	NO129-2



NO1411-4

NEST-ONLY & STACK ONLY CONTAINERS

- Accommodate extreme temperature ranges, -60°F to 250°F or 300°F intermittently
- High weight capacity
- Optional covers can also be used as trays (See pg. 17)
- Nest-only containers nest efficiently when empty and stack with covers
- Manufactured in fiberglass-reinforced polyester

METAL SHELVING UNITS

Add instant organization to your workspace with adjustable Shelf Systems that hold all types of bins. LEWISBins+ Shelf Systems improve organization & efficiency. These highly versatile, fully adjustable Shelf Systems offer a variety of shelf configurations, with 12", 18" and 24" shelf depths to accommodate a wide variety of bin sizes and styles. (Bins sold separately).

6 AND 7-SHELF UNITS

- Accommodates Heavy-Duty Shelf Bins (pg.6) and larger Part Bins (pg.3-4) to provide high density storage for heavy industrial needs
- Shelf depths of 18" and 24"
- Holds up to 24 bins







- Accommodates Part Bins (pg. 3-4) to provide storage, picking and merchandising efficiency
- Shelf depth of 18"

M1836-8 with PB148-7

• Holds up to 60 bins



(8 Shelf Unit)

Shell Units													
		Shelf D	Dimensi	ons (in)	Weight*	Model	Total Bin	Quantity per	Bin Di	mensior	ns (in)	Bin Page	
Model		W	D	Н	(lb)	oue.	Capacity	Shelf**	L	W	Н	No.	
6-Shelf Units	Not	e: Asse	mbly re	quired.		Recommended 6 Shelf Bin Configurations (sold separately)							
M1836-6		36.0	18.0	73.0	88.0	PB1811-10	15	3	18	11	10	4	
						PB1816-11	10	2	18	16.5	11	4	
M2436-6		36.0	24.0	73.0	88.0	SH2409-9	20	4	23.6	8.8	9	6	
						NO2415-12	10	2	23.5	15.6	12	6	
7-Shelf Units	Not	e: Asse	mbly re	quired.		Recommended 7 Shelf Bin Configurations (sold separately)							
M1836-7		36.0	18.0	73.0	92.0	PB1808-9	24	4	18	8.25	9	4	
						PB1811-10	18	3	18	16.25	11	4	
8-Shelf Units	Note	e: Asser	mbly re	quired.		Recommend	ded 7 Shelf Bi	n Configurations (sold sep	arately)			
M1836-8		36.0	18.0	73.0	92.0	PB1416-7	14	2	14.75	16.5	7	4	
						PB148-7	28	4	14.75	8.25	7	4	
11-Shelf Units	Not	te: Asse	mbly re	equired.		Recommended 7 Shelf Bin Configurations (sold separately)							
M1836-11		36.0	18.0	73.0	92.0	PB1405-5	60	6	14.75	5.5	5	4	

Weight, excluding bins.

M2436-6

Excluding top shelf



M2436-13 with SB246-4 (13 Shelf Unit)



- Shelf depth of 12", 18" or 24"
- 20-gauge construction allows maximum weight capacity
- 12 x 36 shelf capacity: 350 lbs. 18 x 36 shelf capacity: 410 lbs. 24 x 36 shelf capacity: 450 lbs.
- Holds up to 96 bins (varies by model)
- Customized units with multiple bin configurations available







M1236-13 (13 Shelf Unit)

Shelf Units											
	She	f Dimens	ions (in)	Weight*	Model	Total Bin	Quantity per	Bin Di	imensio	ns (in)	Bin Page
Model	V	/ D	Н	(lb)	Model	Capacity	Shelf**	L	W	Н	No.
13-Shelf Units	Note: A	W D H (IE			Recommen	ded 13 Shelf E	Bin Configurations	(sold se	parately,)	
M1236-13	36.	0 12.0	73.0	85.0	SB124-4	96	8	11.6	4.1	4	1
					SB126-4	60	5	11.6	6.6	4	1
					SB128-4	48	4	11.6	8.4	4	1
M1836-13	36.	0 18.0	73.0	136.0	SB184-4	96	8	17.9	4.1	4	1
					SB186-4	60	5	17.9	6.6	4	1
M2436-13	36.	0 24.0	73.0	166.0	SB246-4	60	5	23.6	6.6	4	1

The Shelf Systems ship unassembled, with assembly instructions. All units are easy to assemble, with nut and bolt construction.

^{*} Weight, excluding bins.

^{**} Excluding top shelf.

WALL MOUNTED SYSTEMS

Optimize workrooms and cells with easy-to-install Wall Mounted Systems that securely hold part bins. Add workstation efficiency with LEWISBins+ Wall Mounted Louvered Panel and Steel Rail Systems. Both can be securely fastened to workstation or shop walls. Bins can be ordered separately.



18" x 36" LP1836-CST shown with PB74-3 & PB1011-5




with PB54-3 & PB74-3

WALL MOUNTED SYSTEMS

- Louvered Panels and Steel Rails mount securely to walls, single panels can be combined to create wallmounted systems for any worspace
- Sturdy 16-gauge steel
- Grey baked enamel finish stands up to heavy-duty industrial uses
- Wall Mounted Louvered Panels hold up to 160 lbs. and steel Rails hold up to 225 lbs
- These products are also stocked in ESD-Safe material (See pg. 37)



PB54-3 and PB74-3.



Four (4) LP1236-**CST Panels**

Wall Mount	ed Syst	ems							
	Dimens	ions (in)	Weight*	***Q	,	ach LEWISB ered Panel o		to fill	Load Capacity
Model	Н	L	(lb)	PB54-3	PB74-3	PB105-5	PB108-7	PB1011-5	(lb)**
Louvered Panels	Note: Ple	ase order	bins separa	itely.					
LP1818-CST	18.0	18.0	5.4	16	16	9	4	-	160
LP1236-CST	12.0	36.0	7.1	24	24	12	4	6	160
LP1836-CST	18.0	36.0	10.8	32	32	18	8	9	160
Steel Rail Note:	Please orc	ler bins se	parately.						
RA248-AST	3.0	48.0	3.1	11	11	8	5	4	225


- * Weight, excluding bins.
- ** Load Capacity, including bin weights.
- *** Quantity indicated is for the total of like-sized bins to fill an entire system. Mixed bin configurations can be figured separately.



LP1818-CST shown with PB74-3

BENCH ASSEMBLIES

Organize your workbench with LEWISBins+ easy-to-assemble Bench Assemblies. Durable Louvered Panels are accompanied by 16-gauge steel legs that can be added with fasteners. Systems with bins are available or bins can be ordered separately. Louvered Panel Bench Assemblies hold 100-130 lbs.



BENCH ASSEMBLIES

- Formed from 16-gauge steel for strength and stability
- Includes panel, legs and fasteners
- Finished in grey baked enamel
- Also stocked in ESD-Safe material (See pg. 37)





Bench Asse	mblies										
	Dimens	ions (in)	Weight*	***	. ,	f each LEW Bench Asse	ISBins Part I embly	Bin	Load Capacity		
Model	H L		(lb)	(lb) PB54-3 PB74-3 PB105-5 PB108-7 PB1011-							
Louvered Panels			r bins separ	rately. Asse	mbly requi	red.					
LPA1818-CST	18.0	18.0	5.9	16	16	9	4	-	130		
LPA1236-CST	12.0	36.0	8.4	24	24	12	4	6	100		
LPA1836-CST	18.0	36.0	13.2	32	32	18	8	9	130		

^{***} Quantity indicated is for the total of like-sized bins to fill an entire system. Not for mixed bin configurations.

RAIL FLOOR STANDS

Save space on the shop floor with Rail Floor Stands. Part Bins hang securely on rugged rails.

Organize your workstation floor with LEWISBins+ Rail Floor Stands. Stands are available in single or double sided styles. Systems with hims are available or bins can be ordered sonarately. Single sided Steel Rail Floor Stands hold.

styles. Systems with bins are available or bins can be ordered separately. Single sided Steel Rail Floor Stands hold up to 600 lbs. and double sided Floor Stands hold up to 1,200 lbs. Optional Mobile Kit adds instant mobility.

RAIL FLOOR STANDS

- Single or double-sided stands meet a wide variety of work-in-process and storage needs
- For greater versatility and convenience, add a mobile kit to the double-sided floor stands
- Finished in grey baked enamel
- Manufactured from durable 16-gauge steel
- Products are also stocked in ESD-Safe material (See pg. 38 for details)

FS214-BHST (rail) and MK4000-B (mobile kit) and multiple size bins



FS116-BHST shown



Rail Floo	r Stands (for si	ngle-size of E	Bin)											
		Dimens	ions (in)	Weight*		Quantity	of single s	ized bins t	o fill entire	system		Total Bin		Capacity D)**
Model	Description	Н	L	(lb)	PB54-3	PB74-3	PB105-5	PB108-7	PB148-7	PB1011-5	PB1416-7	Quantity	no mobile kit	w/ mobile kit
Floor Stands	Note: Please ord	ler bins se _l	oarately. A	ssembly re	quired.									
FS112-BHST	1-sided, 12 rails	54.0	36.0	56.0	96	96	-	24	24	-	12	Varies	600	-
FS116-BHST	1-sided, 16 rails	54.0	36.0	59.0	-	-	48	-	-	24	-	based on bin	600	-
FS212-BHST	2-sided, 12 rails	54.0	36.0	74.0	192	192	-	48	48	-	24	selected	1,200	500
FS216-BHST	2-sided, 16 rails	54.0	36.0	78.0	-	-	96	-	-	48	-	Jerceteu	1,200	500

	ld multi-sized	Bins)											
	Dimensi	ons (in)	Weight*		Quantit	y of multi s	zed bins to	o fill entire s	system		Total Number		apacity o)**
Description	Н	L	(lb)	PB54-3	PB74-3	PB105-5	PB108-7	PB148-7	PB1011-5	PB1416-7	of Bins	no mobile kit	w/ mobile kit
te: Assembly r	equired.												
sided, 14 rails	54.0	36.0	58.0	8	8	12	4	-	6	2	40	600	-
sided, 14 rails	54.0	36.0	76.0	16	16	24	8	-	12	4	80	1,200	500
sio	e: Assembly r ded, 14 rails	escription H e: Assembly required. ded, 14 rails 54.0	e: Assembly required. ded, 14 rails 54.0 36.0	escription H L (lb) e: Assembly required. ded, 14 rails 54.0 36.0 58.0	escription H L (lb) PB54-3 e: Assembly required. ded, 14 rails 54.0 36.0 58.0 8	escription H L (lb) PB54-3 PB74-3 e: Assembly required. ded, 14 rails 54.0 36.0 58.0 8 8	escription H L (lb) PB54-3 PB74-3 PB105-5 e: Assembly required. ded, 14 rails 54.0 36.0 58.0 8 8 12	escription H L (lb) PB54-3 PB74-3 PB105-5 PB108-7 e: Assembly required. ded, 14 rails 54.0 36.0 58.0 8 8 12 4	escription H L (lb) PB54-3 PB74-3 PB105-5 PB108-7 PB148-7 e: Assembly required. ded, 14 rails 54.0 36.0 58.0 8 8 12 4 -	escription H L (lb) PB54-3 PB74-3 PB105-5 PB108-7 PB148-7 PB1011-5 e: Assembly required. ded, 14 rails 54.0 36.0 58.0 8 8 12 4 - 6	escription H L (lb) PB54-3 PB74-3 PB105-5 PB108-7 PB148-7 PB1011-5 PB1416-7 e: Assembly required. ded, 14 rails 54.0 36.0 58.0 8 8 12 4 - 6 2	Dimensions (in) Weight* Quantity of multi-sized bins to fill entire system Number of Bins	Dimensions (in) Weight* Quantity of multi sized bins to fill entire system Iotal Number of Bins Nu

Mobile Kit	Description	Weight (lb)	Compatible Floor Stands (fits 2-sided models)
MK4000-B	4" casters, handles, braces	10.0	Fits models FS212, FS216 and FS214

^{*} Weight, excluding bins.

^{**} Load Capacity, including bin weights.

LOUVERED PANEL FLOOR **STANDS**

Add shop floor efficiency with Louvered Panel Floor Stands. Part Bins hang securely on panels. Boost workstation efficiency with LEWISBins+ Louvered Panel Floor Stands. Stands are available in single or double sided styles. Bins can be ordered separately, bin configurations noted. Single sided Floor Stands hold up to 800 lbs. and double sided Floor Stands hold up to 1,600 lbs. Optional Mobile Kits add instant mobility.



LPFS2-BST shown with PB54-3, PB74-3, PB105-5, PB108-7, PB1011-5, PB1416-7, and MK4000-B (mobile kit)





LOUVERED PANEL FLOOR STANDS

- Formed from 16-gauge steel for strength and stability
- Includes panel, legs and fasteners
- Finished in grey baked enamel
- These products are also stocked in ESD-Safe material (See pg. 38 for details)

Louvered	d Panel Floor Sta	ands												
			nsions n)	Weight*		Quantit	y of single	sized bins t	to fill entire	system		Total Bin	(11.3	apacity)**
Model	Description	Н	L	(lb)	PB54-3	PB1416-7			W/ Mobile Kit					
Louvered Pa	nel Floor Stands Not	s Note: Please order bins separately. Assembly required.									Varies			
LPFS1-BST	1-sided, 288 slots	54.0 36.0 55.0 96 96 48 24 24 24 12							12	based on bin	800	_		
LPFS2-BST	2-sided, 576 slots	,			192	192	96	48	48	48	24	selected	1,600	500
Mobile Kit														
MK4000-B	4" casters, handles, braces 10.0 Fits mode					odel LPFS2								

Louvere	d Panel Floor St	ands												
		Dimei (i	nsions n)	Weight*		Quanti	ty of multi	sized bins t	o fill entire	system		Total Bin	(1)	Capacity o)**
Model	Description	Н	L	(lb)	PB54-3	PB74-3	PB105-5	PB108-7	PB148-7	PB1011-5	PB1416-7			W/ Mobile Kit
Louvered Pa	Panel Floor Stands Note: Bins included. Assembly required.										Varies			
LPFS1-BST	1-sided, 288 slots	54.0 36.0 55.0 8 8 12 4 - 6 2								2	based on bin	800	-	
LPFS2-BST	2-sided, 576 slots	54.0	54.0 36.0 83.0 16 16 24 8 - 12 4							selected	1,600	500		
Mobile Kit														
MK4000-B	4" casters, handles, b	races		10.0			Fits mod	lel LPFS2						

^{*} Weight, excluding bins.

^{**} Load Capacity, including bin weights.

METAL STORAGE CABINETS

Add security and organization to your workspace with Metal Storage Cabinets, available in many styles. LEWISBins+ rugged, welded-steel all-purpose Storage Cabinets keep valuable parts secure and organized. They are available with multiple sizes and multiple colors of LEWISBins, or with a combination of shelves and LEWISBins. All cabinets accommodate a variety of LEWISBins Part Bins. (See chart for details).



Metal Storage, Com	binati	on an	d Clea	arview	Cabinet	S			
	Dim	ensions	s (in)	- Weight*	LE	EWISBin Co	nfiguration	**	Total Number
Model	W D H			(lb)	PB74-3	PB105-5	PB148-7	PB1416-7	of Bins
36" Storage Cabinets	36.0 24.0 78.0			(Order any	ONE color	per size biı	n: Blue, Re	d or Yellow
CAB36	36.0	24.0	78.0	596.0	94	-	32	-	126
CAB36-4 (w/4 shelves)	36.0	24.0	78.0	533.0	94	-	-	-	94
48" Storage Cabinet									
CAB48	48.0	24.0	78.0	732.0	144	-	40	-	184
CAB48-4 (w/4 shelves)	48.0	24.0	78.0	651.0	144	-	-	-	144
60" Storage Cabinet									
CAB60	60.0	24.0	78.0	712.0	160	30	18	9	217

CAB48-4



METAL STORAGE AND COMBINATION CABINETS

- 12 gauge construction
- All welded construction with wrap around body design
- Grey baked enamel finish stands up to heavy-duty industrial environments
- 3-point locking device can be locked with a standard padlock
- Sturdy, 6" tall 7-gauge legs
- Bins can be removed for easier part selection and re-stocking.
- Storage Cabinets available with multiple sized bins for organizing large and small parts with ease.
- Combination cabinets come with (4) adjustable shelves made from 14-gauge steel
- Anchoring to floor to ensure stability is recommended



Combine Part Bins and Storage Cabinets for the ultimate in workspace efficiency.

Slim Line and H	łeavy	Duty	y Cab	inets			
	Dim	nension	s (in)	Weight*	LEWISBin Co	nfiguration**	Total Number
Model	W	D	Н	b)	PB74-3	PB148-7	of Bins
Heavy Duty Drawer	Cabinet	s					
CAB36-Drawer	36.0	24.0	78.0	739.0	94	16	110
CAB48-Drawer	48.0	24.0	78.0	780.0	144	20	164
Slim Line Cabinet							
CAB48-Slim	48.0	10.0	72.0	430.0	187	-	187

YPB - Yellow Bins

HEAVY-DUTY DRAWER CABINETS

- Heavy duty, 12 gauge construction
- All welded construction with wrap around body design
- One adjustable 14-gauge shelf
- Four drawers with 400# weight capacity.
- Grey baked enamel finish stands up to heavy-duty industrial environments
- 3-point locking device can be locked with a standard padlock
- Sturdy, 6" tall 7-gauge legs
- Bins can be removed for easier part
- Anchoring to floor to ensure stability is recommended

SLIM LINE CABINETS

- Cabinet is only 10" deep for ease of storage placement
- Heavy duty, 12 gauge construction
- All welded construction with wrap around body design
- Grey baked enamel finish stands up to heavy-duty industrial environments
- 3-point locking device can be locked with a standard padlock
- Sturdy, 6" tall 7-gauge legs
- Bins can be removed for easier part selection and re-stocking.

BIN CARTS AND CABINETS

LEWISBins+ Bin Carts and cabinets designed for rugged factory use, yet attractive for use in an office. Transport equipment and small parts from one workstation to another. LEWISBins+ Wall-Mounted Bin Cabinets, available in 3 sizes, easily mount to work-station walls. The efficient cabinet depth and heights optimize wall space. All are lockable for secure storage of high-value items.





Bin Carts and	Cabin	iets (Bins S	Sold Sepa	ırately)					
	Dim	ensions	(in)	Weight*			Bins	Bir	า Size (iı	n)
Model	W	D	Н	(lb)	Configuration	Description	Specified	W	D	Н
Bin Carts										
MCPB108-7-16	36.0	24.0	36.0	93.0	16-Bins	4 Rail Open Cart	PB108-7	10.8	8.3	7.0
MCPB105-5-48	36.0	24.0	36.0	93.0	48-Bins	4 Rail Open Cart	PB105-5	10.9	5.5	5.0
MCPB54-3-112	36.0	18.0	36.0	95.0	112-Bins	7 Rail Open Cart	PB54-3	5.4	4.1	3.0
MC3624-12	36.0	24.0	36.0	182.0	12-Bins	4 Drawer, 2 Shelf Enclosed Cart	PB54-3	5.4	4.1	3.0
Bin Cabinets										
WCAB2630	26.0	9.0	30.0	51.0	30-Bins	30-Bins with one fixed shelf	PB74-3	7.4	4.1	3.0
WCAB3627	36.0	14.0	27.0	88.0	24-Bins	Lockable Cabinet	PB105-5	10.9	5.5	5.0
WCAB4827	48.0	14.0	27.0	96.0	32-Bins	Lockable Cabinet	PB105-5	10.9	5.5	5.0

^{*} Weight, excluding bins.

BIN CARTS

- Secure contents in lockable drawers of MC3624-12
- 5" polyurethane casters (2 swivel & 2 rigid)
- 16-gauge construction top tray, 2 1/2" deep
- 1000 lb. weight capacity
- MCPB models offer double sided design for easy access in any work space and lipped tray to hold items in place during movement.
- The MC3624-12 offers four locked drawers and enclosed area for 12 bins

BIN CABINET WITH SHELF (WCAB2630)

- 20-gauge, all-welded construction
- Fixed shelf with louvers on bottom half and under shelf cylinder lock w/ 2 keys

BIN CABINET (WCAB4827)

- 18-gauge, all-welded construction
- 2-point locking rods, keyed handle with 2 keys





METAL HOPPER RACKS

Container Racks

Maximize space utilization and provide easy access to containers and parts. Combine LEWISBins+ Metal Hopper Racks with a wide range of containers to add efficiency to workshops, assembly cells and storage areas. Each rack is two columns wide and add-on units are available to expand width. Double-depth racks allow part access from both sides.

	miamer		de Dime	nsions	Neverle	Bin			Add-C	n Unit	
	Rack		(in)		Number of	Quantity Per	Weight			Qty Per	Weight
	Model	L	W	Н	Openings	Rack	(lb)	Rack Model	Width	Rack	(lb)
	PB50 Racks						42.0	11041212	144	2	22.0
	HR1313 HR1613	19.3 19.3	28.0 28.0	27.0 51.0	3-high 6-high	6 12	42.0	HRA1313	14.4 14.4	3	22.0
		19.3			9	16	73.0	HRA1613		6	38.0
	HR1813		28.0	67.0	8-high xton Bin (Se		94.0	HRA1813	14.4	8	47.0
	HR1315	19.3	27.0	30.0	3-high	6	47.0	HRA1315	13.9	3	25.0
	HR1615	19.3	27.0	57.0	6-high	12	83.0	HRA1615	13.9	6	44.0
	HR1815	19.3	27.0	75.0	8-high	16	106.0	HRA1815	13.9	8	54.0
					xton Bin (Se		100.0	ПКАТОТЭ	13.9	0	34.0
	HR1311	19.3	27.0	30.0	3-high	6	44.0	HRA1311*	13.9	3	23.0
	HR1611	19.3	27.0	57.0	6-high	12	76.0	HRA1611	13.9	6	40.0
	HR1811	19.3	27.0	75.0	8-high	16	98.0	HRA1811	13.9	8	49.0
왕					xton Bin (Se		70.0	1110/11011	13.7	U	45.0
Single-Depth Racks	HR1316	19.3	36.8	30.0	3-high	6	44.0	HRA1316	18.8	3	23.0
ま	HR1616	19.3	36.8	57.0	6-high	12	76.0	HRA1616	18.8	6	40.0
De	HR1816	19.3	36.8	75.0	8-high	16	98.0	HRA1816	18.8	8	49.0
ė					lest Contain			111011010	10.0	J	17.0
<u>=</u>	HR1312	19.3	30.5	30.0	3-high	6	44.0	HRA1312	15.6	3	23.0
٥	HR1612	19.3	30.5	57.0	6-high	12	76.0	HRA1612	15.6	6	40.0
	HR1812	19.3	30.5	75.0	8-high	16	98.0	HRA1812	15.6	8	49.0
					lest Contain						
	HR1310	19.3	27.0	27.0	3-high	6	42.0	HRA1310	13.9	3	22.0
	HR1610	19.3	27.0	51.0	6-high	12	73.0	HRA1610	13.9	6	38.0
	HR1810	19.3	27.0	67.0	8-high	16	94.0	HRA1810	13.9	8	49.0
	SN2214-8 F	Racks: Pl	exton S	tack & N	lest Contain	er (See pg.	16)				
	HR1314	19.3	34.0	30.0	3-high	6	44.0	HRA1314	17.4	3	23.0
	HR1614	19.3	34.0	57.0	6-high	12	76.0	HRA1614	17.4	6	40.0
	HR1814	19.3	34.0	75.0	8-high	16	98.0	HRA1814	17.4	8	49.0
	PB50 Racks	: Hoppe	r Front	Bin (See	pg. 5)						
	HR2313*	38.4	28.0	27.0	3-high	12	71.0	HRA2313*	14.4	6	36.0
	HR2613*	38.4	28.0	51.0	6-high	24	128.0	HRA2613*	14.4	12	65.0
	HR2813*	38.4	28.0	67.0	8-high	32	164.0	HRA2813*	14.4	16	83.0
					xton Bin (Se						
	HR2315*	38.4	27.0	30.0	3-high	12	80.0	HRA2315*	13.9	6	41.0
	HR2615*	38.4	27.0	57.0	6-high	24	145.0	HRA2615*	13.9	12	74.0
	HR2815*	38.4	27.0	75.0	8-high	32	187.0	HRA2815*	13.9	16	95.0
					xton Bin (Se		72.0	UD A 2211±	12.0	6	27.0
Çks	HR2311*	38.4	27.0	30.0	3-high	12	73.0	HRA2311*	13.9	6	37.0
æ	HR2611* HR2811*	38.4 38.4	27.0 27.0	57.0 75.0	6-high 8-high	24 32	135.0 169.0	HRA2611* HRA2811*	13.9 13.9	12 16	69.0 86.0
탏					8-nign t on Bin (Se e		169.0	HRAZ811"	13.9	10	86.0
le-Depth Racks	HR2316*	38.4	36.8	30.0	3-high	12	74.0	HRA2316*	18.8	6	38.0
흥	HR2616*	38.4	36.8	57.0	6-high	24	132.0	HRA2616*	18.8	12	67.0
Douk	HR2816*	38.4	36.8	75.0	8-high	32	169.0	HRA2816*	18.8	16	86.0
۵					lest Contain			TIMAZOTO	10.0	10	00.0
	HR2312*	38.4	30.5	30.0	3-high	12	73.0	HRA2312*	15.6	6	37.0
	HR2612*	38.4	30.5	57.0	6-high	24	133.0	HRA2612*	15.6	12	68.0
	HR2812*	38.4	30.5	75.0	8-high	32	169.0	HRA2812*	15.6	16	86.0
					lest Contain						00.0
	HR2310*	38.4	27.0	27.0	3-high	12	71.0	HRA2310*	13.9	6	36.0
	HR2610*	38.4	27.0	51.0	6-high	24	128.0	HRA2610*	13.9	12	65.0
	HR2810*	38.4	27.0	67.0	8-high	32	164.0	HRA2810*	13.9	16	83.0
								2010	. 3.7	.0	03.0
لرا		Racks• PL	exton S	CACK AS IN							
	SN2214-8 F							HRA2314*	174	6	38.0
	SN2214-8 F HR2314*	38.4	34.0	30.0	3-high	12	74.0	HRA2314* HRA2614*	17.4 17.4	6 12	38.0 68.0
	SN2214-8 F							HRA2314* HRA2614* HRA2814*	17.4 17.4 17.4	6 12 16	38.0 68.0 86.0



DOUBLE-DEPTH RACKS HR2815 with SH1811-7 container



ADD-ON UNITS AVAILABLE HRA1812 Add-On Unit



SINGLE-DEPTH RACKS HR1812 with SN1812-8 container

^{*} Available on a make-to-order basis. Please call for more information.

RECYCLING PRODUCTS

High quality bins and carts for office and plant recycling efficiency.

Do your part in preserving the environment! Choose from the LEWISBins+ brand of recycling products for home and office recycling applications. Curbside recycling containers are molded, one-piece designs that are lightweight and durable. Designed for easy handling and cleaning, all products are fully recyclable at end of service life.

WHEELED CARTS

- 360° double rim, snap tight lid keeps pests out
- Ergonomic side handles for easy curb transportation
- Manufactured with recycled material
- Cornerless, smooth interior walls for ease of cleaning
- Two sizes available: 12 and 21 gallon

STACK AND NEST RECYCLING CONTAINERS

- Swing arm handle (NPL 215) and full handles (NPL 252) for ease of carrying
- Stacks for source separation of recyclables and nests when empty
- Includes Mobius Recycling loop

RECYCLING CONTAINERS

- Pocket handles for easy lifting
- Drain hole bottoms prevent liquid build-up (Excluding NPL 215)
- Covers available on select models

ACCESSORIES

• Bin Dolly allows for easy curbside transportation







NPL 285 - 21 Gallon



Recycling has never been easier with **LEWISBins+ recycling products!**

NPL 252-Stacked







NPL 215-Stacked



NPL 255

Recycling Products							
Container		Outside	e Dimensi	ons (in)	Volume	Weight	Compatible
Model	Description	L	W	Н	(Gallon)	(lb)	Cover or Container
CARTS	•						
NPL 280A	Wheeled Cart	17.7	15.5	26.9	12.0	7.2	Attached
NPL 285	Wheeled Cart	17.8	22.0	32.5	21.0	15.4	Attached
Available Stocked Color	: Green						

HOPPER FRONT BINS							
NPL 215	Stack and Carry	14.9	11.6	12.5	6.0	1.9	N/A
NPL 252	Stack and Nest	15.2	20.2	12.4	12.0	3.4	N/A
BINS							
NPL 258	Recycling Bin	21.0	15.2	13.0	14.0	3.0	N/A
NPL 263	Recycling Bin	19.0	16.0	15.5	16.0	4.2	NPL 254 (cover)
NPL 265*	Recycling Bin	25.8	16.2	14.5	18.0	5.0	NPL 266 (cover)
NPL 270	Recycling Bin	19.0	16.0	21.0	22.0	5.2	NPL 254 (cover)
BIN COVERS							
NPL 254	Bin Cover	19.0	16.0	4.0	N/A	1.2	NPL 263, NPL 270
NPL 266*	Bin Cover	27.0	16.3	4.0	N/A	2.0	NPL 265

Available Stocked Color: Blue

ACCESSORIES

Recycle Transport

Available Stocked Color: Green

*Carton quantities for NPL265 is 3 per carton, NPL266 is 20 per carton. All other items are bulk packed.

ESD-SAFE PRODUCTS

Organize work areas to efficiently store components, assemblies and circuit boards.

ESD-Safe Products are ideal for electronics, telecommunications and computers. LEWISBins+

ESD materials conform to ANSI/ESD S20.20* 2007 requirements for ESD packaging. Contact your

LEWISBins+ sales representative for more details on other dissipative materials that are available.

ESD-SAFE PRODUCTS

- Materials conform to the static decay requirement of FTM-101B, Method 4046.1 dissipating a 5,000 volt charge to 0 when grounded in less than two seconds
- Standards require conductive materials surface resistance to be $<1.0 \times 104$ ohms and dissipative materials to be $>1.0 \times 104$ ohms to $<1.0 \times 1011$ ohms when tested per EOS/ESD S11.11

ESD-Safe Materials							
	Test Method	Conductive Material	Dissipativ	e Materials			
Property	Units	XL	LS	SD SMC			
Surface Resistivity	ASTM D257	< 1.0 x 10 ⁵	>= 1.0 x 10 ⁹	>= 1.0 x 10 ⁵			
	(ohms/square)		< 1.0 x 10 12	<= 5.0 x 10 ⁹			
Surface Resistance	EOS/ESD	< 1.0 x 10 ⁴	>= 1.0 x 10 ⁸	>= 1.0 x 10 ⁴			
	S11.11 (ohms)		< 1.0 x 10 ¹¹	<= 5.0 x 10 ⁸			
Static Decay	FTM-101B	< 2 seconds	< 2 seconds	< 2 seconds			
	Method 4046.1						
	(seconds)						
Temperature Range	°F	40°F to 225°F	40°F to 225°F	-60°F to 250°F			

Note: At upper end of temperature range intermittent use is recommended.





CONDUCTIVE MATERIAL - XL MATERIAL is a thermoplastic polypropylene material based upon carbon black that has a surface resistance of less than 1.0 x 10⁴ ohms or surface resistivity of < 1.0 x 10⁵ ohms/square. XL material has a static decay rate from 5,000 volts to 0 of less than two seconds. This material has a useful temperature range of 40°F to 225°F, with intermittent use recommended at the higher end of the temperature range. The electrical properties of this material are permanent and unaffected by washing.





DISSIPATIVE MATERIAL - LS MATERIAL is a polypropylene material that is on the upper end of the dissipative range. The material has a surface resistance greater than or equal to 1.0 x 10° ohms, but less than $1.0 \times 10^{\circ}$ ohms or surface resistivity greater than or equal to $1.0 \times 10^{\circ}$ ohms/square, but less than $1.0 \times 10^{\circ}$ ohms/square, but less than $1.0 \times 10^{\circ}$ ohms/square. LS material has a static decay rate from 5,000 volts to 0 of less than two seconds. This material has a useful temperature range of 40° F to 225° F, with intermittent use recommended at the higher end of the temperature range. Electrical properties are affected by humidity. This material is available on a made-to-order basis only.

DISSIPATIVE MATERIAL - SD SMC MATERIAL is a thermoset polyester based material that is on the lower end of the dissipative range. The material has a surface resistance greater than or equal to $1.0 \times 10^\circ$, but less than or equal to $5.0 \times 10^\circ$ ohms/square and a surface resistivity greater than or equal to $1.0 \times 10^\circ$ ohms/square, but less than or equal to $5.0 \times 10^\circ$ ohms/square. This material has a useful temperature range of -60° F to 250° F, is autoclavable and does not melt at high temperatures making it ideal for handling hot parts. The electrical properties of this material are permanent and unaffected by washing.

ESD-SAFE PART BINS AND TRAYS

Protect parts from the damaging effects of static electricity. ESD-Safe Part Bins are permanently molded in conductive material for use in cleanrooms and workstations. Combine Part Bins with ESD-Safe Metal Storage Systems to meet your work-in-process requirements. See pg. 37-38 for more information on ESD-Safe Metal Storage Systems. Note: PB50 is not designed for use on hanging systems.

ESD-SAFE PART BINS

- 8 sizes available
- Label insert area for easy identification
- Smooth gravity flow interior optimizes parts accessibility
- Bins hang on most louvered panels or rails
- Solid covers are available to further protect parts by creating a Faraday Cage



Carton

TR2618-1SD



TR1814-1SD



ESD-SAFE TRAYS

- Resistant to abrasion and chemicals
- Easily cleans in steam or water with a temperature range of -60° to 250°F
- Trays are permanently dissipative
- Ideal for many industrial, electronic, distribution, storage and work-in-process applications

.5D-Sale Assembly mays								
	Outsic	le Dimensio	ons (in)	Weight				
Model		WL	Н	(lb.)				
D4040 46D	400	40.0	4.0	4.0				

Model		WL	Н	(lb.)	Quantity
TR1812-1SD	18.0	12.0	1.0	1.8	10
TR1814-1SD	18.0	14.0	1.0	1.8	10
TR2015-1SD	20.4	15.1	1.0	2.0	N/A
TR2618-1SD	25.8	17.9	1.1	3.0	10

Available Stocked Material:

SD SMC

Outsid					ESD-Safe Shelf Bins								
Outsid	e Dimensio	ons (in)	Inside Dim	ensions (in)	Weight	Carton							
L	W	Н	L	W	(lb.)	Quantity							
12" Shelf Bins													
11 5/8	4 1/8	4	10 1/4	3 1/8	0.32	24							
11 5/8	6 5/8	4	10 1/4	5 5/8	0.40	12							
11 5/8	8 3/8	4	10 1/4	7 1/4	0.50	12							
18" Shelf Bins													
17 7/8	4 1/8	4	16 1/2	3 1/8	0.44	24							
17 7/8	6 5/8	4	16 1/2	5 5/8	0.58	12							
	L 11 5/8 11 5/8 11 5/8 11 7/8	L W 11 5/8 4 1/8 11 5/8 6 5/8 11 5/8 8 3/8 17 7/8 4 1/8	L W H 11 5/8 4 1/8 4 11 5/8 6 5/8 4 11 5/8 8 3/8 4 17 7/8 4 1/8 4	L W H L 11 5/8 4 1/8 4 10 1/4 11 5/8 6 5/8 4 10 1/4 11 5/8 8 3/8 4 10 1/4 17 7/8 4 1/8 4 16 1/2	L W H L W 11 5/8 4 1/8 4 10 1/4 3 1/8 11 5/8 6 5/8 4 10 1/4 5 5/8 11 5/8 8 3/8 4 10 1/4 7 1/4 17 7/8 4 1/8 4 16 1/2 3 1/8	L W H L W (lb.) 11 5/8 4 1/8 4 10 1/4 3 1/8 0.32 11 5/8 6 5/8 4 10 1/4 5 5/8 0.40 11 5/8 8 3/8 4 10 1/4 7 1/4 0.50 17 7/8 4 1/8 4 16 1/2 3 1/8 0.44							

Available Stocked Material:

XL Conductive





ESD-Safe Par	t Bins										
Container	Outside	e Dimensi	ons (in)		side sions (in)	Hopper Height	Weight	Carton		abel ID a (in)	Solid
Model	L	W	Н	L	W	(in)	(lb)	Quantity	W	Н	Covers
PB10-FXL	3.5	4.0	2.0	3.0	3.4	1.1	0.2	24	3.0	0.8	CPB10*
PB10x-XL (with divider)	3.5	4.0	2.0	3.0	3.4	1.1	0.3	24	3.0	0.8	CPB10*
PB20-FXL	7.0	4.0	2.9	6.0	3.4	1.6	0.3	24	3.0	1.0	CPB20*
PB20x-XL (with divider)	7.0	4.0	2.9	6.0	3.4	1.6	0.3	24	3.0	1.0	CPB20*
PB22-FXL	6.6	8.8	2.9	6.0	8.1	1.6	0.6	12	2.5	7.5	CPB22*
PB22x-XL (with divider)	6.6	8.8	2.9	6.0	8.1	1.6	0.6	12	2.5	7.5	CPB22*
PB30-FXL	9.5	5.8	5.0	8.4	5.0	2.6	0.7	12	3.0	1.0	CPB30*
PB30x-XL (with divider)	9.5	5.8	5.0	8.4	5.0	2.6	0.8	12	3.0	1.0	CPB30*
PB31-FXL	9.3	8.8	5.0	8.4	8.0	2.5	0.9	8	3.0	1.0	N/A
PB31x-XL (with divider)	9.3	8.8	5.0	8.4	8.0	2.5	1.1	8	3.0	1.0	N/A
PB40-FXL	12.8	8.1	6.0	11.8	7.1	3.1	1.5	12	3.0	1.0	N/A
PB41-FXL	12.8	11.4	6.0	11.8	10.5	3.1	1.6	12	3.0	1.0	N/A
PB41x-XL (with divider)	12.8	11.4	6.0	11.8	10.5	3.1	1.9	12	3.0	1.0	N/A
PB50-FXL	18.5	11.6	7.1	17.1	10.8	3.8	2.4	6	3.0	1.0	N/A



CPB20-XL



ESD-SAFE SHELF BINS

- Designed to work with 12" and 18" shelving to enhance inventory control and part organization
- Bins nest when empty to save space
- Built-in hang lock allows bin to tilt out for full part accessibility. Hopper front optimizes part accessibility
- Large flat area for adhesive identification and bar code scanning (See pg. 39)
- Each bin can accommodate up to 3 dividers
- Optional conductive dividers slide in easily and lock securely to eliminate part migration

Available Stocked Material: XL Conductive

^{*} Available on a make-to-order basis. Note: Other ESD-safe materials available on a make-to-order basis. Please call for information.

DC2035-XL(2) with CH10LS Cardholder

ESD-SAFE DIVIDER BOXES

Add flexibility with dividable containers. Slide-in dividers allow instant container configuration. Multi-purpose stack-only LEWISBins+ ESD-Safe Divider Box Containers can be divided into compartments on 1.25" centers with easy-to-add dividers. These dividable containers are ideal for use in commercial, industrial, electronics and healthcare markets for storage, assembly, fabrication and distribution applications.

ESD-SAFE DIVIDER BOXES

- Strong stacking ridge and innovative ribbed walls ensures high performance
- Compatible with many kinds of racking, shelving and material handling equipment
- Anti-static cardholders available for ESD-Safe identification (See pg. 39.)
- Load capacity of 40 lbs. per container
- Two optional ESD-Safe Divider Box Covers are available for added product protection



E	ESD-Safe Divider Box Containers												
	Madal	Outside D L x W	/ (in)	Inside Dir L x V	V (in)	Height	Product Clearance (in) (with Snap-	Weight	Volume	Compatible	Carton	Full Height Short	Full Height Long
	Model	Тор	Bottom	Тор	Bottom	(in)	On Cover)	(lb)	(cu ft)	Cardholder	Quantity	Divider	Divider
ries	DC1025-XL	10.8 x 8.3	9.8 x 7.3	9.2 x 6.6	9.1 x 6.5	2.5	2.4	0.5	0.07	CH30LS	24	DV0825 XL	DV1025 XL
o Se	DC1035-XL	10.8 x 8.3	9.8 x 7.3	9.2 x 6.6	9.2 x 6.4	3.5	3.4	0.7	0.11	CH20LS	16	DV0835 XL	DV1035 XL
1000	DC1050-XL	10.8 x 8.3	9.8 x 7.3	9.3 x 6.6	9.1 x 6.4	5.0	4.9	0.9	0.16	CH10LS	16	DV0850 XL	DV1050 XL
	DC2025-XL	16.5 x 10.9	15.5 x 9.9	14.8 x 9.2	14.7 x 9.1	2.5	2.4	1.0	0.16	CH30LS	12	DV1025 XL	DV1625 XL
S	DC2035-XL	16.5 x 10.9	15.5 x 9.9	14.8 x 9.3	14.8 x 9.2	3.5	3.4	1.1	0.24	CH20LS	8	DV1035 XL	DV1635 XL
Series	DC2050-XL	16.5 x 10.9	15.5 x 9.9	14.9 x 9.3	14.8 x 9.3	5.0	4.9	1.4	0.36	CH10LS	8	DV1050 XL	DV1650 XL
2000	DC2060-XL	16.5 x 10.9	15.5 x 9.9	14.9 x 9.4	14.9 x 9.3	6.0	5.9	1.6	0.43	CH10LS	8	DV1060 XL	DV1660 XL
7	DC2070-XL	16.5 x 10.9	15.5 x 9.9	15.0 x 9.3	14.8 x 9.3	7.0	6.9	1.9	0.51	CH10LS	6	DV1070 XL	DV1670 XL
	DC2080-XL	16.5 x 10.9	15.5 x 9.9	15.1 x 9.3	14.8 x 9.2	8.0	7.9	2.0	0.59	CH10LS	6	DV1080 XL	DV1680 XL
S	DC3050-XL	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	5.0	4.9	2.8	0.79	CH10LS	4	DV1750 XL	DV2250 XL
Series	DC3060-XL	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	6.0	5.9	3.0	0.97	CH10LS	4	DV1760 XL	DV2260 XL
3000	DC3080-XL	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	8.0	7.9	4.0	1.32	CH10LS	4	DV1780 XL	DV2280 XL
3	DC3120-XL	22.4 x 17.4	20.9 x 15.9	20.3 x 15.3	20.1 x 15.1	12.0	11.9	6.0	2.00	CH10LS	3	DV17120 XL	DV22120 XL

Available Stocked Material:

XL Conductive

ESD-Sat	ESD-Safe Snap-On Cardholders								
Model	Size L x W (in)	# of Snaps	Container Compatibility						
CH10LS	7.75 x 4.25	2	DC1050, DC2050, DC2060, DC2070, DC2080, DC3050, DC3060, DC3080, DC3120						
CH20LS	6.50 x 2.25	2	DC1035, DC2035						
CH30LS	6.50 x 1.81	2	DC1025, DC2025						

ESD-Safe Divider Box Covers								
Fits Container	Cover Style	Cover Model	Weight (lb.)					
DC1000 Series	Insert	CDC1000-XL	0.3					
	Heavy-Duty Solid	CDC1040-XL	0.3					
DC2000 Series	Insert	CDC2000-XL	0.5					
	Heavy-Duty Solid	CDC2040-XL	0.6					
DC3000 Series	Insert	CDC3000-XL	1.0					
	Heavy-Duty Solid	CDC3040-XL	1.4					

Available Stocked Material:

XL Conductive

ESD-Sate Dollies								
	Inside Dimensions	Container Compatibility	Weight					
Model	(in)	Compatibility	(lb)					
DDC3000-CON	21.19 x 16.25	3000 Series	12.6 lbs					

Available Stocked Color:

XL Conductive Weight capacity: 840 lbs. Includes drag chain.





ESD-SAFE DIVIDER BOX **DIVIDERS**

Add flexibility with dividable containers. Slide-in dividers allow instant container configuration. Multi-purpose stack-only LEWISBins+ ESD-Safe Divider Box Containers can be divided into

Di	vider Box	k Divide	rs									
	Container	Divider	Maximum #			Vert	ical Divider	Height (XL	denotes con	ductive)		
	Model	Туре	Dividers**	1.9"	2.9"	3.5"	4.3"	4.4"	5.4"	6.4"	7.4"	11.3"
S	DC1025-XL	Short	7	DV0825								
<u>rie</u>		Long	5	DV1025								
S C	DC1035-XL	Short	7	DV0825	DV0835					'		
0		Long	5	DV1025	DV1035							
DC1000 Series	DC1050-XL	Short	7	DV0825	DV0835			DV0850				
		Long	5	DV1025	DV1035			DV1050				
	DC2025-XL	Short	11	DV1025								
		Long	7	DV1625								
	DC2035-XL	Short	11	DV1025	DV1035							
Ŋ		Long	7	DV1625	DV1635							
DC2000 Series	DC2050-XL	Short	11	DV1025	DV1035			DV1050				
Š		Long	7	DV1625	DV1635			DV1650				
0	DC2060-XL	Short	11	DV1025	DV1035			DV1050	DV1060			
Ö		Long	7	DV1625	DV1635			DV1650	DV1660			
_	DC2070-XL	Short	11	DV1025	DV1035			DV1050	DV1060			
		Long	7	DV1625	DV1635			DV1650	DV1660			
	DC2080-XL	Short	11	DV1025	DV1035			DV1050	DV1060	DV1070	DV1080	
		Long	7	DV1625	DV1635			DV1650	DV1660	DV1670	DV1680	
	DC3050-XL	Short	15			DV1735		DV1750				
S		Long	11			DV2235		DV2250				
erie	DC3060-XL	Short	15			DV1735		DV1750	DV1760			
DC3000 Series		Long	11			DV2235		DV2250	DV2260			
00	DC3080-XL	Short	15			DV1735		DV1750	DV1760		DV1780	
Ö		Long	11			DV2235		DV2250	DV2260		DV2280	
_	DC3120-XL	Short	15			DV1735		DV1750	DV1760		DV1780	DV17120
		Long	11			DV2235		DV2250	DV2260		DV2280	DV22120

Available Stocked Material: XL Conductive

ESD Safe Horizontal Dividers

DC3120 Available on a make-to-order basis. Please call for more information.

Fits Divider Box

DC1025, DC1035, DC1050

DC2025, DC2035, DC2050,

DC2060, DC2070, DC2080

DC3050, DC3060, DC3080,

Please order dividers separately.

DH1000-XL*


DH2000-XL*

DH3000-XI *

Utilize Horizontal **Dividers** to increase available space for smaller size items by horizontally dividing containers.

Black = Partial Height Dividers

Purple = Full Height Dividers



Move and protect your product with Dollies and Covers!



DC1000 Divider Layout



of Divider Slots on Short Side: 5 # of Divider Slots on Long Side: 7 Divider compartments are 1.125"

DC2000 Divider Layout



of Divider Slots on Short Side: 7 # of Divider Slots on Long Side: 11 Divider compartments are 1.125" square.

DC3000 Divider Layout



of Divider Slots on Short Side: 11 # of Divider Slots on Long Side: 15 Divider compartments are 1.125" square.



ESD-SAFE **METAL SYSTEMS**

Protect valuable contents from costly electrostatic discharge (ESD) and static electricity. Utilize LEWISBins+ ESD-Safe Metal Storage Systems to meet your work-in-process requirements.





LP1836-CON shown with PB30-XL



LP1236-CON shown with PB20-XL

ESD-Safe Wall Mounted Systems											
	Dimens	ions (in)	Quantity	Load Capacity							
Model	Н	L	PB10(x)	PB20(x)	PB22(x)	PB30(x)	PB31(x)	(lbs)			
LP1818-CON	18.0	18.0	16 (4x4)	16 (4x4)	8 (2x4)	9 (3x3)	6 (2x3)	160			
LP1236-CON	12.0	36.0	24 (8x3)	24 (8x3)	12 (3x4)	12 (2x6)	8 (4x2)	160			
LP1836-CON	18.0	36.0	32 (8x4)	32 (8x4)	16 (4x4)	18 (6x3)	12 (4x3)	160			

Available Stocked Material: XL Conductive

Note: Please order bins separately. Assembly required.



LPA1236-CON shown with PB20-XL



ESD-Safe Bench Assemblies	

	Dimens	Quantity of Each Conductive Bins to Fill Louvered Panel (Across x Down)						Load Capacity
Model	Н	L	PB10(x)	PB20(x)	PB22(x)	PB30(x)	PB31(x)	(lbs)
LPA1818-CON	18.0	18.0	16 (4x4)	16 (4x4)	8 (2x4)	9 (3x3)	6 (2x3)	130
LPA1236-CON	12.0	36.0	24 (8x3)	24 (8x3)	12 (3x4)	12 (2x6)	8 (4x2)	100
LPA1836-CON	18.0	36.0	32 (8x4)	32 (8x4)	16 (4x4)	18 (6x3)	12 (4x3)	130

Available Stocked Material:

XL Conductive

Note: Please order bins separately. Assembly required.



Combine ESD-Safe Part Bins with Conductive Floor Stands to increase storage efficiency.

ESD-SAFE LOUVERED PANEL FLOOR STANDS

- Manufactured from 16-gauge steel
- Finished in a durable black permanently conductive coating.
- Two-sided racks easily convert to a mobile unit with the addition of the mobile kit. (MK4000-CON).
- Stationary racks can be fastened securely to the floor for additional stability.
- Proper grounding is recommended

Rail FS216-CON shown with PB30-XL and MK4000-CON (mobile kit)





Rail FS116-CON shown with PB30-XL



Rail FS216-CON shown with PB30-XL



ESD-Safe Rail Floor Stands

Model	Description		ions (in)	-	· ·	onductive Bir		1	Load Capacity Without	Load Capacity With
Model	Description	Н	L	PB20(x)	PB30(x)	PB31(x)	PB40	PB41(x)	Mobile Kit (lb)	Mobile Kit (lb)
Single Sided F	Rail Floor Stands									
FS112-CON	1-sided, 12 rails	54.0	36.0	96	-	-	-	-	600	-
FS116-CON	1-sided, 16 rails	54.0	36.0	-	48	24	32	24	600	-
Double Sided	Rail Floor Stands	;								
FS212-CON	2-sided, 12 rails	54.0	36.0	192	-	-	-	-	1200	500
FS216-CON	2-sided, 16 rails	54.0	36.0	-	96	48	64	48	1200	500
Mobile Kit										
MK4000-CON 4	4" casters braces	handle and	drag chain		Fits m	ndels FS212-0	ON and ES2	16-CON		

Available Stocked Material: XL Conductive

Note: Please order bins separately. Assembly required.

ESD-Safe Louvered Panel Floor Stands

		Dimensio	ons (in)		Quantity of I	Each Conduc	tive Bin to Fil	l Floor Stand		Load Capacity Without	Load Capacity With
Model	Description	Н	L	PB20(x)	PB22(x)	PB30(x)	PB31(x)	PB40	PB41(x)	Mobile Kit (lb)	Mobile Kit (lb)
LPFS1-CON	1-sided, 288 slots	54.0	36.0	96	48	48	32	24	18	800	-
LPFS2-CON	2-sided, 576 slots	54.0	36.0	192	96	96	64	48	36	1600	500
Mobile Kit											
MK4000-CON	4" casters, braces,	handle & dra	ng chain				Fits model LP	FS2-CON			

Available Stocked Material: XL Conductive



Note: Please order bins separately. Assembly required.

PRODUCTION OPTIONS & ACCESSORIES

A variety of options and accessories are available for LEWISBins+ products to increase efficiency and flexibility in your material handling system. These are not applicable for all products. Please contact your sales representative for details on availability, minimum order quantities, lead times and additional charges.



Loose Letter Hot Stamp Identification allows for 1" capital letters in a pre-defined area on the container.



Sequential Numbering Hot Stamp Identification is available with each character limited to a 1/2" height. Five characters per line may be utilized.



Customized Hot Stamp is available if the number of letters exceeds the available space with other identification options.



Container Grommets facilitate the use of security ties and various hang tags. A pre-determined area is available on certain products for the installation of the grommet.



Security Ties slip into factory installed security tie holes in the container and cover for fast, efficient locking of covers. The plastic tie is easily removed by cutting, with no damage to container or cover.

PLEXTON IDENTIFICATION OPTIONS



Screen Printing allows for custom messages and logos. Original artwork must be supplied at the time of order. The requirements for the area and location for the screen printing area vary for each Plexton product.

Snap-On Cardholders are envelope style and available with one or two snaps. All have a clear window with solid back. ESD-Safe Cardholders (CH10LS, CH20LS, and CH30LS) are produced in clear anti-static pink material.









CH10 2-Snap







CH30-LS 2-Snap

Adhesive Cardholders are envelope style and affix quickly and easily to the container. All have a clear window with solid back.









CH10 Adhesive

CH14 Adhesive

CH16 Adhesive

CH/3-NFV2 Adhesive



Label Placard is a permanent label holder that allows for easy application and removal of single-use labels with no sticky residue or messy overlapping, keeping containers neat and clean.

Cardholders							
Cardholder	Outside Dimensions L x H (in)	Insertion	Style				
CH10/CH10LS (ESD Safe)	7.75 x 4.25	Side	2-Snap, Adhesive				
CH14	4.25 x 3.50	Тор	2-Snap, Adhesive				
CH20/CH20LS (ESD Safe)	6.50 x 2.25	Side	2-Snap				
CH30/CH30LS (ESD Safe)	6.50 x 1.81	Side	2-Snap				
CH16	7.00 x 4.25	Тор	Notched Adhesive				
CH73-NFV2	3.30 x 7.80	Side	Adhesive				
Placard, Label 4.5"x6.5"	6.50 x 4.50	N/A	Adhesive				

SHIP-FROM-STOCK PROGRAM

Most products in this catalog are part of the LEWISBins+ Ship-from-Stock Program and will ship promptly. Selected products, indicated with an asterisk (*), are manufactured on a make-to-order basis and are subject to minimum order quantities and set-up charges.

MODEL PRODUCT TYPE PAG	ESD- SAFE GE PAGE	MODEL	PRODUCT TYPE	=	ESD- SAFE PAGE
AFXXXX-X Ventilated Stack-N-Nest Containers	GE PAGE 10305-263, 36137,188866,1791011,123513362101641012351, 241012351, 241012351, 2371919191927	NPLXXX	PRODUCT TYPE . Environmental Products Heavy-Duty Stack and Carry Heavy Duty Hopper . Ventilated Stack-N-Nest Container Part Bins - Plastibox . Part Bins - Plastibox with Divider . Part Bins - Plastibox with Divider . Part Bins - Plastibox with Divider . Part Bins - LEWISBins . Steel Rail - Metal Storage Systems . Nest-Only Containers . Cover - Nest-Only Containers . Shelf Bins . Hopper - Plexton . Heavy-Duty Shelf Bin . Stack-N-Nest - Plexton . Stack-N-Nest - Plexton . Stack-N-Nest - Plexton . Stack-N-Nest - Polylewton . Stack-N-Nest - Polylewton . Stack-N-Nest - Polylewton . Stack-N-Nest - Polylewton . Stack-N-Nest - Plexton . Stack-N-Nest - Plexton . Stack-N-Nest - Polylewton . Stack-N-Nest - Polylewton . Stack-N-Nest - Polylewton . Stack-N-Nest - Polylewton . Stack-N-Nest - Plexton . Stack-N-Nest - Polylewton . Stack-N-Nest - Polylewton . Stack-N-Nest - Polylewton . Stack-N-Nest - Plexton . Stac	PAGE F	PAGE3334





LEWISBins+

1055 Corporate Center Drive | Oconomowoc, WI | 53066 USA

 phone
 262-560-5700

 toll free
 877-97LEWIS (5-3947)

 toll free fax
 877-98LEWIS (5-3947)

 e-mai
 info@lewisbins.com

www.lewisbins.com







