



Atlantex Manufacturing Corporation

600 S. Brandywine Avenue • Unit 500 • PO Box 568

Downingtown, PA 19335

Phone: (610) 518-6601 • Fax: (610) 518-6602

www.atlantexmfg.com

MSDS PYROTEX S/G SLEEVING and TAPE

1. Chemical product and Company identification

Emergency contact: Atlantex Manufacturing Corporation

Revised: June 2008

Chemical family: Silicone rubber

Formula: Proprietary mixture

Product description: White fiberglass yarn knitted to produce a hollow sleeve that is covered with silicone rubber on the outside.

2. Composition / Information on ingredients

Fiberglass: Texturized, white in color, no odor

Silicone rubber: Various colors, completely polymerized, no odor

3. Hazards identification

Potential health effects

Ingestion: None known

Skin Contact: None known

Eye Contact: May cause mild eye irritation.

Inhalation: May cause irritation to the throat.

Medical conditions aggravated: None known

Sub-chronic (target organ) effects: None known

Chronic effects/carcinogenic: None known

Principle routes of exposure: Contact

Other: None known

4. First Aid measures

Ingestion: Ingestion is unlikely. If it does occur, watch for several days to make sure intestinal blockage does not occur. If there is blockage, seek medical attention.

Skin: Wash thoroughly with warm water and nonabrasive soap.

Inhalation: Remove person to fresh air and seek medical attention.

In case of eye contact: Flush for 15 minutes with copious quantities of lukewarm water. Seek medical attention if irritation persists.

Note to physician: None known.

5. Fire fighting measures

Flash point: Not known

Auto ignition temp. Not known

Flammable limits in air – upper % not known

Sensitivity to mechanical impact: No

Sensitivity to static discharge: No

Extinguishing media: Water spray; carbon dioxide; dry chemical; foam.

Special fire fighting procedures: In a sustained fire, use self-contained breathing apparatus.

6. Accidental Release measures

Material is a solid. Vacuum or wet-sweep fibrous dust.



Atlantex Manufacturing Corporation

600 S. Brandywine Avenue • Unit 500 • PO Box 568

Downingtown, PA 19335

Phone: (610) 518-6601 • Fax: (610) 518-6602

www.atlantexmfg.com

7. Handling and storage

Precautions for handling and storage: Normal warehouse conditions.

8. Exposure controls / Personal protection

Engineering controls: None known

Respiratory protection: Some applications of these products may not require respiratory protection for fiberglass. However, if airborne fibrous glass concentrations exceed the OSHA permissible limits or if irritation occurs, a properly fitted NIOSH/MSHA approved disposable dust respirator such as the 3M model 8210 (formerly 8710) or model 9900 (in high humidity environments) or equivalent should be used. Use respiratory protection in accordance with your local regulations and OSHA regulations under CFR 1910.134.

Protective clothing: Loose fitting long sleeved shirt that covers to the base of the neck, long pants and gloves. Skin irritation is known to occur chiefly at pressure points such as around the neck, wrist, waist and between fingers.

Eye and face protection: Safety glasses with side shields or chemical splash goggles must be worn to prevent eye contact. A good safety practice is to have an eye wash station readily available near the work area. Other protective measures: Use good personal hygiene practices.

Ventilation: Local exhaust ventilation (if needed) to maintain appropriate airborne dust levels.

9. Physical and chemical properties

Boiling point: N/A

Vapor pressure: N/A

Vapor density: N/A

Freezing point: N/A

Melting point: N/A

Physical state: Solid

Odor: None

Specific gravity: Undetermined

Acid/alkalinity Unknown

pH: N/A

Solubility in water: Insoluble

VOC: Unknown

10. Stability and reactivity

Stability: Stable

Hazardous polymerization: Will not occur.

Hazardous thermal decomposition/ combustion products: Carbon dioxide; carbon monoxide; silicone dioxide; crystalline silica; fibers and dust.

Conditions/materials to avoid: None known

11. Toxicological information

Product information:

Acute Oral LD50: Unknown

Acute Dermal LD50: Unknown

Acute Inhalation LC50: Unknown

Ames Test: Unknown

12. Ecological information

This material is not expected to cause harm to animals, plants or fish.



Atlantex Manufacturing Corporation

600 S. Brandywine Avenue • Unit 500 • PO Box 568

Downingtown, PA 19335

Phone: (610) 518-6601 • Fax: (610) 518-6602

www.atlantexmfg.com

13. Disposal considerations

Disposal method: Fiberglass and Polymerized silicone rubber are generally considered to be inert materials. No special disposal procedures need be followed. User should follow normal methods of disposal in accordance with any governmental regulations.

14. Transport information

DOT shipping name: Not known

DOT Hazard Class: Not considered hazardous waste

DOT Label: Not known

UN/NA Label: Not known

Placards: Not known

IATA: Not known

IMO IMDG code: Not known

European Class:

RID (OCTf): Not known

ADR (ECE): Not known

RAR (IATA): Not known

15. Regulatory information

WHMIS Hazard Class: Not known

Harmonized Code: 8546.10.00.90

16. Other

Users are advised to ensure that this information is brought to the attention of their employees handling the product. The information given herein is believed to be reliable. However, Atlantex Manufacturing Corporation makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. Atlantex Manufacturing Corporation's obligations shall be only as set forth in Atlantex Manufacturing Corporation's standard terms and conditions of sale for this product. In no case will Atlantex Manufacturing Corporation be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of Atlantex Manufacturing Corporation products should make their own evaluation to determine the suitability of each such product for the specific application and to establish safe handling and installation procedures.