



3/8-16 UNC-2B x .56 DP.
(4) REQ'D ON A Ø5.875 B.C.

DASH NO.	"C"	"AD"
500	10.08	2.44
550	10.58	2.94
600	11.08	3.44
650	11.58	3.94

MAXIMUM FACE RUNOUT .004 T.I.R.
MAXIMUM PILOT ECCENTRICITY .004 T.I.R.
PERMISSIBLE SHAFT RUNOUT .002 T.I.R.

SPECIAL FEATURES:

- 1) SHAFT SEAL & V-RING
- 2) DRAIN HOLES IN ENDBELLS & CONDUIT BOX
- 3) STAINLESS STEEL SHAFT, HARDWARE, & NAMEPLATE
- 4) GASKETS THROUGHOUT

NO.	REVISION	BY & DATE	TOLERANCES UNLESS SPECIFIED		FINISH	STOCK	DRAWN	KMM 10/29/01	
			CHK	ANG					DEC.
04	ADDED CONNECTION DECAL NOTE	ARV 6/17/08	.X	±.1		TITLE OUTLINE - 56C FRAME TENV - RIGID "C"	CHK	APPD RDW 10/29/01	
03	ADDED CE & DRAIN INST DECAL TO MOTOR; ECR 89940	KLS 7/21/06	.XX	±.03			SCALE	3=8	
02	L.E. ENDBELL WAS 021209.27	KMM 8/15/02	.XXX	±.005			REF	033694	
01	REVISED BASE LENGTH TO MATCH BASE DWG, WAS 4.00	BPW 1/15/02	.XXXX	±.0005			FMF	119000	
							PREV		
			RFP		CAD FILE	034904	SIZE	DRAWING NO.	REV.
			DIST				A	034904	04

THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT