



STAINLESS STEEL WASHGUARD MOTOR
SPECIAL FEATURES:

- 1) VITON CONDUIT BOX & COVER GASKETS.
- 2) VITON O-RINGS IN ENDBELL RABBETS.
- 3) VITON O-RINGS IN BRUSH HOLDER & CAP.
- 4) VITON SHAFT SEAL.
- 5) BREATHING PLUGS IN CONDUIT BOX & ENDBELL.
- 6) ETCHED NAMEPLATE DATA ON MOTOR FRAME.
- 7) ALL-STAINLESS STEEL CONSTRUCTION.
- 8) DIMENSION IS SPACE PROVIDED FOR A BOLT-ON B5 OR B14 ADAPTER KIT FOR IEC-80 FRAME.

FRAME	"C"	"AD"
N80	11.81	8.16
R80	12.31	8.66
U80	12.81	9.16

		TOLERANCES UNLESS SPECIFIED		LEESON		ELECTRIC MOTORS GEARMOTORS AND DRIVES		DRAWN PG 1/5/05	
		DEC.	INCHES					CHK	
		.X	±.1					APPD PG 1/5/05	
02	CORRECTED LOCATION OF BREATHING PLUG AND PG-16 HOLE TO MATCH ENDBELL ASSEMBLY, ISAAC 12-032B	IPG	1/25/12	.XX	±.03	TITLE		SCALE 1-2	
				.XXX	±.005	OUTLINE - IEC-80 FRAME METRIC FACE MOUNT - TENV		REF 031791	
01	ADDED FRAME DESIGNATION TO TABLE, PER 109081.00	IPG	2/11/05	SAD	.XXXX ±.0005	MAT'L		FMF 109081.00	
NO.	REVISION	BY & DATE	CHK	ANG	±1/2'	FINISH		PREV	
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT - DO NOT SCALE THIS PRINT				RFP		CAD FILE		031794	
				DIST				SIZE	DRAWING NO.
								B	031794
									REV. 02