

### Steel Series PF Flow Control Valves

**Features:**

- recommended for use in non-shock applications
- ball type check meters the flow of hydraulic oil in one direction and allows for free flow in the reverse direction
- maximum operating pressure: **5000 PSI at 70°F (21°C)**, cracking pressure: **5 PSI**

Female NPTF	Zinc Plated Steel with a dichromate seal	
	Part #	Price/E
1/4"	<b>SPF400</b>	<b>\$66.20</b>
3/8"	<b>SPF600</b>	<b>88.10</b>
1/2"	<b>SPF800</b>	<b>110.70</b>



### Brass Series PF Flow Control Valves

**Features:**

- ball type check meters flow of air in one direction and allows free flow in the reverse direction
- used to control actuator speed by acting as a restriction
- maximum operating pressure: **2000 PSI at ambient temperature 70°F (21°C)**
- cracking pressure: **5 PSI**

Female NPTF	Brass	
	Part #	Price/E
1/8"	<b>BPF200</b>	<b>\$69.10</b>
1/4"	<b>BPF400</b>	<b>84.15</b>
3/8"	<b>BPF600</b>	<b>110.00</b>
1/2"	<b>BPF800</b>	<b>150.80</b>



### Steel Series N Flow Control Valves

**Features:**

- excellent speed control on hydraulic systems where a reverse flow check valve is not needed
- reliable shutoff in a very small envelope; color-coded reference scale simplifies setting, resetting, adjusting and quick return to a previous speed setting
- maximum operating pressure: **5000 PSI at 70°F (21°C)** for 1/8" - 3/4", **3000 PSI at 70°F (21°C)** for 1" - 1 1/4"

Female NPTF	Steel	
	Part #	Price/E
1/8"	<b>SN200</b>	<b>\$86.05</b>
1/4"	<b>SN400</b>	<b>86.35</b>
3/8"	<b>SN600</b>	<b>107.20</b>
1/2"	<b>SN800</b>	<b>137.55</b>
3/4"	<b>SN1200</b>	<b>193.55</b>
1"	<b>SN1600</b>	<b>1031.60</b>
1 1/4"	<b>SN2000</b>	<b>1423.75</b>



### Brass Series N Flow Control Valves

**Features:**

- for use as speed control on hydraulic and pneumatic systems where a reverse flow check valve is not needed
- provides excellent control and reliable shutoff in a very small envelope
- color coded scale simplifies setting, resetting, adjusting and quick return to a previous speed setting
- maximum operating pressure: **2000 PSI at ambient temperature 70°F (21°C)** for sizes 1/8" - 3/4", **500 PSI at ambient temperature 70°F (21°C)** for 1"

Female NPTF	Brass	
	Part #	Price/E
1/8"	<b>BN200</b>	<b>\$93.55</b>
1/4"	<b>BN400</b>	<b>96.25</b>
3/8"	<b>BN600</b>	<b>125.60</b>
1/2"	<b>BN800</b>	<b>175.55</b>
3/4"	<b>BN1200</b>	<b>370.90</b>
1"	<b>BN1600</b>	<b>1555.85</b>

