

3D PDF DATASHEET



Create Your Individual 3D PDF Datasheet



Learn How to Create Your Mechanical Product Catalog



Learn How to Create Your BIM Product Catalog



Reduce Your Costs in Engineering and Purchasing




125700

VSC Intermediate Duty 4-Bolt Flange Bearings

BALDOR • DODGE

3D View

To activate the interactive 3D view, you must trust this document (see hint on the top) in Adobe Acrobat and click on the question mark.



Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.



Pan

Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.



Rotate

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.

3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet ▶



 **eCATALOG**solutions

Learn How to Create Your
Mechanical Product Catalog ▶



 **BIM** catalogs.net

Learn How to Create Your BIM
Product Catalog ▶



 **PART**solutions

Reduce Your Costs in
Engineering and Purchasing ▶




125700


VSC Intermediate Duty 4-Bolt Flange Bearings

BALDOR • DODGE

2D Derivation



ISO View




3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



eCATALOG solutions



BIM catalogs.net



PART solutions




Reduce Your Costs in
Engineering and Purchasing

125700

VSC Intermediate Duty 4-Bolt Flange Bearings

BALDOR • DODGE

Technical Drawings



NOTES:

GREASE USED:
EXXON UNIREX N2

SEAL TYPE:
PROGUARD LIP SEAL

3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



 **eCATALOG**solutions

Learn How to Create Your
Mechanical Product Catalog



 **BIM**catalogs.net

Learn How to Create Your BIM
Product Catalog



 **PART**solutions

Reduce Your Costs in
Engineering and Purchasing



125700

VSC Intermediate Duty 4-Bolt Flange Bearings

BALDOR • DODGE

Technical Data

RS (Series)	209
SS (Shaft Size / INCH)	45
PN (Part No.)	125700
DESCRIPTION (Description)	F4B-VSC-45M
LF (Lubrication Feature)	RE-LUBE
WEIGHT (Weight / lbs)	2.42
A (A / mm)	49.3
B (B / mm)	136.7
C (C / mm)	50.5
D (D / mm)	104.9
F (F / mm)	M14
H (H / mm)	16.0
J (J / mm)	15.0
L (L / mm)	56.4
N (N / mm)	69.9

3D PDF DATASHEET



 **eCATALOG**solutions



 **BIM** catalogs.net



 **PART**solutions



Create Your Individual 3D PDF
Datasheet 

Learn How to Create Your
Mechanical Product Catalog 

Learn How to Create Your BIM
Product Catalog 

Reduce Your Costs in
Engineering and Purchasing 

125700

VSC Intermediate Duty 4-Bolt Flange Bearings



Bill of Materials

N°	Name	Description	Amount
1	assembly	125700	1