

3D PDF DATASHEET



Create Your Individual 3D PDF Datasheet



Learn How to Create Your Mechanical Product Catalog



Learn How to Create Your BIM Product Catalog




Reduce Your Costs in Engineering and Purchasing




127530

SC 2 Bolt Flange Bearings -(Normal Duty) -Corrosion Resistant Insert -Polymer Housed -E-Z KLEEN



3D View

To activate the interactive 3D view, you must trust this document (see hint on the top) in Adobe Acrobat and click on the question mark.



Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.



Pan

Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.



Rotate

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.

3D PDF DATASHEET



 **eCATALOG**solutions



 **BIM**catalogs.net



 **PART**solutions



Create Your Individual 3D PDF
Datasheet



Learn How to Create Your
Mechanical Product Catalog



Learn How to Create Your BIM
Product Catalog



Reduce Your Costs in
Engineering and Purchasing




127530


SC 2 Bolt Flange Bearings -(Normal Duty) -Corrosion Resistant Insert -Polymer Housed -E-Z
KLEEN

BALDOR • DODGE

2D Derivation



ISO View




3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



eCATALOG solutions

Learn How to Create Your
Mechanical Product Catalog



BIM catalogs.net

Learn How to Create Your BIM
Product Catalog



PART solutions

Reduce Your Costs in
Engineering and Purchasing




BALDOR • DODGE

127530

SC 2 Bolt Flange Bearings -(Normal Duty) -Corrosion Resistant Insert -Polymer Housed -E-Z
KLEEN

Technical Drawings



NOTES:

GREASE USED:
EXXON UNIREX N2

SEAL TYPE:
DUAL GUARD LIP SEAL
W/ RUBBERIZED FLINGER

3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



 **eCATALOG**solutions

Learn How to Create Your
Mechanical Product Catalog



 **BIM**catalogs.net

Learn How to Create Your BIM
Product Catalog



 **PART**solutions

Reduce Your Costs in
Engineering and Purchasing



127530

SC 2 Bolt Flange Bearings -(Normal Duty) -Corrosion Resistant Insert -Polymer Housed -E-Z
KLEEN

BALDOR • DODGE

Technical Data

SERIES (Series)	208
SS (Shaft Size / INCH)	1-1/2
PN (Part No.)	127530
DESCRIPTION (Description)	F2B-SCEZ-108-PCR
W (Weight / lbs)	1.82
A (A / INCH)	1.94
B (B / INCH)	6.77
C (C / INCH)	2.08
D (D / INCH)	5.65
F (Bolt Diameter / INCH)	1/2
H (H / INCH)	0.67
J (J / INCH)	0.63
L (L / INCH)	2.05
M (M / INCH)	4.06

3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



 **eCATALOG**solutions

Learn How to Create Your
Mechanical Product Catalog



 **BIM** catalogs.net

Learn How to Create Your BIM
Product Catalog



 **PART**solutions

Reduce Your Costs in
Engineering and Purchasing



127530

SC 2 Bolt Flange Bearings -(Normal Duty) -Corrosion Resistant Insert -Polymer Housed -E-Z
KLEEN

BALDOR • DODGE

Bill of Materials

N°	Name	Description	Amount
1	assembly	127530	1
1.1	HOUSING	127530	1
1.2	INSERT	045605	1
1.3	GREASEFITTING	405020c	1