

## 3D PDF DATASHEET



 **eCATALOG**solutions



 **BIM** catalogs.net



 **PART**solutions



Create Your Individual 3D PDF  
Datasheet



Learn How to Create Your  
Mechanical Product Catalog



Learn How to Create Your BIM  
Product Catalog



Reduce Your Costs in  
Engineering and Purchasing




# 127535

SC 3 Bolt Flange Bearings -(Normal Duty) -Polymer Housed -Corrosion Resistant Insert -E-Z  
KLEEN

**BALDOR • DODGE**

## 3D View

To activate the interactive 3D view, you must trust this document (see hint on the top) in Adobe Acrobat and click on the question mark.



### Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.



### Pan

Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.



### Rotate

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.

## 3D PDF DATASHEET



 **eCATALOG**solutions



 **BIM**catalogs.net



 **PART**solutions



Create Your Individual 3D PDF  
Datasheet 

Learn How to Create Your  
Mechanical Product Catalog 

Learn How to Create Your BIM  
Product Catalog 


Reduce Your Costs in  
Engineering and Purchasing 

# 127535


SC 3 Bolt Flange Bearings -(Normal Duty) -Polymer Housed -Corrosion Resistant Insert -E-Z  
KLEEN

**BALDOR • DODGE**

### 2D Derivation



### ISO View



## 3D PDF DATASHEET

Create Your Individual 3D PDF  
Datasheet



eCATALOGsolutions

Learn How to Create Your  
Mechanical Product Catalog



BIM catalogs.net

Learn How to Create Your BIM  
Product Catalog



PARTsolutions

Reduce Your Costs in  
Engineering and Purchasing




# 127535

SC 3 Bolt Flange Bearings -(Normal Duty) -Polymer Housed -Corrosion Resistant Insert -E-Z  
KLEEN

BALDOR • DODGE

## Technical Drawings



NOTES:

GREASE USED:  
EXXON UNIREX N2

SEAL TYPE:  
DUAL GUARD LIP SEAL  
W/ RUBBERIZED FLINGER

## 3D PDF DATASHEET

Create Your Individual 3D PDF  
Datasheet



 **eCATALOG**solutions

Learn How to Create Your  
Mechanical Product Catalog



 **BIM**catalogs.net

Learn How to Create Your BIM  
Product Catalog




 **PART**solutions

Reduce Your Costs in  
Engineering and Purchasing



# 127535

SC 3 Bolt Flange Bearings -(Normal Duty) -Polymer Housed -Corrosion Resistant Insert -E-Z  
KLEEN



## Technical Data

|                           |                 |
|---------------------------|-----------------|
| SERIES (Series)           | 206             |
| SS (Shaft Size / INCH)    | 1-3/16          |
| PN (Part No.)             | 127535          |
| DESCRIPTION (Description) | FB-SCEZ-103-PCR |
| WEIGHT (Weight / lbs)     | 1.07            |
| A (A / INCH)              | 1.52            |
| B (B / INCH)              | 5.48            |
| C (C / INCH)              | 1.69            |
| D (D / INCH)              | 1.88            |
| E (E / INCH)              | 2.06            |
| F (Bolt Diameter)         | 3/8             |
| G (G / INCH)              | 1.25            |
| H (H / INCH)              | 0.6             |
| I (I / INCH)              | 3.88            |
| J (J / INCH)              | 3.2             |
| K (K / INCH)              | 1.24            |
| L (L / INCH)              | 1.57            |

## 3D PDF DATASHEET

Create Your Individual 3D PDF  
Datasheet



 **eCATALOG**solutions

Learn How to Create Your  
Mechanical Product Catalog



 **BIM** catalogs.net

Learn How to Create Your BIM  
Product Catalog



 **PART**solutions

Reduce Your Costs in  
Engineering and Purchasing



# 127535

SC 3 Bolt Flange Bearings -(Normal Duty) -Polymer Housed -Corrosion Resistant Insert -E-Z  
KLEEN

**BALDOR • DODGE**

## Bill of Materials

|     | Name     | Description | Amount |
|-----|----------|-------------|--------|
| 1   | assembly | 127535      | 1      |
| 1.1 | HOUSING  | 127535      | 1      |
| 1.2 | INSERT   | 045602      | 1      |
| 1.3 | GF       | 405020c     | 1      |