

3D PDF DATASHEET



Create Your Individual 3D PDF Datasheet



Learn How to Create Your Mechanical Product Catalog



Learn How to Create Your BIM Product Catalog



Reduce Your Costs in Engineering and Purchasing




136113

GT Normal Duty Narrow Slot Take-Up Bearings

BALDOR • DODGE

3D View

To activate the interactive 3D view, you must trust this document (see hint on the top) in Adobe Acrobat and click on the question mark.



Zoom

Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.



Pan


Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.



Rotate

Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.

3D PDF DATASHEET



Create Your Individual 3D PDF
Datasheet



Learn How to Create Your
Mechanical Product Catalog



Learn How to Create Your BIM
Product Catalog



Reduce Your Costs in
Engineering and Purchasing




136113


GT Normal Duty Narrow Slot Take-Up Bearings

BALDOR • DODGE

2D Derivation



ISO View




3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



eCATALOG solutions



BIM catalogs.net



PART solutions




Reduce Your Costs in
Engineering and Purchasing

136113

GT Normal Duty Narrow Slot Take-Up Bearings

BALDOR • DODGE

Technical Drawings



NOTES:

GREASE USED:
EXXON UNIREX N2

SEAL TYPE:
DUAL GUARD LIP SEAL
W/ RUBBERIZED FLINGER

3D PDF DATASHEET

Create Your Individual 3D PDF Datasheet



eCATALOG solutions

Learn How to Create Your Mechanical Product Catalog



BIM catalogs.net

Learn How to Create Your BIM Product Catalog



PART solutions

Reduce Your Costs in Engineering and Purchasing



136113

GT Normal Duty Narrow Slot Take-Up Bearings

BALDOR • DODGE

Technical Data

SERIES (Series)	205
SS (Shaft Size)	1
PN (Part No.)	136113
DESCRIPTION (Description)	NSTU-GT-100
PNSL (Part No. of Unit without Adapter Sleeve & Lock Nut)	136211
DESCRIPTIONSL (Description of Unit without Adapter Sleeve & Lock Nut)	NSTU-GT-05
PNA (Part No. of Adapter Sleeve & Lock Nut)	136524
DESCRIPTIONA (Description of Adapter Sleeve & Lock Nut)	AN-GT-05-100-D
W (Weight / lbs)	1.5
TUFS (Take-up Frame Size)	NS210
A (A / INCH)	1.46
B (B / INCH)	3.56
C (C / INCH)	0.250
D (D / INCH)	1.50
E (E / INCH)	2.19
F (F / INCH)	3/4
G (G / INCH)	0.44
H (H / INCH)	0.88
J (J / INCH)	1.38
L (L / INCH)	1.80
M (M / INCH)	2.635/2.605
N (N / INCH)	3.13
P (P / INCH)	0.32
R (R / INCH)	0.48
S (S / INCH)	0.98
Z (Z / INCH)	1.00
CAPS (Capacity Static / lbs)	1565
CAPD (Capacity Dynamic / lbs)	3146

3D PDF DATASHEET

Create Your Individual 3D PDF
Datasheet



 **eCATALOG**solutions

Learn How to Create Your
Mechanical Product Catalog



 **BIM** catalogs.net

Learn How to Create Your BIM
Product Catalog



 **PART**solutions

Reduce Your Costs in
Engineering and Purchasing



136113

GT Normal Duty Narrow Slot Take-Up Bearings

BALDOR • DODGE

Bill of Materials

N°	Name	Description	Amount
1	assembly	136113	1
1.1	bodi	136113I	1
1.2	GF405016	405016	1