
## Lid for Bucket 5686, 3.17 Gallon(s), Black





Lid for Vikan Hygiene Bucket 5686x. The bucket lid is useful for preventing spillage and uses a clip system to lightly secure the lid.

## **Technical Data**

Material         Polypropylene           Complies with (EC) 1935/2004 on food contact materials'         Yes           Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           FDA-compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Design Registration No.         EU 000427117-103, GB9004271170001-003           Box Quantity         6 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         510 Pcs.           Quantity Per Layer (Pallet)         36 Pcs.           Length         14.4 *           Width         12 2 *           Height         1.6 *           Net Weight         0.1058 lbs           Tare Cardboard         0.11 lbs           Tare Total         0.11 lbs           Gross Weight         0.216 lbs           Cubic Feet         0.1599 fts           Recommended sterilisation temperature (Autoclave)         249.8 "F           Max. cleaning temperature (Dishwasher)         199.4 "F           Max usage temperature (mon food contact)	Item Number	56879
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           FDA-compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         EU 000427117-1-3, GB9004271170001-003           Box Quantity         6 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         510 Pcs.           Quantity Per Layer (Pallet)         36 Pcs.           Length         14.4 "           Width         12.2 "           Height         1.6 "           Net Weight         0.1058 lbs           Tare Cardboard         0.11 lbs           Gross Weight         0.216 lbs           Cubic Feet         0.1599 ft3           Recommended sterilisation temperature (Autoclave)         249.8 "F           Max. cleaning temperature (Food contact)         212 "F           Max usage temperature (non food contact)         212 "F           Max. usage temperature (non food contact)         212 "F           Min. usage temperature         2 "F           Max. drying temperature         2 "F           Max. drying tempe	Material	Polypropylene
Manufacturing Practice         FDA-compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Design Registration No.         EU 000427117-001-003           Box Quantity         6 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         510 Pcs.           Quantity Per Layer (Pallet)         36 Pcs.           Length         14.4 "           Width         12.2 "           Height         1.6 "           Net Weight         0.1058 lbs           Tare Cardboard         0.11 lbs           Tare Total         0.11 lbs           Gross Weight         0.216 lbs           Cubic Feet         0.1599 ft3           Recommended sterilisation temperature (Autoclave)         249.8 "F           Max. cleaning temperature (Dishwasher)         199.4 "F           Max usage temperature (non food contact)         212 "F           Max usage temperature (mon food contact)         212 "F           Min. usage temperature         24 "F           Min. usage temperature         2 "F	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Design Registration No.         EU 000427117-1-3, GB9004271170001-003           Box Quantity         6 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         510 Pcs.           Quantity Per Layer (Pallet)         36 Pcs.           Length         14.4 "           Width         12.2 "           Height         1.6 "           Net Weight         0.1058 lbs           Tare Cardboard         0.11 lbs           Gross Weight         0.216 lbs           Cubic Feet         0.1599 ft3           Recommended sterilisation temperature (Autoclave)         249.8 "F           Max. cleaning temperature (Dishwasher)         199.4 "F           Max usage temperature (non food contact)         212 "F           Max usage temperature         4 "F           Max. drying temperature         2 PH           Max. ph-value in usage concentration         2 pH           Max. ph-value in Usage Concentration         10.5 pH           Recycling Symbol "5", Polypropylene (PP)         Yes		Yes
Meets the REACH Regulation (EC) No. 1907/2006         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Design Registration No.         EU 000427117-1-3, GB9004271170001-003           Box Quantity         6 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         510 Pcs.           Quantity Per Layer (Pallet)         36 Pcs.           Length         14.4 "           Width         12.2 "           Height         1.6 "           Net Weight         0.1058 lbs           Tare Cardboard         0.11 lbs           Tare Total         0.11 lbs           Gross Weight         0.216 lbs           Cubic Feet         0.1599 ft3           Recommended sterilisation temperature (Autoclave)         249.8 "F           Max. cleaning temperature (Dishwasher)         199.4 "F           Max usage temperature (non food contact)         212 "F           Max usage temperature         4 "F           Max. drying temperature         248 "F           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Recycling Symbol "5", Polypropylene (PP)         Yes           GTIN-13 Number </th <th>FDA-compliant raw material (CFR 21)</th> <th>Yes</th>	FDA-compliant raw material (CFR 21)	Yes
Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Design Registration No.         EU 000427117-1-3, GB9004271170001-003           Box Quantity         6 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         510 Pcs.           Quantity Per Layer (Pallet)         36 Pcs.           Length         14.4 "           Width         12.2 "           Height         1.6 "           Net Weight         0.1058 lbs           Tare Cardboard         0.11 lbs           Gross Weight         0.216 lbs           Cubic Feet         0.1599 ft3           Recommended sterilisation temperature (Autoclave)         249.8 "F           Max. cleaning temperature (Dishwasher)         199.4 "F           Max usage temperature (food contact)         212 "F           Max usage temperature (non food contact)         212 "F           Min. usage temperature         4 "F           Max. drying temperature         248 "F           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Recycling Symbol "5", Polypropylene (PP)         Yes           GTIN-13 Number         5705020568794           GTIN-14 Numb	Complies with UK 2019 No. 704 on food contact materials	Yes
Is Halal and Kosher compliant         Yes           Design Registration No.         EU 000427117-03, GB9004271170001-003           Box Quantity         6 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         510 Pcs.           Quantity Per Layer (Pallet)         36 Pcs.           Length         14.4 "           Width         12.2 "           Height         1.6 "           Net Weight         0.1058 lbs           Tare Cardboard         0.11 lbs           Gross Weight         0.216 lbs           Cubic Feet         0.1599 ft3           Recommended sterilisation temperature (Autoclave)         249.8 "F           Max. cleaning temperature (Dishwasher)         199.4 "F           Max usage temperature (food contact)         212 "F           Max usage temperature (non food contact)         212 "F           Min. usage temperature         4 "F           Max. drying temperature         248 "F           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Recycling Symbol "5", Polypropylene (PP)         Yes           GTIN-13 Number         5705020568794           GTIN-14 Number (Box quantity)         15705020568791           Count	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Design Registration No.         EU 000427117-1-3, GB9004271170001-003           Box Quantity         6 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         510 Pcs.           Quantity Per Layer (Pallet)         36 Pcs.           Length         14.4 "           Width         12.2 "           Height         1.6 "           Net Weight         0.1058 lbs           Tare Cardboard         0.11 lbs           Gross Weight         0.216 lbs           Cubic Feet         0.1599 ft3           Recommended sterilisation temperature (Autoclave)         249.8 "F           Max. cleaning temperature (Dishwasher)         199.4 "F           Max usage temperature (food contact)         212 "F           Min. usage temperature (non food contact)         212 "F           Min. usage temperature         4 "F           Max. drying temperature         248 "F           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Recycling Symbol "5", Polypropylene (PP)         Yes           GTIN-13 Number         5705020568794           GTIN-14 Number (Box quantity)         15705020568791           Customs Tariff No.         39235090           Country o	Use of phthalates and bisphenol A	No
Box Quantity         6 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         510 Pcs.           Quantity Per Layer (Pallet)         36 Pcs.           Length         14.4 "           Width         12.2 "           Height         0.1058 lbs           Tare Cardboard         0.11 lbs           Tare Total         0.11 lbs           Gross Weight         0.216 lbs           Cubic Feet         0.1599 ft3           Recommended sterilisation temperature (Autoclave)         249.8 °F           Max. cleaning temperature (Dishwasher)         199.4 °F           Max usage temperature (food contact)         212 °F           Min. usage temperature (non food contact)         212 °F           Min. usage temperature         -4 °F           Max. drying temperature         -4 °F           Max. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Recycling Symbol "5", Polypropylene (PP)         Yes           GTIN-13 Number         5705020568794           GTIN-14 Number (Box quantity)         15705020568791           Customs Tariff No.         39235090           Country of Origin         Denmark	Is Halal and Kosher compliant	Yes
Quantity per Pallet (80 x 120 x 180-200 cm)         510 Pcs.           Quantity Per Layer (Pallet)         36 Pcs.           Length         14.4 "           Width         12.2 "           Height         0.16 "           Net Weight         0.1058 lbs           Tare Cardboard         0.11 lbs           Gross Weight         0.216 lbs           Cubic Feet         0.1599 ft3           Recommended sterilisation temperature (Autoclave)         249.8 °F           Max. cleaning temperature (Dishwasher)         199.4 °F           Max usage temperature (food contact)         212 °F           Max usage temperature (non food contact)         212 °F           Min. usage temperature         -4 °F           Max. drying temperature         248 °F           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Recycling Symbol "5", Polypropylene (PP)         Yes           GTIN-13 Number         5705020568794           GTIN-14 Number (Box quantity)         15705020568791           Country of Origin         Denmark	Design Registration No.	· · · · · · · · · · · · · · · · · · ·
Quantity Per Layer (Pallet)         36 Pcs.           Length         14.4 "           Width         12.2 "           Height         0.16 "           Net Weight         0.1058 lbs           Tare Cardboard         0.11 lbs           Tare Total         0.11 lbs           Gross Weight         0.216 lbs           Cubic Feet         0.1599 ft3           Recommended sterilisation temperature (Autoclave)         249.8 °F           Max. cleaning temperature (Dishwasher)         199.4 °F           Max usage temperature (food contact)         212 °F           Max usage temperature (non food contact)         212 °F           Min. usage temperature         4 °F           Max. drying temperature         248 °F           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Recycling Symbol "5", Polypropylene (PP)         Yes           GTIN-13 Number         5705020568794           GTIN-14 Number (Box quantity)         15705020568791           Customs Tariff No.         39235090           Country of Origin         Denmark	Box Quantity	6 Pcs.
Length         14.4 "           Width         12.2 "           Height         0.16 "           Net Weight         0.1058 lbs           Tare Cardboard         0.11 lbs           Tare Total         0.11 lbs           Gross Weight         0.216 lbs           Cubic Feet         0.1599 ft3           Recommended sterilisation temperature (Autoclave)         249.8 °F           Max. cleaning temperature (Dishwasher)         199.4 °F           Max usage temperature (food contact)         212 °F           Max usage temperature (non food contact)         212 °F           Min. usage temperature         4 °F           Max. drying temperature         248 °F           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Recycling Symbol "5", Polypropylene (PP)         Yes           GTIN-13 Number         5705020568794           GTIN-14 Number (Box quantity)         15705020568791           Customs Tariff No.         39235090           Country of Origin         Denmark	Quantity per Pallet (80 x 120 x 180-200 cm)	510 Pcs.
Width         12.2 "           Height         1.6 "           Net Weight         0.1058 lbs           Tare Cardboard         0.11 lbs           Tare Total         0.11 lbs           Gross Weight         0.216 lbs           Cubic Feet         0.1599 ft3           Recommended sterilisation temperature (Autoclave)         249.8 °F           Max. cleaning temperature (Dishwasher)         199.4 °F           Max usage temperature (food contact)         212 °F           Max usage temperature (non food contact)         212 °F           Min. usage temperature         4 °F           Max. drying temperature         248 °F           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Recycling Symbol "5", Polypropylene (PP)         Yes           GTIN-13 Number         5705020568794           GTIN-14 Number (Box quantity)         15705020568791           Customs Tariff No.         39235090           Country of Origin         Denmark	Quantity Per Layer (Pallet)	36 Pcs.
Height         1.6 "           Net Weight         0.1058 lbs           Tare Cardboard         0.11 lbs           Tare Total         0.11 lbs           Gross Weight         0.216 lbs           Cubic Feet         0.1599 ft3           Recommended sterilisation temperature (Autoclave)         249.8 °F           Max. cleaning temperature (Dishwasher)         199.4 °F           Max usage temperature (food contact)         212 °F           Max usage temperature (non food contact)         212 °F           Min. usage temperature         4 °F           Max. drying temperature         248 °F           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Recycling Symbol "5", Polypropylene (PP)         Yes           GTIN-13 Number         5705020568794           GTIN-14 Number (Box quantity)         15705020568791           Customs Tariff No.         39235090           Country of Origin         Denmark	Length	14.4 "
Net Weight         0.1058 lbs           Tare Cardboard         0.11 lbs           Tare Total         0.11 lbs           Gross Weight         0.216 lbs           Cubic Feet         0.1599 ft3           Recommended sterilisation temperature (Autoclave)         249.8 °F           Max. cleaning temperature (Dishwasher)         199.4 °F           Max usage temperature (food contact)         212 °F           Max usage temperature (non food contact)         212 °F           Min. usage temperature         -4 °F           Max. drying temperature         248 °F           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Recycling Symbol "5", Polypropylene (PP)         Yes           GTIN-13 Number         5705020568794           GTIN-14 Number (Box quantity)         15705020568791           Customs Tariff No.         39235090           Country of Origin         Denmark	Width	12.2 "
Tare Cardboard 0.11 lbs Tare Total 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F Max usage temperature (non food contact) 212 °F Min. usage temperature ( autoclave) 249.8 °F Min. usage temperature ( autoclave) 212 °F Max usage temperature ( autoclave) 212 °F Max usage temperature ( autoclave) 212 °F Min. usage temperature ( autoclave) 212 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020568794 GTIN-14 Number (Box quantity) 15705020568791 Customs Tariff No. 39235090 Country of Origin Denmark	Height	1.6 "
Tare Total 0.11 lbs Gross Weight 0.216 lbs Cubic Feet 0.1599 ft3 Recommended sterilisation temperature (Autoclave) 249.8 °F Max. cleaning temperature (Dishwasher) 199.4 °F Max usage temperature (food contact) 212 °F Max usage temperature (non food contact) 212 °F Min. usage temperature 4 °F Max. drying temperature 248 °F Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Recycling Symbol "5", Polypropylene (PP) Yes GTIN-13 Number 5705020568794 GTIN-14 Number (Box quantity) 15705020568791 Customs Tariff No. 39235090 Country of Origin Denmark	Net Weight	0.1058 lbs
Gross Weight0.216 lbsCubic Feet0.1599 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)212 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568794GTIN-14 Number (Box quantity)15705020568791Customs Tariff No.39235090Country of OriginDenmark	Tare Cardboard	0.11 lbs
Cubic Feet0.1599 ft3Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)212 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568794GTIN-14 Number (Box quantity)15705020568791Customs Tariff No.39235090Country of OriginDenmark	Tare Total	0.11 lbs
Recommended sterilisation temperature (Autoclave)249.8 °FMax. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)212 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568794GTIN-14 Number (Box quantity)15705020568791Customs Tariff No.39235090Country of OriginDenmark	Gross Weight	0.216 lbs
Max. cleaning temperature (Dishwasher)199.4 °FMax usage temperature (food contact)212 °FMax usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568794GTIN-14 Number (Box quantity)15705020568791Customs Tariff No.39235090Country of OriginDenmark	Cubic Feet	0.1599 ft3
Max usage temperature (food contact)212 °FMax usage temperature (non food contact)212 °FMin. usage temperature4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568794GTIN-14 Number (Box quantity)15705020568791Customs Tariff No.39235090Country of OriginDenmark	Recommended sterilisation temperature (Autoclave)	249.8 °F
Max usage temperature (non food contact)212 °FMin. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568794GTIN-14 Number (Box quantity)15705020568791Customs Tariff No.39235090Country of OriginDenmark	Max. cleaning temperature (Dishwasher)	199.4 °F
Min. usage temperature-4 °FMax. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568794GTIN-14 Number (Box quantity)15705020568791Customs Tariff No.39235090Country of OriginDenmark	Max usage temperature (food contact)	212 °F
Max. drying temperature248 °FMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568794GTIN-14 Number (Box quantity)15705020568791Customs Tariff No.39235090Country of OriginDenmark	Max usage temperature (non food contact)	212 °F
Min. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568794GTIN-14 Number (Box quantity)15705020568791Customs Tariff No.39235090Country of OriginDenmark	Min. usage temperature	-4 °F
Max. pH-value in Usage Concentration10.5 pHRecycling Symbol "5", Polypropylene (PP)YesGTIN-13 Number5705020568794GTIN-14 Number (Box quantity)15705020568791Customs Tariff No.39235090Country of OriginDenmark	Max. drying temperature	248 °F
Recycling Symbol "5", Polypropylene (PP)  GTIN-13 Number  5705020568794  GTIN-14 Number (Box quantity)  15705020568791  Customs Tariff No.  39235090  Country of Origin  Denmark	Min. pH-value in usage concentration	2 pH
GTIN-13 Number         5705020568794           GTIN-14 Number (Box quantity)         15705020568791           Customs Tariff No.         39235090           Country of Origin         Denmark	Max. pH-value in Usage Concentration	10.5 pH
GTIN-14 Number (Box quantity)  Customs Tariff No.  39235090  Country of Origin  Denmark	Recycling Symbol "5", Polypropylene (PP)	Yes
Customs Tariff No.39235090Country of OriginDenmark	GTIN-13 Number	5705020568794
Country of Origin Denmark	GTIN-14 Number (Box quantity)	15705020568791
	Customs Tariff No.	39235090
Content Gallon 3.17 Gallon(s)	Country of Origin	Denmark
	Content Gallon	3.17 Gallon(s)

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 32 °Fahrenheit.