PRODUCT INFORMATION PACKET



Model No: 5KC35JNA489Y Catalog No: CG384 1/3,1725,DP,56,1/60/115 Instant Reversing



Regal and Marathon are trademarks of Regal Beloit Corporation or one of its affiliated companies.

©2018 Regal Beloit Corporation, All Rights Reserved. MC017097E





Nameplate Specifications

Output HP	0.33 Hp	Output KW	0.25 kW
Frequency	60 Hz	Voltage	115 V
Current	6.3 A	Speed	1725 rpm
Service Factor	1.35	Phase	1
Efficiency	57.7 %	Duty	CONT
Insulation Class	В	KVA Code	М
Frame	56	Enclosure	DP
Overload Protector	MAN	Ambient Temperature	40 °C
Drive End Bearing Size	6203	Opp Drive End Bearing Size	6203
UL	Recognized	CSA	Yes
CE	N		

Technical Specifications

Electrical Type	Capacitor start(CSIR)	Starting Method	SS
Poles	4	Rotation	INSREV
Mounting	WB	Motor Orientation	ANY
Drive End Bearing	BALL	Opp Drive End Bearing	BALL
Frame Material	Rolled Steel	Overall Length	9.89 in
Frame Length	5.79 in	Shaft Diameter	0.63 in
Shaft Extension	1.88 in		
Outline Drawing	52A109397P1	Connection Diagram	52A106833

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created: 04/05/2018



