PRODUCT INFORMATION PACKET



Model No: 256TTDN16009 Catalog No: U439A 25,3600,DP,256TC,3/60/230/460 Open Drip Proof (ODP)



Regal and Marathon are trademarks of Regal Beloit Corporation or one of its affiliated companies.

©2018 Regal Beloit Corporation, All Rights Reserved. MC017097E






Nameplate Specifications

Output HP	25 Hp	Output KW	18.7 kW
Frequency	60 Hz	Voltage	230/460 V
Current	58/29 A	Speed	3535 rpm
Service Factor	1.15	Phase	3
Efficiency	92.4 %	Duty	CONTINUOUS
Insulation Class	F	Design Code	В
KVA Code	G	Frame	256TC
Enclosure	DP	Overload Protector	NOT
Ambient Temperature	40 °C	Drive End Bearing Size	6309
Opp Drive End Bearing Size	6208	UL	Recognized
CSA	Υ	CE	Υ
IP Code	22		

Technical Specifications

Electrical Type	SQ CAGE IND RUN	Starting Method	PWS(LV ONLY) & YDRUN
Poles	2	Rotation	REV
Mounting	RIGID	Motor Orientation	HORIZONTAL
Drive End Bearing	BALL	Opp Drive End Bearing	BALL
Frame Material	CAST IRON	Shaft Type	Т
Overall Length	24.81 in	Frame Length	14.25 in
Shaft Diameter	1.63 in	Shaft Extension	3.75 in
Assembly/Box Mounting	F1/F2 CAPABLE		
Outline Drawing	B-SS203743-1425	Connection Diagram	A-EE7358

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created: 06/11/2018





Uncontrolled Copy

HIGH VOLTAGE

WYE START

DELTA RUN







WYE START

LOW VOLTAGE

DELTA RUN





4/2 CKTY ∧

DRAWING REVISION	REVISION BY	DATE
D	JWO	01-26-2016
ECO	APPROVED BY	DATE
ECO-0092547	TB	01-26-2016
ECO DESCRIPTION		-

ADDED IEC MARKINGS

COPYRIGHT REGAL BELOIT AMERICA, INC. ALL RIGHTS RESERVED.
PROPRIETARY AND CONFIDENTIAL INFORMATION - THIS DOCUMENT IS THE PROPERTY OF
REGAL BELOIT AMERICA, INC. ("OWNER") AND CONTAINS OWNER'S PROPRIETARY
INFORMATION. ANY PERSON, CORPORATION OR OTHER FIRM RECEIVING IT IS DEEMED,
BY RECEIVING IT, TO AGREE THAT IT, AND/OR ANY PART OF IT, SHALL NOT BE DISCLOSED
TO ANY PERSON, CORPORATION OR OTHER ENTITY, DUPILCATED, AND/OR USED, EXCEPT
AS EXPRESSLY APPROVED IN WRITING IN ADVANCE BY OWNER. THIS DOCUMENT SHALL
BE RETURNED TO OWNER UPON REQUEST. IT MAY BE SUBJECT TO CERTAIN
RESTRICTIONS UNDER APPLICABLE EXPORT CONTROL LAWS AND REGULATIONS.

	DRAWN BY BLR DATE 03-09-1998	REGAL [™] Regal Beloit America, Inc.	
	APPROVED BY GK DATE 03-23-1998	DESCRIPTION CONN DIAGRAM-EXTERNAL 12 LEAD - DUAL VOLT WYE START - DELTA R	
	REFERENCE	MATERIAL PROCESS/FINISH	
\	THIRD ANGLE PROJECTION	A EE7358	SHEET 1 OF 1