PRODUCT INFORMATION PACKET



Model No: 5KH32GNB814X Catalog No: HG681 1/3,1725/1425,DP,48Y,1/60/100-120/200-240 Carbonator Pump



Regal and Marathon are trademarks of Regal Beloit Corporation or one of its affiliated companies.

©2018 Regal Beloit Corporation, All Rights Reserved. MC017097E






Nameplate Specifications


Output HP	0.33 Hp	Output KW	0.25 kW
Frequency	60 Hz	Voltage	100-120/200-240 V
Current	5.5-5.6,2.7-2.8 A	Speed	1725 rpm
Service Factor	1	Phase	1
Efficiency	62 %	Duty	CONT
Insulation Class	В	KVA Code	L
Frame	48Y	Enclosure	DP
Overload Protector	AUTO	Ambient Temperature	40 °C
Drive End Bearing Size	6203	Opp Drive End Bearing Size	6203
UL	Recognized	CSA	Yes
CE	N		

Technical Specifications

Electrical Type	Split Phase	Starting Method	SM
Poles	4	Rotation	CCW/CW
Mounting	WB	Motor Orientation	ANY
Drive End Bearing	BALL	Opp Drive End Bearing	BALL
Frame Material	Rolled Steel	Overall Length	7.69 in
Frame Length	5.16 in	Shaft Diameter	0.63 in
Shaft Extension	0.17 in		
Outline Drawing	52A111746P1	Connection Diagram	52A105383AA

This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created: 04/05/2018





					TOL UNLES	ERANCES S SPECIFIED					DRAWN M.D.P	06/29/87
					DEC.	INCHES	REGAL	EGAL REGAL-BELOIT CORPORATION		ORATION	СНК	
					.X	±0.1	BELOIT				APPD M.D.P	03/26/96
					.xx	±0.02	TITLE CON	CONNECTION DIAGRAM			SCALE	1=1
5	ADDED CONNECTION LABEL PER ECO-0030779		02/06/13	PKG	.xxx	±0.005	30 FRAME SWITCH REDESIGN			REF		
4	4 UPDATED PER IS07-0150		01/23/07		.xxxx	±0.0005	MAT'L.				FMF	
NO.	IO. REVISION		Y & DATE	СНК	ANG	±1.0	FINISH			PREV		
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT — DO NOT SCALE THIS PRINT			RFP CAD FILE 52A105383AA SIZE DRAWING N			DRAWING NO).	REV.				
			DIST			•		Α	52A1	05383A	A 5	