PRODUCT INFORMATION PACKET



Model No: P184C17DB21A Catalog No: 131561.00

3HP..1740RPM.184.DP.115/230V.1PH.60HZ.CONT.MANUAL.40C.1.15SF.RIGID.GENERAL

PURPOSE.P184C17DB21A Open Drip Proof (ODP)



Regal and Leeson are trademarks of Regal Beloit Corporation or one of its affiliated companies.

©2018 Regal Beloit Corporation, All Rights Reserved. MC017097E



Product Information Packet: Model No: P184C17DB21A, Catalog No:131561.00 3HP..1740RPM.184.DP.115/230V.1PH.60HZ.CONT.MANUAL.40C.1.15SF.RIGID.GENERAL PURPOSE.P184C17DB21A




Nameplate Specifications

Output HP	3 Hp	Output KW	2.2 kW
Frequency	60 Hz	Voltage	115/230 V
Current	33.8/16.9 A	Speed	1740 rpm
Service Factor	1.15	Phase	1
Efficiency	75.5 %	Duty	Continuous
Insulation Class	F	Design Code	L
KVA Code	J	Frame	184T
Enclosure	Drip Proof	Overload Protector	Manual
Ambient Temperature	40 °C	Drive End Bearing Size	6206
Opp Drive End Bearing Size	6205	UL	Recognized
CSA	Υ	CE	N
IP Code	22		

Technical Specifications


Electrical Type	Capacitor Start Induction Run	Starting Method	Across The Line
Poles	4	Rotation	Selective Counterclockwise
Mounting	Rigid base	Motor Orientation	HORIZONTAL
Drive End Bearing	BALL	Opp Drive End Bearing	BALL
Frame Material	Rolled Steel	Shaft Type	Т
Overall Length	14.19 in	Frame Length	10.00 in
Shaft Diameter	1.125 in	Shaft Extension	2.75 in
Assembly/Box Mounting	F1 ONLY		
Outline Drawing	035372-1000	Connection Diagram	005067.02


This is an uncontrolled document once printed or downloaded and is subject to change without notice. Date Created: 10/15/2018



__ T5







LINE LEADS

	ROTATION FACING LEAD END	L1	L2	JOIN	INSULATE SEPARATELY
HIGH	C.C.W.	P1	T4 T5	T2,T3 T8	P2
VOLT	C.W.	P1	T4 T8	T2,T3 T5	P2
LOW	C.C.W.	P1	T2,T4 T5	P2,T3 T8	
VOLT	C.W.	P1	T2,T4 T8	P2,T3 T5	

* THIS LEAD MAY BE WHITE

						TOL UNLES	ERANCES S SPECIFIED			ELECTRIC	MO	TORS	DRAWN WL	W 09/01/76
						DEC.	INCHES		==\$0N)	GEARM(OTOR	2S	СНК	
05	ALTERNATE T5 LEAD MARKING WAS RED	RLW	8/6	/02		.x	±.1			AND D	RIVE	.S	APPD	
04	ADDED ALTERNATE T5 LEAD MARKING	RLW	5/31	/02	KH	.xx	±.01	TITLE		NG DIAGRA			SCALE	1=1
03	DECAL WAS 004015	DBT	12/23	/97		.xxx	±.005		TYPE "C" W	// PROTEC	TOR		REF	
02	REDRAWN ON CAD	DBT	05/29	/97		.xxxx	±.0005	MAT'L.	DECAL	- 004011			FMF	
NO.	REVISION	E	3Y & DAT	ΓE	СНК	ANG	±1/2°	FINISH					PREV	
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT				RFP			CAD FILE	00506702		SIZE	DRAWING N	0.	REV	
IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT — DO NOT SCALE THIS PRINT				DIST NLV				A OC		005	067-0	2 05		

