

# Capstone® Shield (ANS) CE (CSA) (H2X)











- Fully adjustable elastic band.
- · Fits over prescription glasses.
- · Lens is coated to prevent fogging.
- Soft vinyl goggle body conforms to facial contours.
- Goggle provides protection against dust and chemical splash.
- Scratch resistant polycarbonate lens provides 99% UVA/B/C protection.
- · Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance.
- · Goggle incorporated with removable shield provides full face protection.
- · 4 ventilation holes provide appropriate airflow.
- · Ratchet shield allows user to open or close in 3 positions for adjustment.

· Polycarbonate shield conforms to the face offering increased impact and dust protection.







\*NOTE: Only the goggle for GG504TSHIELDIR3 and GG504TSHIELDIR5 contains IR due. Due to the nature of the vented holes, the shield is





#### VPACK6

Pack of 6 clear disposable, tear-off visors, suitable for high dust or muddy working environments.

#### CAPSHIELD • • •

Ratcheting shield includes strap and clips allowing the user to add to either of the Capstone 500 Series goggles.

Capstone® 500 Series 🕮 🕮 🕮 • Fits over prescription glasses. · Lens is coated to prevent fogging.

• Soft vinyl goggle body conforms to facial contours.

· Goggle provides protection against dust and chemical splash.

• Scratch resistant polycarbonate lens provides 99% UVA/B/C protection.

· Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance.

• GG504T passes D3: Droplet & Splash Test – provides protection from droplets and splashes.

### 12/box 144/case

Gray Goggle with Quick Release Strap

GG504T • • • • Clear H2X Anti-Fog

**Chemical Green Goggle with Neoprene Strap** 

GC504TN••• Clear H2X Anti-Fog



## 













• Fully adjustable elastic band.

- · Fits over prescription glasses.
- · Lens is coated to prevent fogging.
- Dual pane lens consists of polycarbonate lens on the outer side with acetate anti-fog lens on inner side.
- Dual pane lens ensures ultimate anti-fog performance.
- Scratch resistant polycarbonate lens provides 99% UVA/B/C protection.
- · Soft vinyl goggle body conforms to facial contours.
- · Goggle provides protection against dust and chemical splash.
- · Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance.
- G504DT passes D3: Droplet & Splash Test provides protection from droplets and splashes.

### 12/box 144/case

Gray Goggle with Quick Release Strap

G504DT••••

Clear Dual Pane H2X Anti-Fog



# Capstone® 600 Series 🕮 🕮













- · Indirect ventilation system prevents fogging.
- · Includes interchangeable cloth and neoprene straps.
- Co-material goggle provides superior protection against dust entry and chemical splash.
- Thermoplastic (TPE) body with universal nose bridge is flexible and contours to the user's face.
- Passes D3: Droplet & Splash Test provides protection from droplets and splashes.
- Passes D4: Dust Test provides protection from dust particles.

### 1/box 72/case

Gray Goggle with Adjustable Strap

G604T2 • • • • •

Clear H2X Anti-Fog




## Capstone® RL











- Fits over prescription glasses.
- · Indirect ventilation system prevents fogging.
- Includes interchangeable cloth and neoprene straps.
- · Co-material goggle provides superior protection against dust entry and chemical splash.
- Thermoplastic (TPE) body with universal nose bridge is flexible and contours to the user's face.
- G804TRL passes D3: Droplet & Splash Test provides protection from droplets and splashes.

### 12/box 72/case

Gray Goggle with Adjustable Neoprene Strap

G804TRL • • • •

Clear H2X Anti-Fog

G824TRL • • •

Gray H2X Anti-Fog





There's more to see at Safety.com

R804T • • •

R824T•••

Replacement Neoprene Strap Replacement Cloth Strap Replacement Clear H2X Anti-Fog Lens Replacement Gray H2X Anti-Fog Lens

(P) 800.736.8673 | (F) 901.861.4967