

# G204/G204T

CHEMICAL GOGGLE



**PART**

G204\*\*

G204T\*\*\*

**LENS**

Clear

Clear (Anti-Fog)

- Chemical splash goggle features vent caps to restrict influx of liquids.
- Lenses provide 99.9% protection against harmful UV rays.

## GENERAL SPECIFICATION

Bridge: N/A

Lens Base: Flat

Lens Size Diagonal: 144mm

Lens Size Vertical: 68mm

Lens Thickness: 2.0mm

Overall Length (Lens-Tip): N/A

Overall Width (Hinge-Hinge): 200mm

PD: 68mm

Weight: 79gm

## PACKAGING

Polybag: 1pc



Inner Box: 12 pcs

Case: 144 pcs

# G204/G204T

## CHEMICAL GOGGLE

COMPONENT	MATERIAL	FEATURES
Lens	Polycarbonate	Lens inset in PVC frame
Frame	PVC	Polyvinyl Chloride
Nose Piece	PVC	Integral to frame
4 cap vents	LPDE	N/A
Elastic Band	60% polyester 40% rubber thread	N/A

PART	LENS	LENS MARKING	FRAME MARKING
G204	 Clear	P +	P Z87 +
G204T	 Clear (Anti-Fog)	P +	P Z87 +

### LENS MARKING

#### Symbols:

P: Manufacturer's mark  
 Z87: ANSI standard for Eye and Face protection devices  
 +: High Impact  
 H: Small Head Size  
 S: Special Purpose

#### UV Filter Transmittance:

U2: Max Effective Far UV= .1% / Max Near UV= 3.7%  
 U2.5: Max Effective Far UV= .1% / Max Near UV= 2.3%  
 U3: Max Effective Far UV= .07% / Max Near UV= 1.4%  
 U4: Max Effective Far UV= .04% / Max Near UV= .5%  
 U5: Max Effective Far UV= .02% / Max Near UV= .2%  
 U6: Max Effective Far UV= .01% / Max Near UV= .1%

#### Visible Light Filters:

L1.3: 85% Max. Visible Light  
 L1.7: 55% Max. Visible Light  
 L2.5: 29% Max. Visible Light  
 L3: 18% Max. Visible Light

### FRAME MARKING

#### Symbols:

P: Manufacturer's mark  
 Z87: ANSI standard for Eye and Face protection devices  
 +: High Impact