

MAXIMUM FACE RUNOUT TO BE .004 T.I.R. MAXIMUM PILOT ECCENTRICITY .004 T.I.R. PERMISABLE SHAFT RUNOUT .002 T.I.R.

GASKETS THROUGHOUT

						0/\SI\L13 111	1100011001					
				TOLERANCES UNLESS SPECIFIED				ELECTRIC MOTORS		RS	DRAWN MO	GM 04/09/03
				DEC.	INCHES		43011	GEARM		I	CHK RDV	04/09/03
				.x	±.1			AND [DRIVES		APPD	
				.xx	±.03	TITLE	OUTLINE -				SCALE	3=8
02	UPDATED SHAFT EXT DIMS	RDW 4/26/04	SW	.xxx	±.005		TEFC -	- RIGID "C"			REF	
01	CONDUIT HOLE WAS 1/2-14 NPT, DIM .157 WAS .12	SW 10/7/2003	RDW	.xxxx	±.0005	MAT'L.					FMF	
NO.	REVISION	BY & DATE	СНК	ANG	±1/2°	FINISH					PREV	
THIS DRAWING IN DESIGN AND DETAIL IS OUR PROPERTY AND MUST NOT BE USED EXCEPT						CAD FILE	16992800		SIZE DF	RAWING NO.) REV.
IN CONNECTION WITH OUR WORK ALL RIGHTS OF DESIGN AND INVENTION ARE RESERVED THIS IS AN ELECTRONICALLY GENERATED DOCUMENT — DO NOT SCALE THIS PRINT					DIST						169928.00	