

**Hubbell iSTATION HDMI 110 UTP Extenders for 1080P or Lower**

Decorator	<b>ISFH110xx</b>	
Module	<b>IMH110ST2xx</b>	

**4K UHD HDBaseT Frames**

Kit, transmitter and receiver	<b>ISFHD4BK</b>	
Transmitter	<b>ISFHDT4BK</b>	
Receiver	<b>ISFHDR4BK</b>	

**4K UHD HDBaseT AV Switching Transmitters**

(1) VGA, (1)HDMI Transmitter	<b>ISFHDT421BK</b>	
(3) HDMI Transmitter	<b>ISFHDT431BK</b>	

**AV Power Supply**

(1) USB 2.0 port 3A, TR receptacle 5V DC output, 15A, 125V	<b>AVPS15xx</b>	
--	-----------------	--

**Accessories**

5V DC, external power supply	<b>HDMIDC5V</b>
Infrared emitter and receiver kit	<b>AVIR</b>

**USB High Speed 110 Extenders**

1.5 unit module, send and receive pair	<b>IMU11015xx</b>	
--	-------------------	--

**VGA with 3.5mm 110 Term**

100 ft, transmitter and receiver pair 1-pk	<b>IM15311015xx</b>	
--	---------------------	--

**Gangable AV Wallboxes**

	<b>HBL985</b>
	<b>HBL986</b>

**Low Voltage AV Wallbox Partitions**

Solid divider	<b>HBL989</b>
Pass-through	<b>HBL989AVD</b>

**Decorator Wallplates, Standard**

1-gang, nylon	<b>NP26xx</b>	
2-gang, nylon	<b>NP262xx</b>	

Note: Also available in Almond and Light Almond; Light Almond is the same as Office White

xx = Color:

<b>BK</b> (Black)	<b>EI</b> (Electric Ivory) or <b>I</b> (Ivory)	<b>GY</b> (Gray)	<b>OW</b> (Office White)	<b>W</b> (White)
-------------------	--	------------------	--------------------------	------------------

**HDMI Horizontal Runs and Device Patch Cords**

	<b>HDPHC03BK</b>
Patch Cords, 24AWG	
3', Black	<b>HDPHC03BK</b>
6', Black	<b>HDPHC06BK</b>

	<b>HDHyyBK</b>
Horizontal Cords (connector-to-connector)	
Black	<b>HDHyyBK</b>

	<b>HDLyyBK</b>
Link Cords, 24AWG (connector-to-device)	
Black	<b>HDLyyBK</b>

	<b>HDCyyBK</b>
Coupler Cords, 24AWG (coupler-to-device)	
Black	<b>HDCyyBK</b>
yy = Length: <b>10</b> (10'), <b>15</b> (15'), <b>20</b> (20'), <b>25</b> (25'), and <b>30</b> (30'); Black and non-plenum only	

**AV Plug-n-Play X-End Horizontal Runs, M/M**

	<b>VGA6PyyBK</b>		<b>VGA36PyyBK</b>
8-Pin Plenum	<b>VGA6PyyBK</b>	8-Pin with 3.5mm Plenum	<b>VGA36PyyBK</b>
Non-Plenum	<b>VGA6yyBK</b>	Non-Plenum	<b>VGA36yyBK</b>
yy = Length: <b>15</b> (15'), <b>25</b> (25'), <b>35</b> (35'), <b>50</b> (50'), <b>75</b> (75'), and <b>100</b> (100')			

**X-End AV Plug-n-Play**

	<b>AV15Myy</b>
15-pin VGA, M/M	<b>AV15Myy</b>
	<b>AV1535yy</b>
15-pin VGA w/ 3.5mm audio, M/M	<b>AV1535yy</b>
	<b>AV1535T1</b>
15-pin VGA w/ 3.5mm audio, M/F	<b>AV1535T1</b>
yy = Length: <b>05</b> (5'), <b>10</b> (10')	

**X-End AV Snap Fit Connector**

8-pin, 4" tail	<b>SFAVCT</b>	
----------------	---------------	--

**VGA Plug-n-Play X-End Connections, 15-Pin to 8-Pin**

	<b>15S6P1</b>		<b>15T6P1</b>
Straight 180° 1-Pack	<b>15S6P1</b>	8" Tail Female	<b>15T6P1</b>
	<b>15A6P1</b>		<b>15MP6P1</b>
Angled 45° 1-Pack	<b>15A6P1</b>	Male	<b>15MP6P1</b>
	<b>15N6P1</b>		
Angled 90° 1-Pack	<b>15N6P1</b>		

**HDMI Decorator Frames**

1-port	<b>NS801xx</b>	
2-port	<b>NS802xx</b>	

**HDMI Couplers**

	<b>HDMIC14</b>		<b>HDMIT14</b>
HDMI Coupler Gold, Female-Female 1-pk	<b>HDMIC14</b>	HDMI 3" Tail Gold, Female-Female 1-pk	<b>HDMIT14</b>
	<b>DVIHDMI1</b>		<b>SFHC14BK</b>
DVI to HDMI Adapter Female-Female 1-pk	<b>DVIHDMI1</b>	HDMI Keystone Female-Female 1-pk	<b>SFHC14BK</b>

**USB Couplers**

	<b>SFUSBAAB</b>		<b>SFUSBABB</b>
A to A, 2.0 Blue	<b>SFUSBAAB</b>	A to B, 2.0 Blue	<b>SFUSBABB</b>
	<b>SFUSBAAOW</b>		<b>SFUSBABOW</b>
Of. White	<b>SFUSBAAOW</b>	Of. White	<b>SFUSBABOW</b>
	<b>SFUSBAAW</b>		<b>SFUSBABW</b>
White	<b>SFUSBAAW</b>	White	<b>SFUSBABW</b>
	<b>SFUSBAA3BK</b>		<b>SFUSBAB3BK</b>
A to A, 3.0 Black	<b>SFUSBAA3BK</b>	A to B, 3.0 Black	<b>SFUSBAB3BK</b>

**9- and 15-pin Connectors**

	<b>9ST10</b>		<b>9GC10</b>
Screw Terminal 9-pin	<b>9ST10</b>	Gender Changer 9-pin	<b>9GC10</b>
	<b>15ST10</b>		<b>15GC10</b>
Screw Terminal 15-pin	<b>15ST10</b>	Gender Changer 15-pin	<b>15GC10</b>
	<b>SF15ST</b>		<b>15901</b>
Screw Terminal 15-pin keystone front mount	<b>SF15ST</b>	Gender Changer, 90° 15-Pin 1-pk	<b>15901</b>

**DVI Adapters/Couplers**

	<b>DVI1</b>
DVI to DVI coupler	<b>DVI1</b>
	<b>DVI151</b>
DVI to VGA adapter, F/F	<b>DVI151</b>
	<b>DVIHDMI1</b>
DVI to HDMI adapter, F/F	<b>DVIHDMI1</b>
	<b>IMBDVI15xx</b>
DVI blank, 1U, unloaded	<b>IMBDVI15xx</b>



**IFP Faceplates**

**Single Gang**

1-port	<b>IFP11xx</b>	2-port	<b>IFP12xx</b>	3-port	<b>IFP13xx</b>
4-port	<b>IFP14xx</b>	6-port	<b>IFP16xx</b>		



**Double Gang**

6-port	<b>IFP26xx</b>
9-port	<b>IFP29xx</b>
12-port	<b>IFP212xx</b>



**NEXTSPEED® Ascent Category 6A Shielded Jacks**

Single pack	<b>SJ6A</b>
25-pack	<b>SJ6A25</b>



**S-Video Connections**



S-Video to 110  
**SFSV110xx**



S-Video Pass-Thru  
**SFSVxx**

**RCA Connectors**




**110 Punch Down**  
Housing: Black  
Insulator: Blue, Green, Red, White, Yellow  
**SFRC110xx**



**Gold Pass-Thru F/F**  
Housing: Office White  
Insulator: Black, Red, White, Yellow  
**SFRCxxFF**



**RCA Solder Term**  
Housing: See chart (except Office White)  
Insulator: See chart  
**SFRCxxxx**



Housing: Office White  
Insulator: Blue, Green, Orange  
**SFRCxxFFOW**

**Gold Pass-Thru F/F, Recessed**

Housing: See chart  
Insulator: See chart  
**SFRCxxRxx**



Housing: See chart (except Office White)  
Insulator: See chart  
**SFRCxxFFxx**

xx = Insulator Color:



**F-Type Connectors**



**Pass-Thru F/F**  
Office White **SFFX**  
Other colors **SFFxxX\***  
\*Housing Colors as below except: **B** (Black), **E** (Electric Ivory), **G** (Gray)



**3 GHz Pass-Thru F/F**  
Gold **SFF3Gxx**



**Pass-Thru F/F, Recessed**  
Gold **SFGRFxx**



**Pass-Thru F/F**  
Gold **SFFGxx**



**RCA to F-Type, Gold Pass-Thru F/F**  
Gold **SFRFGxx**

**Stereo Jacks**



**3.5mm Solder**  
**SF35SJxx**



**3.5mm Screw Term**  
**SF35STxx**



**Pass-Thru F/F**  
Gold **SF35GFFxx**



**110 Termination F/F**  
**SF35110BK**



**1/4" Solder**  
**SF14SJxx**



**Bulk, 3.5mm 10-Pk**  
Solder **35S10**  
Pass-Thru **35FF10**  
Screw Term **35ST10**

**Gold Speaker Post Connectors**



**Screw Term, Black**  
**SFSPGBKxx**



**Screw Term, Red**  
**SFSPGRxx**

**BNC Connectors**



**Pass-Thru F/F**  
**SFBxx**



**Pass-Thru F/F, Gold**  
**SFBGxx**

**Blank Connectors and Coupler**



**Blank, 10-Pk**  
Office White **SFB10**  
**SFBxx10\***



**Smooth Blank, 10-Pk**  
**SFSBxx10\***  
\*No Office White

\*Housing Colors as below except: **B** (Black) and **E** (Electric Ivory)

**NSC Patch Cords**

Cat 6	<b>NSC6xxxy</b>
Cat 5e	<b>NSC5Exxyy</b>



xx = Color: **BK** (Black), **B** (Blue), **GY** (Gray), **W** (White)  
yy = Length: **01** (1'), **03** (3'), **05** (5'), **07** (7'), **10** (10'), **15** (15')

**Field Termination Plugs**

Can be used with both FTP and UTP cable

Category 6A	<b>SP6A</b>
Category 6	<b>SP6</b>



**Inline Data Couplers**



**Cat 6, Pass-Thru**  
Black **SFC6BK**  
White **SFC6W**



**Cat 6, Shielded**  
Lead-free tinned shield **SFSC6**

**Cat 5e, Pass-Thru**  
Black **SFC5EBK**  
White **SFC5EW**

**Cat 5e, Cross Over**  
10/100BASE-T  
Gray **SF5ECOXY**

**Xcelerator Jacks**



**NEXTSPEED® Cat 6A**  
1-pk. **HJ6Axx**  
25-pk. **HJ6Axx25\***



**NEXTSPEED® Cat 6**  
1-pk. **HXJ6xx**  
25-pk. **HXJ6xx25\***



**SPEEDGAIN® Cat 5e**  
1-pk. **HXJ5Exx**  
25-pk. **HXJ5Exx25\***



**USOC**  
RJ-25 **HXJUxx**

xx = Jack Color:

<b>AL</b>	<b>BK</b>	<b>B</b>	<b>EI</b>	<b>GY</b>	<b>GN</b>
<b>LA</b>	<b>OW</b>	<b>OR</b>	<b>R</b>	<b>W</b>	<b>Y</b>

\*Also available in Purple and Gold

xx = Housing Color:

<b>BK</b> (Black)	<b>EI</b> (Electric Ivory) or <b>I</b> (Ivory)	<b>GY</b> (Gray)	<b>OW</b> (Office White)	<b>W</b> (White)
-------------------	--	------------------	--------------------------	------------------



**Hubbell SystemOne Flush Delivery Products**



SystemOne Cover	
Carpet	<b>S1CFC*</b>
Tile	<b>S1TFC*</b>
Furniture	<b>S1SPFF*</b>
Feed Carpet	
Furniture	<b>S1SPFFT*</b>
Feed Tile	
Sub-Plate	
iSTATION	<b>S1SP4IM</b>
4x4	<b>S1SP4X4</b>
Decorator	<b>S1SP</b>
iSTATION	<b>S1SP3IM</b>
+ Power	
Twist-Lock	<b>S1SPTL</b>
+ Data	
Duplex/	<b>S1SPDU</b>
Duplex	
Duplex/	<b>S1SPDUSL</b>
Decorator	
Datacom/	<b>S1SPDU2IM</b>
Duplex	
Datacom/	<b>S1SPSL2IM</b>
Decorator	



<b>Multi-Service Floor Box, Round</b>	
PVC	<b>S1PFB</b>
Stamped Steel	<b>S1SFB</b>
Stamped Steel AV	<b>S1SFBV</b>
Cast Iron	<b>S1CFB</b>
<b>Poke-Through, 1-Piece</b>	
AV	<b>S1PT3IM*</b>
Decorator	<b>S1PT*</b>
4x4	<b>S1PT4X4*</b>
Furniture Feed	<b>S1PTFF*</b>

*Add suffix for finish:	
"AL"=Aluminum;	
"BL"=Black;	
"BRS"=Brass;	
"I"=Ivory;	"GY"=Gray.

<b>Poke-Through Floor Fitting</b>	
2-Channel	<b>S1PTFIT</b>
4x4	<b>S1PT4X4FIT</b>
AV	<b>S1PTAVFIT</b>

**Recessed Concrete Floor Boxes and Covers**

	<b>7-Gang</b>	<b>11-Gang</b>	
4" depth	<b>CFB7G4</b>	<b>CFB11G4</b>	
6" depth	<b>CFB7G6</b>	<b>CFB11G6</b>	
Carpet Cover	<b>CFB7CVRxxx</b>	<b>CFB11CVRxxx</b>	
Tile Cover	<b>CFB7Txxx</b>	<b>CFB11Txxx</b>	

xxx = Finish: **ALU** (Aluminum), **BRS** (Brass)

**Furniture and Work Surface Connectivity Boxes**

<b>Square Mini Lift-Up Style</b>			
(1) pre-wired 15A outlet w/ 9ft power cord; (1) RJ-45 jack w/ 6ft patch cord	Black	<b>WSBA11BK</b>	
	Brushed Stainless	<b>WSBA11BSS</b>	
(2) pre-wired 15A outlets w/ 9ft power cord (power only)	Black	<b>WSBA2BK</b>	
	Brushed Stainless	<b>WSBA2BSS</b>	
<b>Pop-Up Style</b>			
Base unit w/ (4) pre-wired 15A outlets w/ 6ft power cord; (2) LV plates w/ 1-U iSTATION module opening		<b>WSBH42U*</b>	
Trim ring and round top, Black		<b>WSBHTRBK</b>	
Trim ring and round top, Brushed Stainless Steel		<b>WSBHTRBSS</b>	
2x2 USB pop-up, Brushed Aluminum		<b>WSBUSB2X2ALU</b>	
2x2 USB pop-up, Black Power Coat		<b>WSBUSB2X2BLK</b>	

Note: \*WSBH42U is CSA Certified only.

**Hubbell SystemOne Recessed Fire-Rated Poke-Throughs (FRPT)**

<b>6" Fitting with Cover</b>		
(2) pre-wired 20A receptacles with 18" leads plus 2 decorator openings including 2" EMT and 3/4" EMT	<b>S1R6PTWZxxx</b>	
<b>6" FRPT Fitting</b>		
6" through floor fitting including 2" EMT and 3/4" EMT	<b>S1R6PTFIT</b>	
<b>6" Cover</b>		
6" cast aluminum cover with two large hide-away egress doors	<b>S1R6CVRxxx</b>	
<b>8" Fitting with Cover</b>		
(4) pre-wired 20A receptacles with 18" leads plus 3 gangs with 2" EMT for data and AV	<b>S1R8PTZZ3xxx</b>	
<b>8" FRPT Fitting</b>		
8" through floor fitting including 2" EMT for data and AV	<b>S1R8PTFIT3</b>	
<b>8" Cover</b>		
8" cast aluminum cover with two large hide-away egress doors	<b>S1R8CVRxxx</b>	
<b>6" and 8" Sub-Plate</b>		
A large array of power, data and AV sub-plates are available for both 6" and 8" FRPTs. The 8" FRPT can accept third-party, 2-gang devices (i.e. FSR®, Crestron® and Extron®). Consult the area sales team or the Hubbell website.		

xxx = Finish: **ALU** (Brushed Aluminum), **BLK** (Black Powder Coat), **BRS** (Brushed Brass, Plated), **BRZ** (Oil Rubbed Bronze, Plated) and **NKL** (Satin Nickel, Plated)

**FPTV Connection Enclosures**

2-gang in-wall enclosure, White	<b>NSAV62M</b>	
Steel cover, White	<b>NSAV6C</b>	
2 gang blank cover, White	<b>NSAV6CB</b>	
2 gang block wall adapter, White	<b>NSAV6BW</b>	
4 gang in wall enclosure, White	<b>NSAV124M</b>	
4 gang cover with cable exit, White	<b>NSAV12C</b>	
2 or 4 gang stud brackets	<b>NSAV6NW</b>	

<b>Grommet Style</b>			
(2) pre-wired 15A outlets w/ 6ft power cord; (2) keystone openings	Black	<b>WSBF22BK</b>	
	Silver	<b>WSBF22SV</b>	
Flush grommet cover w/ dust shield	Black	<b>WSBFGROMBK</b>	
	Silver	<b>WSBFGROMSV</b>	
	Brushed Aluminum	<b>WSBFGROMBAL</b>	
	Brushed Stainless	<b>WSBFGROMBSS</b>	

<b>Pre-Wired Dual-Service, Table Top Box</b>			
Pre-wired 15A outlet w/ 9ft power cord; 3.5mm screw terminal audio jack; 15-pin gender changer F/F; (2) keystone openings		<b>TTBDS1xx</b>	
(2) pre-wired 15A outlets w/ 9ft power cord; (2) keystone openings		<b>TTBDS2xx</b>	
xx = Finish: <b>BK</b> (Black Anodized Aluminum), <b>AL</b> (Clear Anodized Aluminum) and <b>BR</b> (Solid Brass).			

**Hubbell SystemOne 2-Gang Recessed Floor Boxes**



	Rectangular Cover		Round Cover	
Standard	<b>CFB2G30</b>	<b>CFB2G25</b>	<b>CFB2G30R</b>	<b>CFB2G25R</b>
On-grade (corrosion resistant)	<b>CFB2G30CR</b>	<b>CFB2G25CR</b>	<b>CFB2G30RCR</b>	<b>CFB2G25RCR</b>

**Hubbell SystemOne 4-Gang Recessed Floor Boxes**



	Rectangular Cover			Round Cover		
Standard	<b>CFB4G30</b>	<b>CFB4G25</b>	-	<b>CFB4G30R</b>	<b>CFB4G25R</b>	-
On-grade (corrosion resistant)	<b>CFB4G30CR</b>	<b>CFB4G25CR</b>	-	<b>CFB4G30RCR</b>	<b>CFB4G25RCR</b>	-
Cast Iron	-	-	<b>CFB4G30CI</b>	-	-	<b>CFB4G30RCI</b>

**Rectangular Covers for 2- and 4-Gang Floor Boxes**

Surface	Surface with Insert	Furniture Feed (1" and 2" Plugs)	Flush	Flush with Insert	Furniture Feed (1" and 2" Plugs)
<b>24GCCVRxx</b>	<b>24GCCVRxxC</b>	<b>24GFFCVRxx</b>	<b>24GTCVRxx</b>	<b>24GTCVRxxC</b>	<b>24GFFCVRxx</b>

**xx** = Finish: **ALU** (Aluminum Powder Coat), **BK** (Black Powder Coat), **BRS** (Brass Powder Coat), **BRZ** (Bronze Powder Coat), **NK** (Satin Nickel Powder Coat)

**Round Covers**

Flush	Furniture Feed (3/4" and 2" Plugs)
<b>CFBS1R6CVRxx</b>	<b>CFBS1R6FFCVRxx*</b>

**xx** = Finish: **ALU** (Brushed Aluminum), **BLK** (Black Powder Coat), **BRS** (Brass Plated), **BRZ** (Bronze Plated), **NK** (Satin Nickel Plated)

\*For use with CFB2GR series only

**Pre-Wired Device Plates**

Description	Type	15A	20A
Duplex, Gray	Standard Tamper-Resistant	<b>PWFBMPCR15GRY</b> <b>PWFBMPCR15GRYTR</b>	<b>PWFBMPCR20GRY</b> <b>PWFBMPCR20GRYTR</b>
Decorator, Gray	Standard Tamper-Resistant	<b>PWFBMPDR15GRY</b> <b>PWFBMPDR15GRYTR</b>	<b>PWFBMPDR20GRY</b> <b>PWFBMPDR20GRYTR</b>

**AV Ceiling Enclosures**

Non-plenum, White	<b>AVCE1</b>	
Plenum, White	<b>AVCE1P</b>	

Note: Includes enclosure, (2) 20A duplex receptacles, 2-gang back box

**Plates for use in 2-, 4- and 6-Gang Floor Boxes**

Plate Style	Decorator	Duplex	Extron® MAAP	Extron®	1U iSTATION	1.5U iSTATION
Catalog No.	<b>FBMPREC</b>	<b>FBMPDUP</b>	<b>FBMPMAAP</b>	<b>FBMPAAP</b>	<b>FBMP2IM</b>	<b>FBMP15IM</b>
Plate Style	Simplex 1.40"	Twist-Lock® 1.60"	1-Gang Blank	Cable Feed Thru	TracJack® or Series II®	ISF6 Keystone Jacks
Catalog No.	<b>FBMP139</b>	<b>FBMP156</b>	<b>FBMPBNK</b>	<b>FBMPFT</b>	<b>FBMPTRAC</b>	<b>FBMP6KS</b>

**Hubbell SystemOne 6-Gang Recessed Floor Boxes**



	Rectangular Cover		Round Cover	
Standard	<b>CFB6G30</b>	-	<b>CFB6G30R</b>	-
On-grade (corrosion resistant)	-	<b>CFB6G30CR</b>	-	<b>CFB6G30RCR</b>

**Hubbell SystemOne 10-Gang Recessed Floor Boxes**



	Rectangular Cover		Round Cover	
Standard	<b>CFB10G55</b>	-	<b>CFB10G55R</b>	-
On-grade (corrosion resistant)	-	<b>CFB10G55CR</b>	-	<b>CFB10G55RCR</b>

**Rectangular Covers for 6- and 10-Gang Floor Boxes**

**Round Covers**

Surface	Surface with Insert	Flush	Flush with Insert	Flush
<b>610GCCVRRxx</b>	<b>610GCCVRRxxC</b>	<b>610GTCVRRxx</b>	<b>610GTCVRRxxC</b>	<b>CFBS1R8CVRxx</b>
<b>xx</b> = Finish: <b>ALU</b> (Aluminum Powder Coat), <b>BK</b> (Black Powder Coat), <b>BRS</b> (Brass Powder Coat), <b>BRZ</b> (Bronze Powder Coat), <b>NK</b> (Satin Nickel Powder Coat)				<b>xx</b> = Finish: <b>ALU</b> (Brushed Aluminum), <b>BLK</b> (Black Powder Coat), <b>BRS</b> (Brass Plated), <b>BRZ</b> (Bronze Plated), <b>NK</b> (Satin Nickel Plated)

**CFB10 Series Plates**

Plate Style	Decorator	Duplex	Blank	Decorator Including Hubbell ISF6GY
Catalog No.	<b>FB10MPREC</b>	<b>FB10MPDUP</b>	<b>FB10MPBNK</b>	<b>FB10MPKEY</b>
Plate Style	TracJack® Modules	4 AAP Modules (Uses 2 Gangs)	4 MAAP Modules (Uses 2 Gangs)	Pull Thru w Bushing
Catalog No.	<b>FB10MPTRAC</b>	<b>FB10MPAAP</b>	<b>FB10MPMAAP</b>	<b>FB10MPFT</b>
Plate Style	(2) Decorator	(6) 1U iSTATION modules	Twist-Lock® 1.60" Dia. (Uses 2 Gangs)	Simplex 1.40" Dia. (Uses 2 Gangs)
Catalog No.	<b>FB10MP2A</b>	<b>FB10MP2B</b>	<b>FB10TLA</b>	<b>FB10TLX</b>
Plate Style	(2) Simplex 1.40" Dia. (Uses 3 Gangs)	(3) Simplex 1.40" Dia. (Uses 5 Gangs)	(3) Twist-Lock® 1.60" Dia. (Uses 5 Gangs)	(2) 2-Gang; Meets NEMA Spacing; Ideal for Crestron® DM-TX Product and Power
Catalog No.	<b>FB10TLY</b>	<b>FB10TLZ</b>	<b>FB10TLC</b>	<b>FB10MPNEMA4G</b>
				(4) Single Service Openings Utilizing NEMA Wallplate (Uses 5 Gangs)



### Hubbell iSTATION Plates and Frames

<b>iSTATION Single-Service Plates</b>	<b>iSTATION Stainless Steel Plates</b>
1-gang <b>IMF1xx</b>	1-gang <b>IMSS1</b>
2-gang <b>IMF2xx</b>	2-gang <b>IMSS2</b>
3-gang <b>IMF3xx</b>	3-gang <b>IMSS3</b>
4-gang <b>IMF4xx</b>	4-gang <b>IMSS4</b>
<b>iSTATION Multi-Service Plates</b>	<b>Bezels</b>
2-gang decor <b>IMFP2xx</b>	For 3rd Party Raceway
1-g/1-g <b>IMFP1D1xx</b>	Gray <b>HWAPLGY</b>
1-g/2-g <b>IMFP1D2xx</b>	Of. White <b>HWAPLOW</b>
1-g/3-g <b>IMFP1D3xx</b>	White <b>HWAPLW</b>
2-g/2-g <b>IMFP2D2xx</b>	Raceway
Decorator/iSTATION	For Hubbell Raceway
	Gray <b>KPIMBZGY</b>
	Of. White <b>KPIMBZOW</b>

### Hubbell iSTATION Multimedia Modules

<b>Composite Video w/ L-R Audio Solder</b>	<b>Component Video Solder</b>	<b>Composite Video, 3.5mm Stereo, Solder</b>	<b>Component Video w/ L-R Audio RGBHV Solder</b>
<b>IM3RS1xx</b>	<b>IMCRS1xx</b>	<b>IMRSJ1xx</b>	<b>IMCRS15xx</b>
<b>Component Video, L/R Audio, 110 Term</b>	<b>Component Video, 3.5mm, 110 Term</b>	<b>Composite Video, 3.5mm, 110 Term</b>	<b>Composite Video w/ L-R Audio, 110 Term</b>
<b>IMCAR11015xx</b>	<b>IMC3511015xx</b>	<b>IMR3511015xx</b>	<b>IMR1101xx</b>
<b>LR Audio, 110 Term</b>	<b>Component Video, 110 Term</b>	<b>Component Video Pass-Thru</b>	<b>Composite Video w/ L-R Audio Pass-Thru</b>
<b>IMAR1101xx</b>	<b>IMCR1101xx</b>	<b>IMCRF1xx</b>	<b>IM3RF1xx</b>
<b>S-Video, 3.5mm Stereo, 110 Term</b>	<b>Speaker Post, Screw Term</b>	<b>Banana Plug, 10-Pk.</b>	<b>L-R Audio, 3.5mm Stereo, Pass-Thru</b>
<b>IMSV351101xx</b>	<b>IMSP1xx</b>	Black <b>SPPBK10</b>	<b>IM35AR1xx</b>
		Red <b>SPPR10</b>	

### Multimedia Panels, Unloaded

Ports	Flat	Angled
24	<b>HPJ24</b>	<b>HPJ24A</b>
48	<b>HPJ48</b>	<b>HPJ48A</b>
72	<b>HPJ72</b>	-
12	<b>HPJ1289*</b>	

\*Pre-mounted on an 89D bracket

<b>8-Port Decorator Panel</b>	
2U	<b>HPD8</b>

<b>Jack Panel, High Density, Unloaded</b>			
Height	Ports	Flat*	Angled*
1U	48	<b>UDX48E1U</b>	<b>UDX48A1U</b>

\*Accepts only HXJ/HJ Jacks

<b>Pro-AV Panel, Rack Mount, Unloaded</b>			
Height	Ports	Flat	Angled
1U	16	<b>PAV16</b>	<b>PAVA16</b>
2U	32	<b>PAV32</b>	<b>PAVA32</b>

xx = Color:

**BK** (Black)    **EI** (Electric Ivory) or **I** (Ivory)    **GY** (Gray)    **OW** (Office White)    **W** (White)

### Pro Audio Connections

<b>1394 FireWire, Pass-Thru</b>	<b>1/4" Locking Stereo, Solder</b>
10-pk <b>139410</b>	10-pk <b>14510</b>
<b>XLR, 3-pole, Screw Term</b>	<b>USB, A-to-B, Pass-Thru</b>
10-pk <b>XLRST10</b>	10-pk <b>USB10</b>
<b>2-Pole Speakon®, Solder</b>	<b>XLR 3-Pole, Solder</b>
10-pk <b>SC10</b>	10-pk <b>XLR10</b>

### Loaded Pro-AV Modules

<b>Mini XLR, 3-Pole, Solder</b>	<b>Screw Term XLR, VGA 3.5mm Stereo</b>
<b>IMXLRM1xx</b>	<b>IM153X2OW</b>

### Unloaded Keystone/SC/Pro-AV Modules

<b>SC Angled</b>	<b>Keystone Angled</b>
1-Port, 1 Duplex, 1.5 Unit <b>IM1SCA15xx</b>	1-Port, 1.5 Unit <b>IM1KA15xx</b>
2-Port, 2 Duplex, 2 Unit <b>IM2SCA2xx</b>	2-Port, 1.5 Unit <b>IM2KA15xx</b>
<b>Keystone Flat, 1 Unit</b>	<b>Keystone Recessed, Angled, 1.5 Unit</b>
1-Port <b>IM1K1xx</b>	1-Port <b>IM1IA15xx</b>
2-Port <b>IM2K1xx</b>	2-Port <b>IM2IA15xx</b>
<b>Blank Modules</b>	<b>Pro-AV, 1.5 Unit</b>
0.5 Unit <b>IMB05xx</b>	<b>IMAVB15xx</b>
1 Unit <b>IMB1xx</b>	
1.5 Unit <b>IMB15xx</b>	

