


The Timken Company

4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number 313WDN, Fafnir® Maximum Capacity Ball Bearings (200W, 300W)

Radial ball bearings consist of an inner and outer ring with a cage containing a complement of precision balls. The standard Conrad-type bearing has a deep-groove construction capable of handling radial and axial loads from either direction in versatile designs that permit relatively high-speed operation.

In addition to standard single-row deep groove bearings, Timken offers special designs, including a maximum capacity series and an extra large (XLS) radial series bearing.

Size range: 3 mm


[more](#)

[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#) | [Factors](#) | [Abutment and Fillet Dimensions](#)

Specifications

Design Units	Metric
d - Bore	65 mm
Ball Type	STEEL

Dimensions



D - Outer Diameter	140 mm 5.5118 in
Bearing Width	33 mm 1.2992 in

Basic Load Ratings

Ce - Dynamic Radial Rating¹	142000 N 31900 lbf
C0 - Static Radial Rating	97000 N 21800 lbf

Factors

Limiting Speed (Grease)	2439 rpm
Limiting Speed (Oil)	2926 rpm


Abutment and Fillet Dimensions

R - Inner Ring "To Clear" Radius²	2.11 mm 0.083 in
r - Outer Ring "To Clear" Radius³	2.11 mm 0.083 in
da - Inner Ring Backing Diameter	77.00 mm 3.0315 in
Da - Outer Ring Backing Diameter	128.00 mm 5.0394 in

¹ Based on 10^6 revolutions of calculated fatigue life.

² Maximum housing fillet radius that bearing corners will clear.

³ Maximum shaft fillet radius that bearing corners will clear.



METRIC UNITS

Number of Balls Per Row 13
 Bearing Weight 2.413 kg

TIMKEN®

THE TIMKEN COMPANY
 NORTH CANTON, OHIO USA

313WDN
 Fafnir® Maximum Capacity Ball Bearings (200W, 300W)

Dynamic Radial Rating 142000 N
 Static Radial Rating 97000 N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY