




The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720
Phone: (234) 262-3000
E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number VCJT 5/8, Fafnir® Two-Bolt Flanged Mounted Bearings Eccentric Locking Collar



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications	
Series	Standard
Shaft Size d	0.6250 in
Bearing Type	Ball Bearing
Bearing Number	GRA010RRB
Seal Type	Molded Shroud
Housing Construction	Two-Bolt Flange
Alternate Part Name	VCJT5/8


Dimensions	
------------	--



Total Length H	98.4 mm 3.874 in
Total Height L	53.9 mm 2.122 in
Housing Width A	23.6 mm 0.929 in
Bolt Hole Spacing J	76.2 mm 3 in
Bolt Hole Size N	10.7 mm 0.421 in
Flange Thickness A1	10.3 mm 0.406 in
Dimension B1	28.6 mm 1.126 in
Dimension S1	22.1 mm 0.87 in
Dimension E	39.3 mm 1.547 in
Dimension d1	28.6 mm 1.126 in

Basic Load Ratings

Static Load Rating	4700 N 1070 lbf
Dynamic Load Rating	10700 N 2380 lbf



TIMKEN
THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

FOR DISCUSSION ONLY

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.