




The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720
Phone: (234) 262-3000
E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number RSCM 3/4, Cartridge Block Mounted Bearings - Eccentric Locking Collar RSCM Series



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications	
Shaft Size d	3/4 in
Bearing Type	Ball Bearing
Bearing Number	RA012RR



Dimensions	
Dimension A	25.4 mm 1 in
Dimension D	64.3 mm 2.531 in
Dimension B1	31 mm 1.22 in



Dimension M	39.7 mm 1.563 in
Dimension d1	33.3 mm 1.311 in
Dimension S1	23.51 mm 0.926 in
Dimension T	12.7 mm 0.5 in

Basic Load Ratings

Housing Radial Load Rating	1120 N 250 lb
Static Load Rating	6500 N 1460 lbf
Dynamic Load Rating	14200 N 3190 lbf



Bearing Number	RA012RR			
Load Ratings - C _r	3190	lbf	14200	N
Load Ratings - C _{0r}	1460	lbf	6500	N
Weight	1.04	lb	0.472	kg

TIMKEN®

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

RCSM 3/4
Cartridge Block Mounted Bearings - Eccentric
Locking Collar RCSM Series

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY