



The Timken Company


4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number VCJ1 15/16, Fafnir® Four-Bolt Flanged Mounted Bearings Eccentric Locking Collar



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications

Series	Standard
Shaft Size d	1 15/16 in
Bearing Number	GRA115RRB
Seal Type	Molded Shroud
Housing Construction	Four-Bolt Square Flange
Alternate Part Name	VCJ115/16

Dimensions



Total Length L 142.9 mm
5.626 in

Housing Width A 42.9 mm
1.689 in

Flange Thickness A1 14.3 mm
0.563 in

Bolt Hole Spacing 111.12 mm
4 3/8 in

Bolt Hole Size N 16 mm
0.63 in

Center of Bearing from Housing End A2 28.5 mm
1.122 in

Dimension B1 43.7 mm
1.72 in

Dimension S1 32.7 mm
1.287 in

Dimension D 112.7 mm
4.437 in

Dimension E 61 mm
2.402 in

Dimension d1 69.9 mm
2.752 in

Bolt Size M16

Basic Load Ratings

Static Load Rating 23200 N
5210 lbf

Dynamic Load Rating 38900 N
8740 lbf

