



The Timken Company


4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number YAK 1/2, Fafnir® Pillow Block Mounted Bearings Setscrew Locking



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications

Series	Industrial
Bearing Type	Ball Bearing
Bearing Number	GY1008KRRB
Seal Type	Shroud Seal
Housing Construction	Two-Bolt Pillow Block
Alternate Part Name	YAK1/2

Dimensions

Base to Center Height H	26.99 mm
Total Length L	123.8 mm
Total Width A	30.2 mm
Bolt Hole Spacing J	92.1 mm



Bolt Hole Width N	11.1 mm
--------------------------	---------

Bolt Hole Length N1	22.2 mm
----------------------------	---------

Foot Height H1	8.7 mm
-----------------------	--------

Total Height H2	53.2 mm
------------------------	---------

Inside Ring Width B	27.38 mm
----------------------------	----------


Dimension S1	15.88 mm
---------------------	----------

Dimension F	22.86 mm
--------------------	----------

Basic Load Ratings

Static Load Rating	4700 N
---------------------------	--------

Dynamic Load Rating	10700 N
----------------------------	---------



Bearing Number	GY1008KRRB			
Load Ratings - C _r	2380	lbf	10700	N
Load Ratings - C _{0r}	1070	lbf	4700	N
Weight	1	lb	0.4536	kg
Bolt Size	M5x0.8			

TIMKEN[®]

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

YAK 1/2
Fafnir[®] Pillow Block Mounted Bearings Setscrew Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY