


The Timken Company


4500 Mt Pleasant St. NW

N. Canton, OH 44720

Phone: (234) 262-3000

E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com
Part Number 16015-C3, Narrow Section Ball Bearings (16000, 16100)

Timken's deep groove ball bearings deliver reliable performance in a wide range of applications and conditions. With super-finished raceways and controlled geometries, our premium design helps ensure consistent quality.



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#) | [Factors](#)

Specifications

Clearance	C3
Bore Size d	75 mm
Features	Open

Dimensions

Outside Diameter D	115 mm
Outside Ring Width B	13 mm
Radius R_{s min}	0.6 mm



Basic Load Ratings


Cr - Dynamic Load Rating 27600 N

C0r - Static Load Rating 25300 N

Factors

Grease Limiting Speed 4600 rpm

Oil Reference Speed 6700 rpm



METRIC UNITS

Weight 0.45 kg

TIMKEN[®]

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

16015-C3
Narrow Section Ball Bearings (16000, 16100)

Dynamic Load Rating 27600 N
Static Load Rating 25300 N

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY