
The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720
Phone: (234) 262-3000
E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number UCF206, UCF 200 Four-Bolt Flanged Mounted Bearings - Set Screw Locking





Specifications | Dimensions | Basic Load Ratings

Specifications

Bearing Number	UC206
Shaft Size d	30 mm
UPC Code	087796073579
Locking Style	Set Screw Locking
Housing Construction	Four-Bolt Square Flange


Dimensions

Total Length L	108 mm 4.252 in

Housing Width A	31 mm 1.22 in
Bolt Hole Spacing J	83 mm 3.268 in
Bolt Hole Size N	12 mm 0.472 in
Flange Thickness A1	13 mm 0.512 in
Center of Bearing from Housing End A2	18 mm 0.709 in
Inner Ring Width B	38.1 mm 1.5 in
Center of Bearing from Bearing End S	15.9 mm 0.626 in
Dimension A0	40.2 mm 1.594 in
Bolt Size	M10
Grease Nipple Size	A-1/4-28UNF

Basic Load Ratings

Static Load Rating	11300 N 2540 lbf
Dynamic Load Rating	19500 N 4385 lbf



Bearing Number	UC206				
Load Ratings - C_r	4385	lbf	19500	N	
Load Ratings - C_{0r}	2540	lbf	11300	N	
Weight	2.6	lb	1.2	kg	
Bolt Size	M10				

TIMKEN®

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

UCF206

UCF 200 Four-Bolt Flanged Mounted Bearings - Set Screw Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY