




The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720
Phone: (234) 262-3000
E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number UCFL214, UCFL 200 Two-Bolt Flanged Mounted Bearings - Set Screw Locking



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)

Specifications	
Bearing Number	UC214
Shaft Size d	70 mm
UPC Code	087796139558
Locking Style	Set Screw Locking
Housing Construction	Two-Bolt Flange

Dimensions	
Total Length H	265 mm 10.438 in
Total Height L	160 mm 6.313 in



Housing Width A	54 mm 2.125 in
-----------------	-------------------

Bolt Hole Spacing J	216 mm 8.5 in
---------------------	------------------

Bolt Hole Size N	23 mm 0.906 in
------------------	-------------------

Flange Thickness A1	20 mm 0.781 in
---------------------	-------------------

Center of Bearing from Housing End A2	31 mm 1.219 in
---------------------------------------	-------------------

Inner Ring Width B	74.6 mm 2.937 in
--------------------	---------------------

Center of Bearing from Bearing End S	30.2 mm 1.189 in
--------------------------------------	---------------------



Dimension A0	75.4 mm 2.969 in
--------------	---------------------

Bolt Size	M20
-----------	-----

Basic Load Ratings

Static Load Rating	44100 N 9914 lbf
--------------------	---------------------

Dynamic Load Rating	62200 N 13983 lbf
---------------------	----------------------



Bearing Number	UC214			
Load Ratings - C _r	13983	lbf	62200	N
Load Ratings - C _{0r}	9914	lbf	44100	N
Weight	12.6	lb	5.7	kg
Bolt Size	M20			

TIMKEN

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

UCFL214
UCFL 200 Two-Bolt Flanged Mounted
Bearings - Set Screw Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY