




The Timken Company
4500 Mt Pleasant St. NW
N. Canton, OH 44720
Phone: (234) 262-3000
E-Mail: CustomerCAD@timken.com • **Web site:** www.timken.com

Part Number YAK1 1/4 PT SGT, Fafnir® Pillow Block Mounted Bearings Setscrew Locking



[Specifications](#) | [Dimensions](#) | [Basic Load Ratings](#)


Specifications	
Series	Industrial
Shaft Size d	1 1/4 in
Bearing Type	Ball Bearing
Bearing Number	GY1104KRRB TDCF SGT
Seal Type	Shroud Seal
Housing Construction	Two-Bolt Pillow Block
Alternate Part Name	YAK1 1/4 PT SGT

Dimensions	
 Base to Center Height H	46.04 mm 1.813 in

Total Length L	166.7 mm 6.563 in
Total Width A	46.8 mm 1.843 in
Bolt Hole Spacing J	130.2 mm 5.126 in
Bolt Hole Width N	14.3 mm 0.563 in
Bolt Hole Length N1	24.6 mm 0.969 in
Foot Height H1	16.7 mm
Total Height H2	93.7 mm 3.689 in
Inside Ring Width B	45.41 mm 1.788 in
Dimension S1	27.94 mm 1.1 in
Dimension F	46.18 mm 1.818 in

Basic Load Ratings

Static Load Rating	15300 N 3440 lbf
Dynamic Load Rating	28500 N 6400 lbf



Bearing Number	GY1104KRRB TDCF SGT		
Load Ratings - C _r	6400	lbf	28500
Load Ratings - C _{0r}	3440	lbf	15300
Weight	4.064	lb	1.8434
Bolt Size	M8x1.25		

TIMKEN®

THE TIMKEN COMPANY
NORTH CANTON, OHIO USA

YAK1 1/4 PT SGT
Fafnir® Pillow Block Mounted Bearings Setscrew Locking

Every reasonable effort has been made to ensure the accuracy of the information contained in this writing, but no liability is accepted for errors, omissions or for any other reason.

FOR DISCUSSION ONLY