

29626

# Ultra Hygienic Handle, Ø1.3", 59.1", Yellow



Reduce the risk of cross contamination with a lightweight, sturdy Ultra Hygienic Handle that is free of crevices where bacteria can hide. Designed with vertical ridges and a matt finish that ensures an improved grip – even with greasy hands.

# Technical Data

<b>Item Number</b>	29626
<b>Connection</b>	Threaded
<b>Material</b>	Polypropylene Glass reinforced
<b>Recycling Symbol "7", Miscellaneous Plastics</b>	Yes
<b>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></b>	Yes
<b>Complies with EU Regulation 2023/2006/EC of Good Manufacturing Practice</b>	Yes
<b>Complies with FDA Regulationl CFR 21<sup>1</sup></b>	Yes
<b>Complies with UK 2019 No. 704 on food contact materials</b>	Yes
<b>Meets the REACH Regulation (EC) No. 1907/2006</b>	Yes
<b>Complies with California Proposition 65</b>	Yes
<b>Complies with Halal and Kosher</b>	Yes
<b>PFAS, Phthalates and BPA intentionally added</b>	No
<b>Design Registration No.</b>	EU 008521926-0004, UK 6133992, US D984,073 S
<b>Box Quantity</b>	10 Pcs.
<b>Quantity per Pallet (80 x 120 x approx.180 cm)</b>	400 Pcs.
<b>Quantity Per Layer (Pallet)</b>	40 Pcs.
<b>Box Length/Depth</b>	59.8 "
<b>Box Width</b>	7.9 "
<b>Box Height</b>	3.1 "
<b>Product diameter</b>	1.3 "
<b>Product Length/Depth</b>	59.1 "
<b>Product Width</b>	1.3 "
<b>Product Height</b>	1.3 "
<b>Net Weight</b>	1.3007 lbs
<b>Weight cardboard (Recycling symbol "20" PAP)</b>	0.09 lbs
<b>Total Tare Weight</b>	0.09 lbs
<b>Gross Weight</b>	1.3907 lbs
<b>Cubic Feet</b>	0.0543 ft3
<b>Recommended sterilisation temperature (Autoclave)</b>	249.8 °F
<b>Max. cleaning temperature (Dishwasher)</b>	199.4 °F
<b>Max usage temperature (food contact)</b>	104 °F
<b>Max usage temperature (non food contact)</b>	212 °F
<b>Min. usage temperature</b>	-4 °F
<b>Max. drying temperature</b>	212 °F

<b>Min. pH-value in usage concentration</b>	2 pH
<b>Max. pH-value in Usage Concentration</b>	10.5 pH
<b>GTIN-13 Number</b>	5705020296260
<b>GTIN-14 Number (Box quantity)</b>	15705020296267
<b>Customs Tariff Number</b>	39241000
<b>Country of Origin ISO Code</b>	DK
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.