



Constant Flow Fog Nozzles

Features:


- red polycarbonate with bumper and black plastic and steel stem
- provides consistent volume at any spray angle
- adjusts from Straight Stream to Fog
- 1" and 1½" are ULC listed
- maximum operating pressure: **100 PSI** (water only) at 70°F (21°C)



2½" nozzle with handles
CFB250NST



2½" nozzle without handles
HGCFB250NST



1½" nozzle


Size	Thread	90° Spray GPM @ 100 PSI	Polycarbonate		Wt. Lbs.
			Part #	Price/E	
¾"	GHT	8	CFB75GHT	\$32.65	0.42
1"	SIPT	22	CFB100S	32.70	0.38
1½"	SIPT	75	CFB150S ¹	28.05	0.44
1½"	SIPT	150	HGCFB150S ²	98.20	0.50
2"	SIPT	75	CFB2015S ¹	63.85	0.45
2"	SIPT	150	CFB200S ²	89.60	0.53
1"	NST (NH)	22	CFB100NST	32.70	0.37
1½"	NST (NH)	75	CFB150NST ¹	28.05	0.44
1½"	NST (NH)	150	HGCFB150NST ²	98.20	0.51
2½"	NST (NH)	150	CFB250NST ³	182.00	2.00
2½"	NST (NH)	215	HGCFB250NST ^{2,4}	225.25	1.90
1½"	NYF	75	CFB150NYF ¹	28.05	0.45
2½"	NYF	150	CFB250NYF ³	182.00	2.00
1½"	CF	75	CFB150CF ¹	POR	0.43
2½"	CF	150	CFB250CF ³	POR	2.00
2½"	NYC	150	CFB250NYC ³	182.00	2.00
2½"	CT	150	CFB250_	74.25	2.00

— Customer Thread (*must specify*) refer to legend on page 566

¹ standard flow

² high flow

³ provided with handles

⁴ intended for firefighting use only - nozzle will shut off automatically if not fully manned (both hands) 

- NYF – New York Fire Dept. Thread 1 ½" (2.100 ODM X 8 TPI) — 2 ½" (3.030 ODM X 8 TPI)
- CF – Chicago Fire Dept. Thread 1 ½" (1.933 ODM X 11.5 TPI) — 2 ½" (2.990 ODM X 7.5 TPI)
- NYC – New York Corporation Thread 1 ½" (2.093 ODM X 11 TPI) — 2 ½" (3.000 ODM X 8 TPI)
- Also available CSA, BAT, NSS

Blue Refinery Fog Nozzles

Features:

- blue polycarbonate with bumper and black plastic and steel stem
- glass-filled
- provides consistent volume at any spray angle
- adjusts from Straight Stream to Fog
- resistant to petrochemicals
- maximum operating pressure: **100 PSI** (water only) at 70°F (21°C)



P

Size	Thread	90° Spray GPM @ 100 PSI	Polycarbonate		Wt. Lbs.
			Part #	Price/E	
1½"	SIPT	75	RNB150S	\$34.50	0.48
1½"	NST (NH)	75	RNB150NST	34.50	0.47

Gaskets

Feature:

- used on constant flow and refinery fog nozzles

dimensions are nominal



Size	Thread	ID	OD	Thickness	Buna-N		Wt. Lbs.
					Part #	Price/E	
1"	SIPT	0.900"	1.270"	0.125"	CFG100S	\$2.65	.003
1½"	SIPT	1.510"	1.878"	0.125"	CFG150S	2.70	.005
2"	SIPT	1.680"	2.340"	0.156"	CFG200S	2.80	.013
1"	NST (NH)	0.900"	1.270"	0.125"	CFG100NST	2.65	.003
1½"	NST (NH)	1.510"	1.906"	0.125"	CFG150NST	2.70	.003
2½"	NST (NH)	2.250"	3.000"	0.187"	CFG250NST	2.95	.020