



Evansville, IN 47711
812-421-8900
812-421-8915 (Fax)

MATERIAL SAFETY DATA SHEET

MSDS Number: PA0213 Effective Date: 2/1/2006

Product Name: PA6 GRXX, PA6/6 GRXX, PA6 U GRXX, PA6/6 U GRXX, ALL COLORS Page 4 of 4

Section VIII - Control Measures

- Control/Respiratory Protection: For fumes, use approved respirator for organic vapors and acid gases. For secondary operation dust, use approved dust respirator.
- Control/Ventilation: Use only with adequate ventilation and dust containment.
- Control/Gloves: Use gloves when polymer is hot to minimize skin contact.
- Control/Eye Protection: Wear appropriate eye protection. Take special precaution when in molten state.
- Control/Other Clothing: Wear long sleeved shirts and pants to minimize skin contact.
- Control/Work-Hygiene: Observe proper industrial hygiene practices according to regulations.

Section IX - Other Regulatory Information

None



2300 Lynch Road
 Evansville, IN 47711
 812-421-8900
 812-421-8915 (Fax)

MATERIAL SAFETY DATA SHEET

MSDS Number: PA0213

Effective Date: 2/1/2006

Product Name: PA6 GRXX, PA6/6 GRXX, PA6 U GRXX, PA6/6 U GRXX, ALL COLORS Page 3 of 4

Section VI - Health Hazard Data

- Health Hazard/Inhalation:** Should be avoided by wearing approved dust mask. Inhalation of any nuisance dust may cause respiratory irritation.
- Health Hazard/Skin:** Skin contact with the pellets as received does not present any known health hazard. Hot molten polymer will cause severe thermal burns.
- Health Hazard/Ingestion:** Not a probable route of exposure.
- Health Hazard/Eye:** Contact with the pellets as received does not present any known health hazard. Contact may create irritation.
- Emergency First Aid/Inhalation:** Remove to uncontaminated area. If not breathing, administer artificial respiration. If breathing is difficult, seek medical attention.
- Emergency First Aid/Skin:** If molten polymer contacts the skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burn.
- Emergency First Aid/Ingestion:** If swallowed, administer at least 3-4 glasses of water but do not induce vomiting or give water to unconscious or convulsing person. Seek medical attention.
- Emergency First Aid/Eye:** Flush with water for at least fifteen minutes.

Section VII - Precautions For Safe Handling & Use

- Handling/Spillage:** Sweep up and remove to disposal container to prevent slipping hazard.
- Handling/Waste Disposal:** Landfill or incinerate in accordance with local, state, and federal laws.
- Handling/Storage:** Store in cool dry place. Keep containers closed to prevent contamination.
- Handling/Other Precautions:** In accordance with good manufacturing practices, good general ventilation of the polymer in the processing area is recommended.



2300 Cynch Road
 Evansville, IN 47711
 812-421-8900
 812-421-8915 (Fax)

MATERIAL SAFETY DATA SHEET

MSDS Number: PA0213

Effective Date: 2/1/2006

Product Name: PA6 GRXX, PA6/6 GRXX, PA6 U GRXX, PA6/6 U GRXX, ALL COLORS Page 2 of 4

Section IV – Fire And Explosion Hazard Data

Flash Point:	NA
Lower Explosive Limit:	NA
Upper Explosive Limit:	NA
Extinguishing Media:	Carbon Dioxide, Water, Dry Chemicals
Special Firefighting Proc:	Wear NIOSH/MSHA approved SCBA and full protective gear
Unusual Fire & Explosive Hazards:	None

Section V – Reactivity Data

Stability:	Yes
Conditions to Avoid (Stability):	Avoid exposure to heat, spark, or open flame.
Materials to avoid:	Strong acids and oxidizing agents
Hazardous Decomposition Products:	Thermal decomposition yields a large variety of organic and inorganic products, depending on product grade, temperature, and other immediate environmental factors.
Hazardous Polymerization Occur:	No
Conditions to avoid (Poly):	Not relevant



2300 Lynch Road
Evansville, IN 47711
812-421-8900
812-421-8915 (Fax)

MATERIAL SAFETY DATA SHEET

MSDS Number: PA0213 Effective Date: 2/1/2006
Product Name: PA6 GRXX, PA6/6 GRXX, PA6 U GRXX, PA6/6 U GRXX, ALL COLORS Page 1 of 4

Section I – Product Information

Product Description: Fiberglass filled thermoplastic compound
Chemical Name/Family: Polyamide (Nylon)
Version Number: 01
Revision Date: 2/1/2006

Section II – Hazardous Ingredients/Identify Information

None

Section III – Physical/Chemical Characteristics

Boiling Point: NA
Vapor Pressure: NA
Vapor Density: NA
Evaporation Rate: NA
Solubility in Water: Insoluble
Appearance And Odor: Colored plastic pellets, no significant odor