A

Engineered Fluid

Diesel Fuel Gravity Fill Receivers

Feature:

• used with the FN600 or FN600BL to convert to gravity fueling

Size	Description	Part #	Price/E
13/8"	straight	GFR-0	\$454.00
1%" 1%"	45°	GFR-45	481.00
178 1"	90° straight	GFR-90 GFR1-0	481.00 481.00
1"	45°	GFR1-45	503.45
1"	90°	GFR1-90	503.45



Fuel Vents

Features:

- 2" male NPT
- billet cap provides superior impact resistance
- · easily serviced all metal construction
- · rigid ball cage for positive seal
- · available with: threaded outlet, half coupling and anti-vandalism mounting

Description	Part #	Price/E
vent with 5" tube	VT	\$418.05
vent with 7" tube	VT7	431.55
vent with 9" tube	VT9	445.00
vent with 5" tube and threaded outlet	VTT	467.50



High Flow Fuel Vents

Feature:

• 7" tubes are available, contact Dixon® for more information

Description	Part #	Price/E
high flow fuel vent with 5" tube	VTX	\$777.60
high flow fuel vent with 9" tube	VTX-9	813.55



Diesel Fuel Swivels

Features:

- stainless steel male threaded base and ball bearings
- · hard black anodized female threaded nut
- fluorosilicone sealing O-rings

Thread Size	Description	Part #	Price/E
1½" male NPT x 1½" female NPT	standard	FNS	\$323.65
2" male NPT x 1½" female NPT	standard	FNS2	337.15
1½" female NPT x 1½" female NPT	double	FNSID	364.15
11/2" male NPS x 11/2" female NPT	standard	FN600S1	323.65
1 used with FN600 or FN600BL			



Service Box

Features:

- Designed to enclose receivers for diesel fuel, hydraulic oil, transmission fluid and coolant reducing contamination and weather related problems.
- · normally installed on heavy duty earth mover equipment and drill rigs
- 12 gauge steel construction with heavy duty hinges
- painted with Imron® Primer

Part #	Price/E
FSB	\$1719.95



FNS - standard

FNSID - double

receivers sold separately





DPL417