## Non-rising Stem Wedge Disc Gate Valves الله 🕬

## Applications:

for use on standpipes, fire pumps and hydrants

## Features:

Features:

- satin finish
- red handwheel
- solid wedge disc with tapered seats
- straightway pattern
- U/L listed and FM approved
- working pressure: 300 PSI at 70°F (21°C)

Inlet Female NPT	Outlet Male NST (NH)	Forged Brass Part #	Price	Wt. Lbs.
21⁄2"	21⁄2"	WDGV251F	\$505.40	8.8
3"	21⁄2"	WDGV3025F	610.75	9.3



## Wedge Disc Gate Valves - Rising Stem 19-280

**Dimensions** 

- red iron handwheel, with brass cap and chain
- solid wedge disc with tapered seats
- not recommended for wet standpipe systems, use AV250 (18-157) for this purpose, see page 529
- working pressure: see chart below

Inlet Female NPT	Outlet Male	WP PSI	Cast Brass Part #	Price	Wt. Lbs.
21⁄2"	21⁄2" NST (NH)	200	RWDGV250F	\$857.90	19.0
21⁄2"	21⁄2" CT		<b>RWDGV250</b> 1	POR	19.0
3"	21⁄2" NST (NH)	300	RWDGV3025F <sup>2</sup>	1000.00	20.3
3"	21⁄2" CT		<b>RWDGV3025</b> 1	POR	20.0



<sup>1</sup> Customer Thread (must specify) refer to legend on page 566

<sup>2</sup> U/L listed

Size	A	B closed	С	D closed	D open	[
2½" 3" x 2½"	6-1/2" 6-3/16"	11 11	2-1/2" 2-1/2"	13-1/2" 13-1/2"	16-1/4" 16-1/4"	

