

29354

Aluminum Handle, Ø1.2",  
51.6", Red



Ergonomically designed with a comfortable grip and rounded top and hanger, this handle fits any Vikan product that requires a handle. Do not use with acid or chlorine.

# Technical Data

<b>Item Number</b>	29354
<b>Material</b>	Anodised Aluminium Polypropylene
<b>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></b>	Yes
<b>Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice</b>	Yes
<b>FDA-compliant raw material (CFR 21)</b>	Yes
<b>Complies with UK 2019 No. 704 on food contact materials</b>	Yes
<b>Meets the REACH Regulation (EC) No. 1907/2006</b>	Yes
<b>California Proposition 65 Compliant</b>	Yes
<b>Use of phthalates and bisphenol A</b>	No
<b>Is Halal and Kosher compliant</b>	Yes
<b>Design Registration No.</b>	DE 401033756.8
<b>Box Quantity</b>	10 Pcs.
<b>Quantity per Pallet (80 x 120 x 200 cm)</b>	960 Pcs.
<b>Quantity Per Layer (Pallet)</b>	40 Pcs.
<b>Product diameter</b>	1.2 "
<b>Length</b>	51.6 "
<b>Width</b>	1.2 "
<b>Height</b>	1.2 "
<b>Net Weight</b>	1.0802 lbs
<b>Tare Cardboard</b>	0.07 lbs
<b>Tare Total</b>	0.07 lbs
<b>Gross Weight</b>	1.1519 lbs
<b>Cubic Feet</b>	0.0445 ft <sup>3</sup>
<b>Recommended sterilisation temperature (Autoclave)</b>	249.8 °F
<b>Max. cleaning temperature (Dishwasher)</b>	199.4 °F
<b>Max usage temperature (food contact)</b>	212 °F
<b>Max usage temperature (non food contact)</b>	212 °F
<b>Min. usage temperature</b>	-4 °F
<b>Max. drying temperature</b>	212 °F
<b>Min. pH-value in usage concentration</b>	2 pH
<b>Max. pH-value in Usage Concentration</b>	8 pH
<b>GTIN-12 Number</b>	5705020293542
<b>GTIN-12 Number (Box quantity)</b>	15705020293549
<b>Customs Tariff No.</b>	82119500
<b>Country of Origin</b>	Denmark

New equipment should be cleaned, disinfected, sterilized, and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

1. See Declaration of Compliance for further details on food contact
3. Do not store the product below 32 °Fahrenheit.